

Modal Logic K+T+4+5

May 11, 2021

Abstract

This system does not have cut-elimination.

Contents

1	Height preserving admissibility of weakening on the left	2
2	Height preserving admissibility of weakening on the right	4
3	Measure of derivations	6
4	Invertibility of Rules	8
4.1	Status of \rightarrow_R : : Invertible	8
4.2	Status of \wedge_R : (Left Premise): Invertible	9
4.3	Status of \wedge_R (Right Premise): : Invertible	11
4.4	Status of \vee_R : : Invertible	12
4.5	Status of \perp_R : : Invertible	14
4.6	Status of \top_R : : Invertible	15
4.7	Status of K : : Non invertible	17
4.8	Status of $A45$: : Non invertible	18
4.9	Status of \rightarrow_L : (Left Premise): Invertible	20
4.10	Status of \rightarrow_L (Right Premise): : Invertible	22
4.11	Status of \wedge_L : : Invertible	23
4.12	Status of \vee_L : (Left Premise): Invertible	25
4.13	Status of \vee_L (Right Premise): : Invertible	27
4.14	Status of AT : : Invertible	28
4.15	Status of \perp_L : : Invertible	30
4.16	Status of I : : Invertible	31
4.17	Status of \top_L : : Invertible	33
5	Identity-Expansion	35
6	Cut-Elimination	36
6.1	Status of \rightarrow_R : OK	36
6.2	Status of \wedge_R : OK	41
6.3	Status of \vee_R : OK	47
6.4	Status of \perp_R : OK	53
6.5	Status of \top_R : OK	57
6.6	Status of K : OK	61
6.7	Status of $A45$: fail	68
6.8	Status of \rightarrow_L : OK	80

6.9	Status of \wedge_L : OK	84
6.10	Status of \vee_L : OK	88
6.11	Status of AT : OK	92
6.12	Status of \perp_L : OK	96
6.13	Status of I : OK	99
6.14	Status of \top_L : OK	103

1 Height preserving admissibility of weakening on the left

- Case(s) rule \rightarrow_R

$$\frac{h_1 : F_4, \Delta_2 \vdash F_5, \Delta_3}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_4 \rightarrow F_5} \rightarrow_R \rightarrow \frac{\frac{\overline{h_1 : \Delta_2, F_4 \vdash \Delta_3, F_5}}{\text{ax}}}{h_1 : \Delta_2, F_4, F_W \vdash \Delta_3, F_5} \text{IH}}{\bullet h_1 : \Delta_2, F_W \vdash \Delta_3, F_4 \rightarrow F_5} \rightarrow_R$$

- Case(s) rule \wedge_R

$$\frac{h_1 : \Delta_2 \vdash F_4, \Delta_3 \quad h_1 : \Delta_2 \vdash F_5, \Delta_3}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_4 \wedge F_5} \wedge_R \rightarrow \frac{\frac{\overline{h_1 : \Delta_2 \vdash \Delta_3, F_4}}{\text{ax}}}{h_1 : \Delta_2, F_W \vdash \Delta_3, F_4} \text{IH} \quad \frac{\overline{h_1 : \Delta_2 \vdash \Delta_3, F_5}}{\text{ax}}}{h_1 : \Delta_2, F_W \vdash \Delta_3, F_5} \text{IH}}{\bullet h_1 : \Delta_2, F_W \vdash \Delta_3, F_4 \wedge F_5} \wedge_R$$

- Case(s) rule \vee_R

$$\frac{h_1 : \Delta_2 \vdash F_4, F_5, \Delta_3}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_4 \vee F_5} \vee_R \rightarrow \frac{\frac{\overline{h_1 : \Delta_2 \vdash \Delta_3, F_4, F_5}}{\text{ax}}}{h_1 : \Delta_2, F_W \vdash \Delta_3, F_4, F_5} \text{IH}}{\bullet h_1 : \Delta_2, F_W \vdash \Delta_3, F_4 \vee F_5} \vee_R$$

- Case(s) rule \perp_R

$$\frac{h_1 : \Delta_2 \vdash \Delta_3}{\bullet h_1 : \Delta_2 \vdash \perp, \Delta_3} \perp_R \rightarrow \frac{\frac{\overline{h_1 : \Delta_2 \vdash \Delta_3}}{\text{ax}}}{h_1 : \Delta_2, F_W \vdash \Delta_3} \text{IH}}{\bullet h_1 : \Delta_2, F_W \vdash \perp, \Delta_3} \perp_R$$

- Case(s) rule \top_R

$$\frac{}{\bullet h_1 : \Delta_2 \vdash \top, \Delta_3} \top_R \rightarrow \frac{}{\bullet h_1 : \Delta_2, F_W \vdash \top, \Delta_3} \top_R$$

- Case(s) rule K

$$\frac{h_1 : \text{unbox}(\Box\Gamma_2) \vdash F_5}{\bullet h_1 : \Box\Gamma_2, \Delta_3 \vdash \Delta_4, \Box F_5} K \rightarrow \frac{\frac{\overline{h_1 : \text{unbox}(\Box\Gamma_2) \vdash F_5}}{\text{ax}}}{h_1 : \Delta_3, F_W, \Box\Gamma_2 \vdash \Delta_4, \Box F_5} K}$$

- Case(s) rule $A45$

$$\frac{h_1 : \Box\Gamma_2 \vdash \Box\Gamma_4, F_6}{\bullet h_1 : \Box\Gamma_2, \Delta_3 \vdash \Box\Gamma_4, \Delta_5, \Box F_6} A45 \rightarrow \frac{\frac{\overline{h_1 : \Box\Gamma_2 \vdash F_6, \Box\Gamma_4}}{\text{ax}}}{h_1 : \Delta_3, F_W, \Box\Gamma_2 \vdash \Delta_5, \Box\Gamma_4, \Box F_6} A45}$$

- Case(s) rule \rightarrow_L

$$\frac{h_1 : \Delta_2 \vdash F_3, \Delta_5 \quad h_1 : F_4, \Delta_2 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_3 \rightarrow F_4 \vdash \Delta_5} \rightarrow_L \rightarrow \frac{\frac{\overline{h_1 : \Delta_2 \vdash \Delta_5, F_3}}{\text{ax}}}{h_1 : \Delta_2, F_W \vdash \Delta_5, F_3} \text{IH} \quad \frac{\overline{h_1 : \Delta_2, F_4 \vdash \Delta_5}}{\text{ax}}}{h_1 : \Delta_2, F_4, F_W \vdash \Delta_5} \text{IH}}{\bullet h_1 : \Delta_2, F_W, F_3 \rightarrow F_4 \vdash \Delta_5} \rightarrow_L$$

- Case(s) rule \wedge_L

$$\frac{\frac{h_1 : F_3, F_4, \Delta_2 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_3 \wedge F_4 \vdash \Delta_5} \wedge_L}{\frac{\frac{h_1 : \Delta_2, F_3, F_4 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_3, F_4, F_W \vdash \Delta_5} \text{IH}}{\frac{h_1 : \Delta_2, F_W, F_3 \wedge F_4 \vdash \Delta_5} \wedge_L} \text{ax}} \rightarrow$$

- Case(s) rule \vee_L

$$\frac{\frac{h_1 : F_3, \Delta_2 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_3 \vee F_4 \vdash \Delta_5} \vee_L}{\frac{\frac{h_1 : \Delta_2, F_3 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_W, F_3 \vee F_4 \vdash \Delta_5} \text{IH}}{\frac{h_1 : \Delta_2, F_4, F_W \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_3 \vee F_4 \vdash \Delta_5} \vee_L} \text{ax}} \rightarrow$$

- Case(s) rule AT

$$\frac{\frac{h_1 : F_3, \Delta_2, []F_3 \vdash \Delta_4}{\bullet h_1 : \Delta_2, []F_3 \vdash \Delta_4} AT}{\frac{\frac{h_1 : \Delta_2, F_3, []F_3 \vdash \Delta_4}{\bullet h_1 : \Delta_2, F_W, []F_3 \vdash \Delta_4} \text{IH}}{\frac{h_1 : \Delta_2, F_W, []F_3 \vdash \Delta_4}{\bullet h_1 : \Delta_2, F_W, []F_3 \vdash \Delta_4} AT} \text{ax}} \rightarrow$$

- Case(s) rule \perp_L

$$\frac{\frac{}{\bullet h_1 : \perp, \Delta_2 \vdash \Delta_3} \perp_L}{\frac{}{\bullet h_1 : \perp, \Delta_2, F_W \vdash \Delta_3} \perp_L} \rightarrow$$

- Case(s) rule I

$$\frac{\frac{}{\bullet h_1 : \Delta_2, p_3 \vdash \Delta_4, p_3} I}{\frac{}{\bullet h_1 : \Delta_2, F_W, p_3 \vdash \Delta_4, p_3} I} \rightarrow$$

- Case(s) rule \top_L

$$\frac{\frac{h_1 : \Delta_2 \vdash \Delta_3}{\bullet h_1 : \top, \Delta_2 \vdash \Delta_3} \top_L}{\frac{\frac{h_1 : \Delta_2 \vdash \Delta_3}{\bullet h_1 : \top, \Delta_2, F_W \vdash \Delta_3} \text{IH}}{\frac{h_1 : \Delta_2, F_W \vdash \Delta_3}{\bullet h_1 : \top, \Delta_2, F_W \vdash \Delta_3} \top_L} \text{ax}} \rightarrow$$

2 Height preserving admissibility of weakening on the right

- Case(s) rule \rightarrow_R

$$\frac{h_1 : F_4, \Delta_2 \vdash F_5, \Delta_3}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_4 \rightarrow F_5} \rightarrow_R \rightarrow \frac{\frac{h_1 : \Delta_2, F_4 \vdash \Delta_3, F_5}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_W, F_4 \rightarrow F_5} \text{ax}}{\frac{h_1 : \Delta_2, F_4 \vdash \Delta_3, F_5, F_W}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_W, F_4 \rightarrow F_5} \text{IH}} \rightarrow_R$$

- Case(s) rule \wedge_R

$$\frac{h_1 : \Delta_2 \vdash F_4, \Delta_3 \quad h_1 : \Delta_2 \vdash F_5, \Delta_3}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_4 \wedge F_5} \wedge_R \rightarrow \frac{\frac{h_1 : \Delta_2 \vdash \Delta_3, F_4}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_W, F_4 \wedge F_5} \text{ax} \quad \frac{h_1 : \Delta_2 \vdash \Delta_3, F_5}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_5, F_W} \text{ax}}{\frac{h_1 : \Delta_2 \vdash \Delta_3, F_4, F_W}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_W, F_4 \wedge F_5} \text{IH} \quad \frac{h_1 : \Delta_2 \vdash \Delta_3, F_5, F_W}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_5, F_W} \text{IH}} \wedge_R$$

- Case(s) rule \vee_R

$$\frac{h_1 : \Delta_2 \vdash F_4, F_5, \Delta_3}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_4 \vee F_5} \vee_R \rightarrow \frac{\frac{h_1 : \Delta_2 \vdash \Delta_3, F_4, F_5}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_W, F_4 \vee F_5} \text{ax}}{\frac{h_1 : \Delta_2 \vdash \Delta_3, F_4, F_5, F_W}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_W, F_4 \vee F_5} \text{IH}} \vee_R$$

- Case(s) rule \perp_R

$$\frac{h_1 : \Delta_2 \vdash \Delta_3}{\bullet h_1 : \Delta_2 \vdash \perp, \Delta_3} \perp_R \rightarrow \frac{\frac{h_1 : \Delta_2 \vdash \Delta_3}{\bullet h_1 : \Delta_2 \vdash \perp, \Delta_3, F_W} \text{ax}}{\frac{h_1 : \Delta_2 \vdash \Delta_3, F_W}{\bullet h_1 : \Delta_2 \vdash \perp, \Delta_3, F_W} \text{IH}} \perp_R$$

- Case(s) rule \top_R

$$\frac{}{\bullet h_1 : \Delta_2 \vdash \top, \Delta_3} \top_R \rightarrow \frac{}{\bullet h_1 : \Delta_2 \vdash \top, \Delta_3, F_W} \top_R$$

- Case(s) rule K

$$\frac{h_1 : \text{unbox}(\Box\Gamma_2) \vdash F_5}{\bullet h_1 : \Box\Gamma_2, \Delta_3 \vdash \Delta_4, []F_5} K \rightarrow \frac{\frac{h_1 : \text{unbox}(\Box\Gamma_2) \vdash F_5}{\bullet h_1 : \Delta_3, \Box\Gamma_2 \vdash \Delta_4, F_W, []F_5} \text{ax}}{\bullet h_1 : \Delta_3, \Box\Gamma_2 \vdash \Delta_4, F_W, []F_5} K$$

- Case(s) rule $A45$

$$\frac{h_1 : \Box\Gamma_2 \vdash \Box\Gamma_4, F_6}{\bullet h_1 : \Box\Gamma_2, \Delta_3 \vdash \Box\Gamma_4, \Delta_5, []F_6} A45 \rightarrow \frac{\frac{h_1 : \Box\Gamma_2 \vdash F_6, \Box\Gamma_4}{\bullet h_1 : \Delta_3, \Box\Gamma_2 \vdash \Delta_5, F_W, \Box\Gamma_4, []F_6} \text{ax}}{\bullet h_1 : \Delta_3, \Box\Gamma_2 \vdash \Delta_5, F_W, \Box\Gamma_4, []F_6} A45$$

- Case(s) rule \rightarrow_L

$$\frac{h_1 : \Delta_2 \vdash F_3, \Delta_5 \quad h_1 : F_4, \Delta_2 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_3 \rightarrow F_4 \vdash \Delta_5} \rightarrow_L \rightarrow \frac{\frac{h_1 : \Delta_2 \vdash \Delta_5, F_3}{\bullet h_1 : \Delta_2, F_3 \rightarrow F_4 \vdash \Delta_5, F_W} \text{ax} \quad \frac{h_1 : \Delta_2, F_4 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_3 \rightarrow F_4 \vdash \Delta_5, F_W} \text{ax}}{\frac{h_1 : \Delta_2 \vdash \Delta_5, F_3, F_W}{\bullet h_1 : \Delta_2, F_3 \rightarrow F_4 \vdash \Delta_5, F_W} \text{IH} \quad \frac{h_1 : \Delta_2, F_4 \vdash \Delta_5, F_W}{\bullet h_1 : \Delta_2, F_3 \rightarrow F_4 \vdash \Delta_5, F_W} \text{IH}} \rightarrow_L$$

- Case(s) rule \wedge_L

$$\frac{h_1 : F_3, F_4, \Delta_2 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_3 \wedge F_4 \vdash \Delta_5} \wedge_L \rightarrow \frac{\frac{h_1 : \Delta_2, F_3, F_4 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_3 \wedge F_4 \vdash \Delta_5, F_W} \text{ax}}{\frac{h_1 : \Delta_2, F_3, F_4 \vdash \Delta_5, F_W}{\bullet h_1 : \Delta_2, F_3 \wedge F_4 \vdash \Delta_5, F_W} \text{IH}} \wedge_L$$

- Case(s) rule \vee_L

$$\frac{h_1 : F_3, \Delta_2 \vdash \Delta_5 \quad h_1 : F_4, \Delta_2 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_3 \vee F_4 \vdash \Delta_5} \vee_L \rightarrow \frac{\frac{h_1 : \Delta_2, F_3 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_3 \vee F_4 \vdash \Delta_5, F_W} \text{ax} \quad \frac{h_1 : \Delta_2, F_4 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_3 \vee F_4 \vdash \Delta_5, F_W} \text{ax}}{\frac{h_1 : \Delta_2, F_3 \vdash \Delta_5, F_W}{\bullet h_1 : \Delta_2, F_3 \vee F_4 \vdash \Delta_5, F_W} \text{IH} \quad \frac{h_1 : \Delta_2, F_4 \vdash \Delta_5, F_W}{\bullet h_1 : \Delta_2, F_3 \vee F_4 \vdash \Delta_5, F_W} \text{IH}} \vee_L$$

- Case(s) rule AT

$$\frac{h_1 : F_3, \Delta_2, []F_3 \vdash \Delta_4}{\bullet h_1 : \Delta_2, []F_3 \vdash \Delta_4} AT \rightarrow \frac{\frac{h_1 : \Delta_2, F_3, []F_3 \vdash \Delta_4}{h_1 : \Delta_2, F_3, []F_3 \vdash \Delta_4, F_W} IH}{\bullet h_1 : \Delta_2, []F_3 \vdash \Delta_4, F_W} AT$$

- Case(s) rule \perp_L

$$\frac{}{\bullet h_1 : \perp, \Delta_2 \vdash \Delta_3} \perp_L \rightarrow \frac{}{\bullet h_1 : \perp, \Delta_2 \vdash \Delta_3, F_W} \perp_L$$

- Case(s) rule I

$$\frac{}{\bullet h_1 : \Delta_2, P_3 \vdash \Delta_4, P_3} I \rightarrow \frac{}{\bullet h_1 : \Delta_2, P_3 \vdash \Delta_4, F_W, P_3} I$$

- Case(s) rule \top_L

$$\frac{h_1 : \Delta_2 \vdash \Delta_3}{\bullet h_1 : \top, \Delta_2 \vdash \Delta_3} \top_L \rightarrow \frac{\frac{h_1 : \Delta_2 \vdash \Delta_3}{h_1 : \Delta_2 \vdash \Delta_3, F_W} IH}{\bullet h_1 : \top, \Delta_2 \vdash \Delta_3, F_W} \top_L$$

3 Measure of derivations

- Case(s) rule \rightarrow_R

$$\frac{h_1 : F_4, \Delta_2 \vdash F_5, \Delta_3}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_4 \rightarrow F_5} \rightarrow_R \rightarrow \frac{\frac{h_1 : \Delta_2, F_4 \vdash \Delta_3, F_5}{\bullet h_1 : \Delta_2, F_4 \vdash \Delta_3, F_5} \text{IH}}{\bullet \bullet h_1 : \Delta_2 \vdash \Delta_3, F_4 \rightarrow F_5} \text{ax} \rightarrow_R$$

- Case(s) rule \wedge_R

$$\frac{h_1 : \Delta_2 \vdash F_4, \Delta_3 \quad h_1 : \Delta_2 \vdash F_5, \Delta_3}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_4 \wedge F_5} \wedge_R \rightarrow \frac{\frac{h_1 : \Delta_2 \vdash \Delta_3, F_4}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_4} \text{IH} \quad \frac{h_1 : \Delta_2 \vdash \Delta_3, F_5}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_5} \text{IH}}{\bullet \bullet h_1 : \Delta_2 \vdash \Delta_3, F_4 \wedge F_5} \text{ax} \wedge_R$$

- Case(s) rule \vee_R

$$\frac{h_1 : \Delta_2 \vdash F_4, F_5, \Delta_3}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_4 \vee F_5} \vee_R \rightarrow \frac{\frac{h_1 : \Delta_2 \vdash \Delta_3, F_4, F_5}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_4, F_5} \text{IH}}{\bullet \bullet h_1 : \Delta_2 \vdash \Delta_3, F_4 \vee F_5} \text{ax} \vee_R$$

- Case(s) rule \perp_R

$$\frac{h_1 : \Delta_2 \vdash \Delta_3}{\bullet h_1 : \Delta_2 \vdash \perp, \Delta_3} \perp_R \rightarrow \frac{\frac{h_1 : \Delta_2 \vdash \Delta_3}{\bullet h_1 : \Delta_2 \vdash \Delta_3} \text{IH}}{\bullet \bullet h_1 : \Delta_2 \vdash \perp, \Delta_3} \text{ax} \perp_R$$

- Case(s) rule \top_R

$$\frac{}{\bullet h_1 : \Delta_2 \vdash \top, \Delta_3} \top_R \rightarrow \frac{}{\bullet \bullet h_1 : \Delta_2 \vdash \top, \Delta_3} \top_R$$

- Case(s) rule K

$$\frac{h_1 : \text{unbox}(\Box\Gamma_2) \vdash F_5}{\bullet h_1 : \Box\Gamma_2, \Delta_3 \vdash \Delta_4, []F_5} K \rightarrow \frac{\frac{h_1 : \text{unbox}(\Box\Gamma_2) \vdash F_5}{\bullet h_1 : \text{unbox}(\Box\Gamma_2) \vdash F_5} \text{IH}}{\bullet \bullet h_1 : \Delta_3, \Box\Gamma_2 \vdash \Delta_4, []F_5} \text{ax} K$$

- Case(s) rule $A45$

$$\frac{h_1 : \Box\Gamma_2 \vdash \Box\Gamma_4, F_6}{\bullet h_1 : \Box\Gamma_2, \Delta_3 \vdash \Box\Gamma_4, \Delta_5, []F_6} A45 \rightarrow \frac{\frac{h_1 : \Box\Gamma_2 \vdash F_6, \Box\Gamma_4}{\bullet h_1 : \Box\Gamma_2 \vdash F_6, \Box\Gamma_4} \text{IH}}{\bullet \bullet h_1 : \Delta_3, \Box\Gamma_2 \vdash \Delta_5, \Box\Gamma_4, []F_6} \text{ax} A45$$

- Case(s) rule \rightarrow_L

$$\frac{h_1 : \Delta_2 \vdash F_3, \Delta_5 \quad h_1 : F_4, \Delta_2 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_3 \rightarrow F_4 \vdash \Delta_5} \rightarrow_L \rightarrow \frac{\frac{h_1 : \Delta_2 \vdash \Delta_5, F_3}{\bullet h_1 : \Delta_2 \vdash \Delta_5, F_3} \text{IH} \quad \frac{h_1 : \Delta_2, F_4 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_4 \vdash \Delta_5} \text{IH}}{\bullet \bullet h_1 : \Delta_2, F_3 \rightarrow F_4 \vdash \Delta_5} \text{ax} \rightarrow_L$$

- Case(s) rule \wedge_L

$$\frac{h_1 : F_3, F_4, \Delta_2 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_3 \wedge F_4 \vdash \Delta_5} \wedge_L \rightarrow \frac{\frac{h_1 : \Delta_2, F_3, F_4 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_3, F_4 \vdash \Delta_5} \text{IH}}{\bullet \bullet h_1 : \Delta_2, F_3 \wedge F_4 \vdash \Delta_5} \text{ax} \wedge_L$$

- Case(s) rule \vee_L

$$\frac{h_1 : F_3, \Delta_2 \vdash \Delta_5 \quad h_1 : F_4, \Delta_2 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_3 \vee F_4 \vdash \Delta_5} \vee_L \rightarrow \frac{\frac{h_1 : \Delta_2, F_3 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_3 \vdash \Delta_5} \text{IH} \quad \frac{h_1 : \Delta_2, F_4 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_4 \vdash \Delta_5} \text{IH}}{\bullet \bullet h_1 : \Delta_2, F_3 \vee F_4 \vdash \Delta_5} \text{ax} \vee_L$$

- Case(s) rule AT

$$\frac{h_1 : F_3, \Delta_2, []F_3 \vdash \Delta_4}{\bullet h_1 : \Delta_2, []F_3 \vdash \Delta_4} AT \rightarrow \frac{\frac{h_1 : \Delta_2, F_3, []F_3 \vdash \Delta_4}{\bullet h_1 : \Delta_2, F_3, []F_3 \vdash \Delta_4} IH}{\bullet \bullet h_1 : \Delta_2, []F_3 \vdash \Delta_4} AT$$

- Case(s) rule \perp_L

$$\frac{}{\bullet h_1 : \perp, \Delta_2 \vdash \Delta_3} \perp_L \rightarrow \frac{}{\bullet \bullet h_1 : \perp, \Delta_2 \vdash \Delta_3} \perp_L$$

- Case(s) rule I

$$\frac{}{\bullet h_1 : \Delta_2, P_3 \vdash \Delta_4, P_3} I \rightarrow \frac{}{\bullet \bullet h_1 : \Delta_2, P_3 \vdash \Delta_4, P_3} I$$

- Case(s) rule \top_L

$$\frac{h_1 : \Delta_2 \vdash \Delta_3}{\bullet h_1 : \top, \Delta_2 \vdash \Delta_3} \top_L \rightarrow \frac{\frac{h_1 : \Delta_2 \vdash \Delta_3}{\bullet h_1 : \Delta_2 \vdash \Delta_3} IH}{\bullet \bullet h_1 : \top, \Delta_2 \vdash \Delta_3} \top_L$$

4 Invertibility of Rules

4.1 Status of \rightarrow_R : : Invertible

- Case rule \rightarrow_R

$$\frac{h_3 : F_5, \Delta_4 \vdash F_6, \Delta_7, F_1 \rightarrow F_2}{\bullet h_3 : \Delta_4 \vdash (\Delta_7, F_1 \rightarrow F_2), F_5 \rightarrow F_6} \rightarrow_R \rightarrow \frac{\overline{h_3 : \Delta_4, F_1, F_5 \vdash \Delta_7, F_2, F_6}}{\bullet h_3 : \Delta_4, F_1 \vdash \Delta_7, F_2, F_5 \rightarrow F_6} \text{ax/ind} \rightarrow_R$$

$$\frac{h_1 : F_4, \Delta_2 \vdash F_5, \Delta_3}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_4 \rightarrow F_5} \rightarrow_R \rightarrow \frac{\overline{h_1 : \Delta_2, F_4 \vdash \Delta_3, F_5}}{\bullet h_1 : \Delta_2, F_4 \vdash \Delta_3, F_5} \text{ax} \text{H}$$

- Case rule \wedge_R

$$\frac{h_3 : \Delta_4 \vdash F_5, \Delta_7, F_1 \rightarrow F_2 \quad h_3 : \Delta_4 \vdash F_6, \Delta_7, F_1 \rightarrow F_2}{\bullet h_3 : \Delta_4 \vdash (\Delta_7, F_1 \rightarrow F_2), F_5 \wedge F_6} \wedge_R \rightarrow \frac{\overline{h_3 : \Delta_4, F_1 \vdash \Delta_7, F_2, F_5} \text{ax/ind} \quad \overline{h_3 : \Delta_4, F_1 \vdash \Delta_7, F_2, F_6} \text{ax/ind}}{\bullet h_3 : \Delta_4, F_1 \vdash \Delta_7, F_2, F_5 \wedge F_6} \wedge_R$$

- Case rule \vee_R

$$\frac{h_3 : \Delta_4 \vdash F_5, F_6, \Delta_7, F_1 \rightarrow F_2}{\bullet h_3 : \Delta_4 \vdash (\Delta_7, F_1 \rightarrow F_2), F_5 \vee F_6} \vee_R \rightarrow \frac{\overline{h_3 : \Delta_4, F_1 \vdash \Delta_7, F_2, F_5, F_6} \text{ax/ind}}{\bullet h_3 : \Delta_4, F_1 \vdash \Delta_7, F_2, F_5 \vee F_6} \vee_R$$

- Case rule \perp_R

$$\frac{h_3 : \Delta_4 \vdash \Delta_5, F_1 \rightarrow F_2}{\bullet h_3 : \Delta_4 \vdash \perp, \Delta_5, F_1 \rightarrow F_2} \perp_R \rightarrow \frac{\overline{h_3 : \Delta_4, F_1 \vdash \Delta_5, F_2} \text{ax/ind}}{\bullet h_3 : \Delta_4, F_1 \vdash \perp, \Delta_5, F_2} \perp_R$$

- Case rule \top_R

$$\frac{\overline{\bullet h_3 : \Delta_4 \vdash \top, \Delta_5, F_1 \rightarrow F_2}}{\top_R} \rightarrow \frac{\overline{\bullet h_3 : \Delta_4, F_1 \vdash \top, \Delta_5, F_2}}{\top_R}$$

- Case rule K

$$\frac{h_3 : \text{unbox}(\Box\Gamma_4) \vdash F_6}{\bullet h_3 : \Box\Gamma_4, \Delta_5 \vdash (\Delta_7, F_1 \rightarrow F_2), \Box F_6} K \rightarrow \frac{\overline{h_3 : \text{unbox}(\Box\Gamma_4) \vdash F_6} \text{ax}}{\bullet h_3 : \Delta_5, F_1, \Box\Gamma_4 \vdash \Delta_7, F_2, \Box F_6} K$$

- Case rule $A45$

$$\frac{h_3 : \Box\Gamma_4 \vdash \Box\Gamma_6, F_7}{\bullet h_3 : \Box\Gamma_4, \Delta_5 \vdash \Box\Gamma_6, (\Delta_8, F_1 \rightarrow F_2), \Box F_7} A45 \rightarrow \frac{\overline{h_3 : \Box\Gamma_4 \vdash F_7, \Box\Gamma_6} \text{ax}}{\bullet h_3 : \Delta_5, F_1, \Box\Gamma_4 \vdash \Delta_8, F_2, \Box\Gamma_6, \Box F_7} A45$$

- Case rule \rightarrow_L

$$\frac{h_4 : \Delta_5 \vdash F_6, \Delta_1, F_2 \rightarrow F_3 \quad h_4 : F_7, \Delta_5 \vdash \Delta_1, F_2 \rightarrow F_3}{\bullet h_4 : \Delta_5, F_6 \rightarrow F_7 \vdash \Delta_1, F_2 \rightarrow F_3} \rightarrow_L \rightarrow \frac{\overline{h_4 : \Delta_5, F_2 \vdash \Delta_1, F_3, F_6} \text{ax/ind} \quad \overline{h_4 : \Delta_5, F_2, F_7 \vdash \Delta_1, F_3} \text{ax/ind}}{\bullet h_4 : \Delta_5, F_2, F_6 \rightarrow F_7 \vdash \Delta_1, F_3} \rightarrow_L$$

- Case rule \wedge_L

$$\frac{h_4 : F_6, F_7, \Delta_5 \vdash \Delta_1, F_2 \rightarrow F_3}{\bullet h_4 : \Delta_5, F_6 \wedge F_7 \vdash \Delta_1, F_2 \rightarrow F_3} \wedge_L \rightarrow \frac{\frac{h_4 : \Delta_5, F_2, F_6, F_7 \vdash \Delta_1, F_3}{\bullet h_4 : \Delta_5, F_2, F_6 \wedge F_7 \vdash \Delta_1, F_3} \text{ax/ind}}{\wedge_L}$$

- Case rule \vee_L

$$\frac{\frac{h_4 : F_6, \Delta_5 \vdash \Delta_1, F_2 \rightarrow F_3}{\bullet h_4 : \Delta_5, F_6 \vee F_7 \vdash \Delta_1, F_2 \rightarrow F_3} \vee_L \quad \frac{h_4 : F_7, \Delta_5 \vdash \Delta_1, F_2 \rightarrow F_3}{\bullet h_4 : \Delta_5, F_6 \vee F_7 \vdash \Delta_1, F_2 \rightarrow F_3} \vee_L}{\frac{\frac{h_4 : \Delta_5, F_2, F_6 \vdash \Delta_1, F_3}{\bullet h_4 : \Delta_5, F_2, F_6 \vee F_7 \vdash \Delta_1, F_3} \text{ax/ind} \quad \frac{h_4 : \Delta_5, F_2, F_7 \vdash \Delta_1, F_3}{\bullet h_4 : \Delta_5, F_2, F_6 \vee F_7 \vdash \Delta_1, F_3} \text{ax/ind}}{\vee_L}}$$

- Case rule AT

$$\frac{h_4 : F_6, \Delta_5, []F_6 \vdash \Delta_1, F_2 \rightarrow F_3}{\bullet h_4 : \Delta_5, []F_6 \vdash \Delta_1, F_2 \rightarrow F_3} AT \rightarrow \frac{\frac{h_4 : \Delta_5, F_2, F_6, []F_6 \vdash \Delta_1, F_3}{\bullet h_4 : \Delta_5, F_2, []F_6 \vdash \Delta_1, F_3} \text{ax/ind}}{AT}$$

- Case rule \perp_L

$$\frac{}{\bullet h_4 : \perp, \Delta_5 \vdash \Delta_1, F_2 \rightarrow F_3} \perp_L \rightarrow \frac{}{\bullet h_4 : \perp, \Delta_5, F_2 \vdash \Delta_1, F_3} \perp_L$$

- Case rule I

$$\frac{}{\bullet h_3 : p_5, \Delta_4 \vdash p_5, \Delta_6, F_1 \rightarrow F_2} I \rightarrow \frac{}{\bullet h_3 : \Delta_4, F_1, p_5 \vdash \Delta_6, F_2, p_5} I$$

- Case rule \top_L

$$\frac{h_4 : \Delta_5 \vdash \Delta_1, F_2 \rightarrow F_3}{\bullet h_4 : \top, \Delta_5 \vdash \Delta_1, F_2 \rightarrow F_3} \top_L \rightarrow \frac{\frac{h_4 : \Delta_5, F_2 \vdash \Delta_1, F_3}{\bullet h_4 : \top, \Delta_5, F_2 \vdash \Delta_1, F_3} \text{ax/ind}}{\top_L}$$

4.2 Status of \wedge_R : (Left Premise): Invertible

- Case rule \rightarrow_R

$$\frac{h_3 : F_5, \Delta_4 \vdash F_6, \Delta_7, F_1 \wedge F_2}{\bullet h_3 : \Delta_4 \vdash (\Delta_7, F_1 \wedge F_2), F_5 \rightarrow F_6} \rightarrow_R \rightarrow \frac{\frac{h_3 : \Delta_4, F_5 \vdash \Delta_7, F_1, F_6}{\bullet h_3 : \Delta_4 \vdash \Delta_7, F_1, F_5 \rightarrow F_6} \text{ax/ind}}{\rightarrow_R}$$

- Case rule \wedge_R

$$\frac{\frac{h_3 : \Delta_4 \vdash F_5, \Delta_7, F_1 \wedge F_2}{\bullet h_3 : \Delta_4 \vdash (\Delta_7, F_1 \wedge F_2), F_5 \wedge F_6} \wedge_R \quad \frac{h_3 : \Delta_4 \vdash F_6, \Delta_7, F_1 \wedge F_2}{\bullet h_3 : \Delta_4 \vdash \Delta_7, F_1, F_5 \wedge F_6} \wedge_R}{\frac{\frac{h_3 : \Delta_4 \vdash \Delta_7, F_1, F_5}{\bullet h_3 : \Delta_4 \vdash \Delta_7, F_1, F_5 \wedge F_6} \text{ax/ind} \quad \frac{h_3 : \Delta_4 \vdash \Delta_7, F_1, F_6}{\bullet h_3 : \Delta_4 \vdash \Delta_7, F_1, F_6} \text{ax/ind}}{\wedge_R}}$$

$$\frac{\frac{h_1 : \Delta_2 \vdash F_4, \Delta_3 \quad h_1 : \Delta_2 \vdash F_5, \Delta_3}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_4 \wedge F_5} \wedge_R \quad \frac{h_1 : \Delta_2 \vdash F_4, \Delta_3}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_4} \text{ax}}{\wedge_R}$$

- Case rule \vee_R

$$\frac{\frac{h_3 : \Delta_4 \vdash F_5, F_6, \Delta_7, F_1 \wedge F_2}{\bullet h_3 : \Delta_4 \vdash (\Delta_7, F_1 \wedge F_2), F_5 \vee F_6} \vee_R \quad \frac{h_3 : \Delta_4 \vdash F_5, F_6, \Delta_7, F_1 \wedge F_2}{\bullet h_3 : \Delta_4 \vdash \Delta_7, F_1, F_5 \vee F_6} \vee_R}{\frac{\frac{h_3 : \Delta_4 \vdash \Delta_7, F_1, F_5, F_6}{\bullet h_3 : \Delta_4 \vdash \Delta_7, F_1, F_5 \vee F_6} \text{ax/ind}}{\vee_R}}$$

- Case rule \perp_R

$$\frac{h_3 : \Delta_4 \vdash \Delta_5, F_1 \wedge F_2}{\bullet h_3 : \Delta_4 \vdash \perp, \Delta_5, F_1 \wedge F_2} \perp_R \rightarrow \frac{\overline{h_3 : \Delta_4 \vdash \Delta_5, F_1} \text{ ax/ind}}{\bullet h_3 : \Delta_4 \vdash \perp, \Delta_5, F_1} \perp_R$$

- Case rule \top_R

$$\frac{}{\bullet h_3 : \Delta_4 \vdash \top, \Delta_5, F_1 \wedge F_2} \top_R \rightarrow \frac{}{\bullet h_3 : \Delta_4 \vdash \top, \Delta_5, F_1} \top_R$$

- Case rule K

$$\frac{h_3 : \text{unbox}(\Box\Gamma_4) \vdash F_6}{\bullet h_3 : \Box\Gamma_4, \Delta_5 \vdash (\Delta_7, F_1 \wedge F_2), []F_6} K \rightarrow \frac{\overline{h_3 : \text{unbox}(\Box\Gamma_4) \vdash F_6} \text{ ax}}{\bullet h_3 : \Delta_5, \Box\Gamma_4 \vdash \Delta_7, F_1, []F_6} K$$

- Case rule $A45$

$$\frac{h_3 : \Box\Gamma_4 \vdash \Box\Gamma_6, F_7}{\bullet h_3 : \Box\Gamma_4, \Delta_5 \vdash \Box\Gamma_6, (\Delta_8, F_1 \wedge F_2), []F_7} A45 \rightarrow \frac{\overline{h_3 : \Box\Gamma_4 \vdash F_7, \Box\Gamma_6} \text{ ax}}{\bullet h_3 : \Delta_5, \Box\Gamma_4 \vdash \Delta_8, F_1, \Box\Gamma_6, []F_7} A45$$

- Case rule \rightarrow_L

$$\frac{h_4 : \Delta_5 \vdash F_6, \Delta_1, F_2 \wedge F_3 \quad h_4 : F_7, \Delta_5 \vdash \Delta_1, F_2 \wedge F_3}{\bullet h_4 : \Delta_5, F_6 \rightarrow F_7 \vdash \Delta_1, F_2 \wedge F_3} \rightarrow_L \rightarrow \frac{\overline{h_4 : \Delta_5 \vdash \Delta_1, F_2, F_6} \text{ ax/ind} \quad \overline{h_4 : \Delta_5, F_7 \vdash \Delta_1, F_2} \text{ ax/ind}}{\bullet h_4 : \Delta_5, F_6 \rightarrow F_7 \vdash \Delta_1, F_2} \rightarrow_L$$

- Case rule \wedge_L

$$\frac{h_4 : F_6, F_7, \Delta_5 \vdash \Delta_1, F_2 \wedge F_3}{\bullet h_4 : \Delta_5, F_6 \wedge F_7 \vdash \Delta_1, F_2 \wedge F_3} \wedge_L \rightarrow \frac{\overline{h_4 : \Delta_5, F_6, F_7 \vdash \Delta_1, F_2} \text{ ax/ind}}{\bullet h_4 : \Delta_5, F_6 \wedge F_7 \vdash \Delta_1, F_2} \wedge_L$$

- Case rule \vee_L

$$\frac{h_4 : F_6, \Delta_5 \vdash \Delta_1, F_2 \wedge F_3 \quad h_4 : F_7, \Delta_5 \vdash \Delta_1, F_2 \wedge F_3}{\bullet h_4 : \Delta_5, F_6 \vee F_7 \vdash \Delta_1, F_2 \wedge F_3} \vee_L \rightarrow \frac{\overline{h_4 : \Delta_5, F_6 \vdash \Delta_1, F_2} \text{ ax/ind} \quad \overline{h_4 : \Delta_5, F_7 \vdash \Delta_1, F_2} \text{ ax/ind}}{\bullet h_4 : \Delta_5, F_6 \vee F_7 \vdash \Delta_1, F_2} \vee_L$$

- Case rule AT

$$\frac{h_4 : F_6, \Delta_5, []F_6 \vdash \Delta_1, F_2 \wedge F_3}{\bullet h_4 : \Delta_5, []F_6 \vdash \Delta_1, F_2 \wedge F_3} AT \rightarrow \frac{\overline{h_4 : \Delta_5, F_6, []F_6 \vdash \Delta_1, F_2} \text{ ax/ind}}{\bullet h_4 : \Delta_5, []F_6 \vdash \Delta_1, F_2} AT$$

- Case rule \perp_L

$$\frac{}{\bullet h_4 : \perp, \Delta_5 \vdash \Delta_1, F_2 \wedge F_3} \perp_L \rightarrow \frac{}{\bullet h_4 : \perp, \Delta_5 \vdash \Delta_1, F_2} \perp_L$$

- Case rule I

$$\frac{}{\bullet h_3 : p_5, \Delta_4 \vdash p_5, \Delta_6, F_1 \wedge F_2} I \rightarrow \frac{}{\bullet h_3 : \Delta_4, p_5 \vdash \Delta_6, F_1, p_5} I$$

- Case rule \top_L

$$\frac{h_4 : \Delta_5 \vdash \Delta_1, F_2 \wedge F_3}{\bullet h_4 : \top, \Delta_5 \vdash \Delta_1, F_2 \wedge F_3} \top_L \rightarrow \frac{\overline{h_4 : \Delta_5 \vdash \Delta_1, F_2}}{\bullet h_4 : \top, \Delta_5 \vdash \Delta_1, F_2} \text{ax/ind} \top_L$$

4.3 Status of \wedge_R (Right Premise): : Invertible

- Case rule \rightarrow_R

$$\frac{h_3 : F_5, \Delta_4 \vdash F_6, \Delta_7, F_1 \wedge F_2}{\bullet h_3 : \Delta_4 \vdash (\Delta_7, F_1 \wedge F_2), F_5 \rightarrow F_6} \rightarrow_R \rightarrow \frac{\overline{h_3 : \Delta_4, F_5 \vdash \Delta_7, F_2, F_6}}{\bullet h_3 : \Delta_4 \vdash \Delta_7, F_2, F_5 \rightarrow F_6} \text{ax/ind} \rightarrow_R$$

- Case rule \wedge_R

$$\frac{h_3 : \Delta_4 \vdash F_5, \Delta_7, F_1 \wedge F_2}{\bullet h_3 : \Delta_4 \vdash (\Delta_7, F_1 \wedge F_2), F_5 \wedge F_6} \wedge_R \rightarrow \frac{\overline{h_3 : \Delta_4 \vdash \Delta_7, F_2, F_5}}{\bullet h_3 : \Delta_4 \vdash \Delta_7, F_2, F_5 \wedge F_6} \text{ax/ind} \frac{\overline{h_3 : \Delta_4 \vdash \Delta_7, F_2, F_6}}{\bullet h_3 : \Delta_4 \vdash \Delta_7, F_2, F_5 \wedge F_6} \text{ax/ind} \wedge_R$$

$$\frac{h_1 : \Delta_2 \vdash F_4, \Delta_3 \quad h_1 : \Delta_2 \vdash F_5, \Delta_3}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_4 \wedge F_5} \wedge_R \rightarrow \frac{\overline{h_1 : \Delta_2 \vdash \Delta_3, F_5}}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_5} \text{ax} \text{H}$$

- Case rule \vee_R

$$\frac{h_3 : \Delta_4 \vdash F_5, F_6, \Delta_7, F_1 \wedge F_2}{\bullet h_3 : \Delta_4 \vdash (\Delta_7, F_1 \wedge F_2), F_5 \vee F_6} \vee_R \rightarrow \frac{\overline{h_3 : \Delta_4 \vdash \Delta_7, F_2, F_5, F_6}}{\bullet h_3 : \Delta_4 \vdash \Delta_7, F_2, F_5 \vee F_6} \text{ax/ind} \vee_R$$

- Case rule \perp_R

$$\frac{h_3 : \Delta_4 \vdash \Delta_5, F_1 \wedge F_2}{\bullet h_3 : \Delta_4 \vdash \perp, \Delta_5, F_1 \wedge F_2} \perp_R \rightarrow \frac{\overline{h_3 : \Delta_4 \vdash \Delta_5, F_2}}{\bullet h_3 : \Delta_4 \vdash \perp, \Delta_5, F_2} \text{ax/ind} \perp_R$$

- Case rule \top_R

$$\overline{\bullet h_3 : \Delta_4 \vdash \top, \Delta_5, F_1 \wedge F_2} \top_R \rightarrow \overline{\bullet h_3 : \Delta_4 \vdash \top, \Delta_5, F_2} \top_R$$

- Case rule K

$$\frac{h_3 : \text{unbox}(\Box\Gamma_4) \vdash F_6}{\bullet h_3 : \Box\Gamma_4, \Delta_5 \vdash (\Delta_7, F_1 \wedge F_2), \Box F_6} K \rightarrow \frac{\overline{h_3 : \text{unbox}(\Box\Gamma_4) \vdash F_6}}{\bullet h_3 : \Delta_5, \Box\Gamma_4 \vdash \Delta_7, F_2, \Box F_6} \text{ax} K$$

- Case rule $A45$

$$\frac{h_3 : \Box\Gamma_4 \vdash \Box\Gamma_6, F_7}{\bullet h_3 : \Box\Gamma_4, \Delta_5 \vdash \Box\Gamma_6, (\Delta_8, F_1 \wedge F_2), \Box F_7} A45 \rightarrow \frac{\overline{h_3 : \Box\Gamma_4 \vdash F_7, \Box\Gamma_6}}{\bullet h_3 : \Delta_5, \Box\Gamma_4 \vdash \Delta_8, F_2, \Box\Gamma_6, \Box F_7} \text{ax} A45$$

- Case rule \rightarrow_L

$$\frac{h_4 : \Delta_5 \vdash F_6, \Delta_1, F_2 \wedge F_3 \quad h_4 : F_7, \Delta_5 \vdash \Delta_1, F_2 \wedge F_3}{\bullet h_4 : \Delta_5, F_6 \rightarrow F_7 \vdash \Delta_1, F_2 \wedge F_3} \rightarrow_L \rightarrow \frac{\overline{h_4 : \Delta_5 \vdash \Delta_1, F_3, F_6}}{\bullet h_4 : \Delta_5, F_6 \rightarrow F_7 \vdash \Delta_1, F_3} \text{ax/ind} \frac{\overline{h_4 : \Delta_5, F_7 \vdash \Delta_1, F_3}}{\bullet h_4 : \Delta_5, F_6 \rightarrow F_7 \vdash \Delta_1, F_3} \text{ax/ind} \rightarrow_L$$

- Case rule \wedge_L

$$\frac{h_4 : F_6, F_7, \Delta_5 \vdash \Delta_1, F_2 \wedge F_3}{\bullet h_4 : \Delta_5, F_6 \wedge F_7 \vdash \Delta_1, F_2 \wedge F_3} \wedge_L \rightarrow \frac{\frac{h_4 : \Delta_5, F_6, F_7 \vdash \Delta_1, F_3}{\bullet h_4 : \Delta_5, F_6 \wedge F_7 \vdash \Delta_1, F_3} \text{ax/ind}}{\bullet h_4 : \Delta_5, F_6 \wedge F_7 \vdash \Delta_1, F_3} \wedge_L$$

- Case rule \vee_L

$$\frac{\frac{h_4 : F_6, \Delta_5 \vdash \Delta_1, F_2 \wedge F_3}{\bullet h_4 : \Delta_5, F_6 \vee F_7 \vdash \Delta_1, F_2 \wedge F_3} \quad \frac{h_4 : F_7, \Delta_5 \vdash \Delta_1, F_2 \wedge F_3}{\bullet h_4 : \Delta_5, F_6 \vee F_7 \vdash \Delta_1, F_2 \wedge F_3}}{\bullet h_4 : \Delta_5, F_6 \vee F_7 \vdash \Delta_1, F_2 \wedge F_3} \vee_L \rightarrow \frac{\frac{h_4 : \Delta_5, F_6 \vdash \Delta_1, F_3}{\bullet h_4 : \Delta_5, F_6 \vee F_7 \vdash \Delta_1, F_3} \text{ax/ind} \quad \frac{h_4 : \Delta_5, F_7 \vdash \Delta_1, F_3}{\bullet h_4 : \Delta_5, F_6 \vee F_7 \vdash \Delta_1, F_3} \text{ax/ind}}{\bullet h_4 : \Delta_5, F_6 \vee F_7 \vdash \Delta_1, F_3} \vee_L$$

- Case rule AT

$$\frac{h_4 : F_6, \Delta_5, []F_6 \vdash \Delta_1, F_2 \wedge F_3}{\bullet h_4 : \Delta_5, []F_6 \vdash \Delta_1, F_2 \wedge F_3} AT \rightarrow \frac{\frac{h_4 : \Delta_5, F_6, []F_6 \vdash \Delta_1, F_3}{\bullet h_4 : \Delta_5, []F_6 \vdash \Delta_1, F_3} \text{ax/ind}}{\bullet h_4 : \Delta_5, []F_6 \vdash \Delta_1, F_3} AT$$

- Case rule \perp_L

$$\frac{\bullet h_4 : \perp, \Delta_5 \vdash \Delta_1, F_2 \wedge F_3}{\bullet h_4 : \perp, \Delta_5 \vdash \Delta_1, F_3} \perp_L \rightarrow \frac{\bullet h_4 : \perp, \Delta_5 \vdash \Delta_1, F_3}{\bullet h_4 : \perp, \Delta_5 \vdash \Delta_1, F_3} \perp_L$$

- Case rule I

$$\frac{\bullet h_3 : p_5, \Delta_4 \vdash p_5, \Delta_6, F_1 \wedge F_2}{\bullet h_3 : \Delta_4, p_5 \vdash \Delta_6, F_2, p_5} I \rightarrow \frac{\bullet h_3 : \Delta_4, p_5 \vdash \Delta_6, F_2, p_5}{\bullet h_3 : \Delta_4, p_5 \vdash \Delta_6, F_2, p_5} I$$

- Case rule \top_L

$$\frac{h_4 : \Delta_5 \vdash \Delta_1, F_2 \wedge F_3}{\bullet h_4 : \top, \Delta_5 \vdash \Delta_1, F_2 \wedge F_3} \top_L \rightarrow \frac{\frac{h_4 : \Delta_5 \vdash \Delta_1, F_3}{\bullet h_4 : \top, \Delta_5 \vdash \Delta_1, F_3} \text{ax/ind}}{\bullet h_4 : \top, \Delta_5 \vdash \Delta_1, F_3} \top_L$$

4.4 Status of \vee_R : : Invertible

- Case rule \rightarrow_R

$$\frac{h_3 : F_5, \Delta_4 \vdash F_6, \Delta_7, F_1 \vee F_2}{\bullet h_3 : \Delta_4 \vdash (\Delta_7, F_1 \vee F_2), F_5 \rightarrow F_6} \rightarrow_R \rightarrow \frac{\frac{h_3 : \Delta_4, F_5 \vdash \Delta_7, F_1, F_2, F_6}{\bullet h_3 : \Delta_4 \vdash \Delta_7, F_1, F_2, F_5 \rightarrow F_6} \text{ax/ind}}{\bullet h_3 : \Delta_4 \vdash \Delta_7, F_1, F_2, F_5 \rightarrow F_6} \rightarrow_R$$

- Case rule \wedge_R

$$\frac{h_3 : \Delta_4 \vdash F_5, \Delta_7, F_1 \vee F_2 \quad h_3 : \Delta_4 \vdash F_6, \Delta_7, F_1 \vee F_2}{\bullet h_3 : \Delta_4 \vdash (\Delta_7, F_1 \vee F_2), F_5 \wedge F_6} \wedge_R \rightarrow \frac{\frac{h_3 : \Delta_4 \vdash \Delta_7, F_1, F_2, F_5}{\bullet h_3 : \Delta_4 \vdash \Delta_7, F_1, F_2, F_5} \text{ax/ind} \quad \frac{h_3 : \Delta_4 \vdash \Delta_7, F_1, F_2, F_6}{\bullet h_3 : \Delta_4 \vdash \Delta_7, F_1, F_2, F_6} \text{ax/ind}}{\bullet h_3 : \Delta_4 \vdash \Delta_7, F_1, F_2, F_5 \wedge F_6} \wedge_R$$

- Case rule \vee_R

$$\frac{h_3 : \Delta_4 \vdash F_5, F_6, \Delta_7, F_1 \vee F_2}{\bullet h_3 : \Delta_4 \vdash (\Delta_7, F_1 \vee F_2), F_5 \vee F_6} \vee_R \rightarrow \frac{\frac{h_3 : \Delta_4 \vdash \Delta_7, F_1, F_2, F_5, F_6}{\bullet h_3 : \Delta_4 \vdash \Delta_7, F_1, F_2, F_5 \vee F_6} \text{ax/ind}}{\bullet h_3 : \Delta_4 \vdash \Delta_7, F_1, F_2, F_5 \vee F_6} \vee_R$$

$$\frac{h_1 : \Delta_2 \vdash F_4, F_5, \Delta_3}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_4 \vee F_5} \vee_R \rightarrow \frac{\frac{h_1 : \Delta_2 \vdash \Delta_3, F_4, F_5}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_4, F_5} \text{ax}}{\bullet h_1 : \Delta_2 \vdash \Delta_3, F_4, F_5} H$$

- Case rule \perp_R

$$\frac{h_3 : \Delta_4 \vdash \Delta_5, F_1 \vee F_2}{\bullet h_3 : \Delta_4 \vdash \perp, \Delta_5, F_1 \vee F_2} \perp_R \rightarrow \frac{\frac{h_3 : \Delta_4 \vdash \Delta_5, F_1, F_2}{\bullet h_3 : \Delta_4 \vdash \perp, \Delta_5, F_1, F_2} \text{ax/ind}}{\bullet h_3 : \Delta_4 \vdash \perp, \Delta_5, F_1, F_2} \perp_R$$

- Case rule \top_R

$$\frac{}{\bullet h_3 : \Delta_4 \vdash \top, \Delta_5, F_1 \vee F_2} \top_R \rightarrow \frac{}{\bullet h_3 : \Delta_4 \vdash \top, \Delta_5, F_1, F_2} \top_R$$

- Case rule K

$$\frac{h_3 : \text{unbox}(\Box\Gamma_4) \vdash F_6}{\bullet h_3 : \Box\Gamma_4, \Delta_5 \vdash (\Delta_7, F_1 \vee F_2), []F_6} K \rightarrow \frac{\frac{h_3 : \text{unbox}(\Box\Gamma_4) \vdash F_6}{\bullet h_3 : \Delta_5, \Box\Gamma_4 \vdash \Delta_7, F_1, F_2, []F_6} \text{ax}}{\bullet h_3 : \Delta_5, \Box\Gamma_4 \vdash \Delta_7, F_1, F_2, []F_6} K$$

- Case rule $A45$

$$\frac{h_3 : \Box\Gamma_4 \vdash \Box\Gamma_6, F_7}{\bullet h_3 : \Box\Gamma_4, \Delta_5 \vdash \Box\Gamma_6, (\Delta_8, F_1 \vee F_2), []F_7} A45 \rightarrow \frac{\frac{h_3 : \Box\Gamma_4 \vdash F_7, \Box\Gamma_6}{\bullet h_3 : \Delta_5, \Box\Gamma_4 \vdash \Delta_8, F_1, F_2, \Box\Gamma_6, []F_7} \text{ax}}{\bullet h_3 : \Delta_5, \Box\Gamma_4 \vdash \Delta_8, F_1, F_2, \Box\Gamma_6, []F_7} A45$$

- Case rule \rightarrow_L

$$\frac{h_4 : \Delta_5 \vdash F_6, \Delta_1, F_2 \vee F_3 \quad h_4 : F_7, \Delta_5 \vdash \Delta_1, F_2 \vee F_3}{\bullet h_4 : \Delta_5, F_6 \rightarrow F_7 \vdash \Delta_1, F_2 \vee F_3} \rightarrow_L \rightarrow \frac{\frac{h_4 : \Delta_5 \vdash \Delta_1, F_2, F_3, F_6}{\bullet h_4 : \Delta_5, F_6 \rightarrow F_7 \vdash \Delta_1, F_2, F_3} \text{ax/ind} \quad \frac{h_4 : \Delta_5, F_7 \vdash \Delta_1, F_2, F_3}{\bullet h_4 : \Delta_5, F_6 \rightarrow F_7 \vdash \Delta_1, F_2, F_3} \text{ax/ind}}{\bullet h_4 : \Delta_5, F_6 \rightarrow F_7 \vdash \Delta_1, F_2, F_3} \rightarrow_L$$

- Case rule \wedge_L

$$\frac{h_4 : F_6, F_7, \Delta_5 \vdash \Delta_1, F_2 \vee F_3}{\bullet h_4 : \Delta_5, F_6 \wedge F_7 \vdash \Delta_1, F_2 \vee F_3} \wedge_L \rightarrow \frac{\frac{h_4 : \Delta_5, F_6, F_7 \vdash \Delta_1, F_2, F_3}{\bullet h_4 : \Delta_5, F_6 \wedge F_7 \vdash \Delta_1, F_2, F_3} \text{ax/ind}}{\bullet h_4 : \Delta_5, F_6 \wedge F_7 \vdash \Delta_1, F_2, F_3} \wedge_L$$

- Case rule \vee_L

$$\frac{h_4 : F_6, \Delta_5 \vdash \Delta_1, F_2 \vee F_3 \quad h_4 : F_7, \Delta_5 \vdash \Delta_1, F_2 \vee F_3}{\bullet h_4 : \Delta_5, F_6 \vee F_7 \vdash \Delta_1, F_2 \vee F_3} \vee_L \rightarrow \frac{\frac{h_4 : \Delta_5, F_6 \vdash \Delta_1, F_2, F_3}{\bullet h_4 : \Delta_5, F_6 \vee F_7 \vdash \Delta_1, F_2, F_3} \text{ax/ind} \quad \frac{h_4 : \Delta_5, F_7 \vdash \Delta_1, F_2, F_3}{\bullet h_4 : \Delta_5, F_6 \vee F_7 \vdash \Delta_1, F_2, F_3} \text{ax/ind}}{\bullet h_4 : \Delta_5, F_6 \vee F_7 \vdash \Delta_1, F_2, F_3} \vee_L$$

- Case rule AT

$$\frac{h_4 : F_6, \Delta_5, []F_6 \vdash \Delta_1, F_2 \vee F_3}{\bullet h_4 : \Delta_5, []F_6 \vdash \Delta_1, F_2 \vee F_3} AT \rightarrow \frac{\frac{h_4 : \Delta_5, F_6, []F_6 \vdash \Delta_1, F_2, F_3}{\bullet h_4 : \Delta_5, []F_6 \vdash \Delta_1, F_2, F_3} \text{ax/ind}}{\bullet h_4 : \Delta_5, []F_6 \vdash \Delta_1, F_2, F_3} AT$$

- Case rule \perp_L

$$\frac{}{\bullet h_4 : \perp, \Delta_5 \vdash \Delta_1, F_2 \vee F_3} \perp_L \rightarrow \frac{}{\bullet h_4 : \perp, \Delta_5 \vdash \Delta_1, F_2, F_3} \perp_L$$

- Case rule I

$$\frac{}{\bullet h_3 : p_5, \Delta_4 \vdash p_5, \Delta_6, F_1 \vee F_2} I \rightarrow \frac{}{\bullet h_3 : \Delta_4, p_5 \vdash \Delta_6, F_1, F_2, p_5} I$$

- Case rule \top_L

$$\frac{h_4 : \Delta_5 \vdash \Delta_1, F_2 \vee F_3}{\bullet h_4 : \top, \Delta_5 \vdash \Delta_1, F_2 \vee F_3} \top_L \rightarrow \frac{\overline{h_4 : \Delta_5 \vdash \Delta_1, F_2, F_3}}{\bullet h_4 : \top, \Delta_5 \vdash \Delta_1, F_2, F_3} \text{ax/ind} \top_L$$

4.5 Status of \perp_R : : Invertible

- Case rule \rightarrow_R

$$\frac{h_1 : F_3, \Delta_2 \vdash \perp, F_4, \Delta_5}{\bullet h_1 : \Delta_2 \vdash (\perp, \Delta_5), F_3 \rightarrow F_4} \rightarrow_R \rightarrow \frac{\overline{h_1 : \Delta_2, F_3 \vdash \Delta_5, F_4}}{\bullet h_1 : \Delta_2 \vdash \Delta_5, F_3 \rightarrow F_4} \text{ax/ind} \rightarrow_R$$

- Case rule \wedge_R

$$\frac{h_1 : \Delta_2 \vdash \perp, F_3, \Delta_5 \quad h_1 : \Delta_2 \vdash \perp, F_4, \Delta_5}{\bullet h_1 : \Delta_2 \vdash (\perp, \Delta_5), F_3 \wedge F_4} \wedge_R \rightarrow \frac{\overline{h_1 : \Delta_2 \vdash \Delta_5, F_3} \quad \overline{h_1 : \Delta_2 \vdash \Delta_5, F_4}}{\bullet h_1 : \Delta_2 \vdash \Delta_5, F_3 \wedge F_4} \text{ax/ind} \wedge_R$$

- Case rule \vee_R

$$\frac{h_1 : \Delta_2 \vdash \perp, F_3, F_4, \Delta_5}{\bullet h_1 : \Delta_2 \vdash (\perp, \Delta_5), F_3 \vee F_4} \vee_R \rightarrow \frac{\overline{h_1 : \Delta_2 \vdash \Delta_5, F_3, F_4}}{\bullet h_1 : \Delta_2 \vdash \Delta_5, F_3 \vee F_4} \text{ax/ind} \vee_R$$

- Case rule \perp_R

$$\frac{h_1 : \Delta_2 \vdash \Delta_3}{\bullet h_1 : \Delta_2 \vdash \perp, \Delta_3} \perp_R \rightarrow \frac{\overline{h_1 : \Delta_2 \vdash \Delta_3}}{\bullet h_1 : \Delta_2 \vdash \Delta_3} \text{ax} \text{H}$$

- Case rule \top_R

$$\frac{}{\bullet h_1 : \Delta_2 \vdash \top, \perp, \Delta_3} \top_R \rightarrow \frac{}{\bullet h_1 : \Delta_2 \vdash \top, \Delta_3} \top_R$$

- Case rule K

$$\frac{h_1 : \text{unbox}(\Box\Gamma_2) \vdash F_4}{\bullet h_1 : \Box\Gamma_2, \Delta_3 \vdash (\perp, \Delta_5), \llbracket F_4 \rrbracket} K \rightarrow \frac{\overline{h_1 : \text{unbox}(\Box\Gamma_2) \vdash F_4}}{\bullet h_1 : \Delta_3, \Box\Gamma_2 \vdash \Delta_5, \llbracket F_4 \rrbracket} \text{ax} K$$

- Case rule $A45$

$$\frac{h_1 : \Box\Gamma_2 \vdash \Box\Gamma_4, F_5}{\bullet h_1 : \Box\Gamma_2, \Delta_3 \vdash \Box\Gamma_4, (\perp, \Delta_6), \llbracket F_5 \rrbracket} A45 \rightarrow \frac{\overline{h_1 : \Box\Gamma_2 \vdash F_5, \Box\Gamma_4}}{\bullet h_1 : \Delta_3, \Box\Gamma_2 \vdash \Delta_6, \Box\Gamma_4, \llbracket F_5 \rrbracket} \text{ax} A45$$

- Case rule \rightarrow_L

$$\frac{h_2 : \Delta_3 \vdash \perp, F_4, \Delta_1 \quad h_2 : F_5, \Delta_3 \vdash \perp, \Delta_1}{\bullet h_2 : \Delta_3, F_4 \rightarrow F_5 \vdash \perp, \Delta_1} \rightarrow_L \rightarrow \frac{\overline{h_2 : \Delta_3 \vdash \Delta_1, F_4} \quad \overline{h_2 : \Delta_3, F_5 \vdash \Delta_1}}{\bullet h_2 : \Delta_3, F_4 \rightarrow F_5 \vdash \Delta_1} \text{ax/ind} \rightarrow_L$$

- Case rule \wedge_L

$$\frac{h_2 : F_4, F_5, \Delta_3 \vdash \perp, \Delta_1}{\bullet h_2 : \Delta_3, F_4 \wedge F_5 \vdash \perp, \Delta_1} \wedge_L \rightarrow \frac{\frac{h_2 : \Delta_3, F_4, F_5 \vdash \Delta_1}{\bullet h_2 : \Delta_3, F_4 \wedge F_5 \vdash \Delta_1} \text{ax/ind}}{\wedge_L}$$

- Case rule \vee_L

$$\frac{h_2 : F_4, \Delta_3 \vdash \perp, \Delta_1 \quad h_2 : F_5, \Delta_3 \vdash \perp, \Delta_1}{\bullet h_2 : \Delta_3, F_4 \vee F_5 \vdash \perp, \Delta_1} \vee_L \rightarrow \frac{\frac{h_2 : \Delta_3, F_4 \vdash \Delta_1}{\bullet h_2 : \Delta_3, F_4 \vee F_5 \vdash \Delta_1} \text{ax/ind} \quad \frac{h_2 : \Delta_3, F_5 \vdash \Delta_1}{\bullet h_2 : \Delta_3, F_4 \vee F_5 \vdash \Delta_1} \text{ax/ind}}{\vee_L}$$

- Case rule AT

$$\frac{h_2 : F_4, \Delta_3, []F_4 \vdash \perp, \Delta_1}{\bullet h_2 : \Delta_3, []F_4 \vdash \perp, \Delta_1} AT \rightarrow \frac{\frac{h_2 : \Delta_3, F_4, []F_4 \vdash \Delta_1}{\bullet h_2 : \Delta_3, []F_4 \vdash \Delta_1} \text{ax/ind}}{AT}$$

- Case rule \perp_L

$$\frac{}{\bullet h_2 : \perp, \Delta_3 \vdash \perp, \Delta_1} \perp_L \rightarrow \frac{}{\bullet h_2 : \perp, \Delta_3 \vdash \Delta_1} \perp_L$$

- Case rule I

$$\frac{}{\bullet h_1 : p_3, \Delta_2 \vdash p_3, \perp, \Delta_4} I \rightarrow \frac{}{\bullet h_1 : \Delta_2, p_3 \vdash \Delta_4, p_3} I$$

- Case rule \top_L

$$\frac{h_2 : \Delta_3 \vdash \perp, \Delta_1}{\bullet h_2 : \top, \Delta_3 \vdash \perp, \Delta_1} \top_L \rightarrow \frac{\frac{h_2 : \Delta_3 \vdash \Delta_1}{\bullet h_2 : \top, \Delta_3 \vdash \Delta_1} \text{ax/ind}}{\top_L}$$

4.6 Status of \top_R : : Invertible

- Case rule \rightarrow_R

$$\frac{h_1 : F_3, \Delta_2 \vdash \top, F_4, \Delta_5}{\bullet h_1 : \Delta_2 \vdash (\top, \Delta_5), F_3 \rightarrow F_4} \rightarrow_R \rightarrow \text{trivial}$$

- Case rule \wedge_R

$$\frac{h_1 : \Delta_2 \vdash \top, F_3, \Delta_5 \quad h_1 : \Delta_2 \vdash \top, F_4, \Delta_5}{\bullet h_1 : \Delta_2 \vdash (\top, \Delta_5), F_3 \wedge F_4} \wedge_R \rightarrow \text{trivial}$$

- Case rule \vee_R

$$\frac{h_1 : \Delta_2 \vdash \top, F_3, F_4, \Delta_5}{\bullet h_1 : \Delta_2 \vdash (\top, \Delta_5), F_3 \vee F_4} \vee_R \rightarrow \text{trivial}$$

- Case rule \perp_R

$$\frac{h_1 : \Delta_2 \vdash \top, \Delta_3}{\bullet h_1 : \Delta_2 \vdash \perp, \top, \Delta_3} \perp_R \rightarrow \text{trivial}$$

- Case rule \top_R

$$\frac{}{\bullet h_1 : \Delta_2 \vdash \top, \Delta_3} \top_R \rightarrow \text{trivial}$$

- Case rule K

$$\frac{h_1 : \text{unbox}(\Box\Gamma_2) \vdash F_4}{\bullet h_1 : \Box\Gamma_2, \Delta_3 \vdash (\top, \Delta_5), \Box F_4} K \rightarrow \text{trivial}$$

- Case rule $A45$

$$\frac{h_1 : \Box\Gamma_2 \vdash \Box\Gamma_4, F_5}{\bullet h_1 : \Box\Gamma_2, \Delta_3 \vdash \Box\Gamma_4, (\top, \Delta_6), \Box F_5} A45 \rightarrow \text{trivial}$$

- Case rule \rightarrow_L

$$\frac{h_2 : \Delta_3 \vdash \top, F_4, \Delta_1 \quad h_2 : F_5, \Delta_3 \vdash \top, \Delta_1}{\bullet h_2 : \Delta_3, F_4 \rightarrow F_5 \vdash \top, \Delta_1} \rightarrow_L \rightarrow \text{trivial}$$

- Case rule \wedge_L

$$\frac{h_2 : F_4, F_5, \Delta_3 \vdash \top, \Delta_1}{\bullet h_2 : \Delta_3, F_4 \wedge F_5 \vdash \top, \Delta_1} \wedge_L \rightarrow \text{trivial}$$

- Case rule \vee_L

$$\frac{h_2 : F_4, \Delta_3 \vdash \top, \Delta_1 \quad h_2 : F_5, \Delta_3 \vdash \top, \Delta_1}{\bullet h_2 : \Delta_3, F_4 \vee F_5 \vdash \top, \Delta_1} \vee_L \rightarrow \text{trivial}$$

- Case rule AT

$$\frac{h_2 : F_4, \Delta_3, \Box F_4 \vdash \top, \Delta_1}{\bullet h_2 : \Delta_3, \Box F_4 \vdash \top, \Delta_1} AT \rightarrow \text{trivial}$$

- Case rule \perp_L

$$\frac{}{\bullet h_2 : \perp, \Delta_3 \vdash \top, \Delta_1} \perp_L \rightarrow \text{trivial}$$

- Case rule I

$$\frac{}{\bullet h_1 : p_3, \Delta_2 \vdash p_3, \top, \Delta_4} I \rightarrow \text{trivial}$$

- Case rule \top_L

$$\frac{h_2 : \Delta_3 \vdash \top, \Delta_1}{\bullet h_2 : \top, \Delta_3 \vdash \top, \Delta_1} \top_L \rightarrow \text{trivial}$$

4.7 Status of K : : Non invertible

- Case rule \rightarrow_R

$$\frac{h_4 : \Box\Gamma_1, F_5, \Delta_2 \vdash F_6, \Delta_7, []F_3}{\bullet h_4 : \Box\Gamma_1, \Delta_2 \vdash (\Delta_7, []F_3), F_5 \rightarrow F_6} \rightarrow_R \rightarrow \frac{\overline{h_4 : \text{unbox}(\Box\Gamma_1) \vdash F_3}}{\bullet h_4 : \text{unbox}(\Box\Gamma_1) \vdash F_3} \text{ax/ind}_H$$

- Case rule \wedge_R

$$\frac{h_4 : \Box\Gamma_1, \Delta_2 \vdash F_5, \Delta_7, []F_3 \quad h_4 : \Box\Gamma_1, \Delta_2 \vdash F_6, \Delta_7, []F_3}{\bullet h_4 : \Box\Gamma_1, \Delta_2 \vdash (\Delta_7, []F_3), F_5 \wedge F_6} \wedge_R \rightarrow \frac{\overline{h_4 : \text{unbox}(\Box\Gamma_1) \vdash F_3}}{\bullet h_4 : \text{unbox}(\Box\Gamma_1) \vdash F_3} \text{ax/ind}_H$$

- Case rule \vee_R

$$\frac{h_4 : \Box\Gamma_1, \Delta_2 \vdash F_5, F_6, \Delta_7, []F_3}{\bullet h_4 : \Box\Gamma_1, \Delta_2 \vdash (\Delta_7, []F_3), F_5 \vee F_6} \vee_R \rightarrow \frac{\overline{h_4 : \text{unbox}(\Box\Gamma_1) \vdash F_3}}{\bullet h_4 : \text{unbox}(\Box\Gamma_1) \vdash F_3} \text{ax/ind}_H$$

- Case rule \perp_R

$$\frac{h_4 : \Box\Gamma_1, \Delta_2 \vdash \Delta_5, []F_3}{\bullet h_4 : \Box\Gamma_1, \Delta_2 \vdash \perp, \Delta_5, []F_3} \perp_R \rightarrow \frac{\overline{h_4 : \text{unbox}(\Box\Gamma_1) \vdash F_3}}{\bullet h_4 : \text{unbox}(\Box\Gamma_1) \vdash F_3} \text{ax/ind}_H$$

- Case rule \top_R

$$\frac{}{\bullet h_4 : \Box\Gamma_1, \Delta_2 \vdash \top, \Delta_5, []F_3} \top_R \rightarrow \overline{\bullet h_4 : \text{unbox}(\Box\Gamma_1) \vdash F_3} \text{fail}$$

- Case rule K

$$\frac{h_2 : \text{unbox}(\Box\Gamma_5), \text{unbox}(\Box\Gamma_6) \vdash F_3}{\bullet h_2 : (\Box\Gamma_5, \Box\Gamma_6), \Box\Gamma_7, \Delta_8 \vdash (\Delta_4, []F_1), []F_3} K \rightarrow \overline{\bullet h_2 : \text{unbox}(\Box\Gamma_5), \text{unbox}(\Box\Gamma_7) \vdash F_1} \text{fail}$$

$$\frac{h_1 : \text{unbox}(\Box\Gamma_4), \text{unbox}(\Box\Gamma_5) \vdash F_3}{\bullet h_1 : (\Box\Gamma_4, \Box\Gamma_5), \Box\Gamma_6, \Delta_7 \vdash \Delta_2, []F_3} K \rightarrow \overline{\bullet h_1 : \text{unbox}(\Box\Gamma_4), \text{unbox}(\Box\Gamma_6) \vdash F_3} \text{fail}$$

- Case rule $A45$

$$\frac{h_2 : \Box\Gamma_6, \Box\Gamma_7 \vdash \Box\Gamma_5, F_4, []F_1}{\bullet h_2 : (\Box\Gamma_6, \Box\Gamma_7), \Box\Gamma_8, \Delta_9 \vdash (\Box\Gamma_5, []F_1), \Delta_3, []F_4} A45 \rightarrow \overline{\bullet h_2 : \text{unbox}(\Box\Gamma_6), \text{unbox}(\Box\Gamma_8) \vdash F_1} \text{fail}$$

$$\frac{h_2 : \Box\Gamma_6, \Box\Gamma_7 \vdash \Box\Gamma_3, F_4}{\bullet h_2 : (\Box\Gamma_6, \Box\Gamma_7), \Box\Gamma_8, \Delta_9 \vdash \Box\Gamma_3, (\Delta_5, []F_1), []F_4} A45 \rightarrow \overline{\bullet h_2 : \text{unbox}(\Box\Gamma_6), \text{unbox}(\Box\Gamma_8) \vdash F_1} \text{fail}$$

$$\frac{h_1 : \Box\Gamma_5, \Box\Gamma_6 \vdash \Box\Gamma_2, F_4}{\bullet h_1 : (\Box\Gamma_5, \Box\Gamma_6), \Box\Gamma_7, \Delta_8 \vdash \Box\Gamma_2, \Delta_3, []F_4} A45 \rightarrow \overline{\bullet h_1 : \text{unbox}(\Box\Gamma_5), \text{unbox}(\Box\Gamma_7) \vdash F_4} \text{fail}$$

- Case rule \rightarrow_L

$$\frac{h_4 : \Box\Gamma_1, \Delta_7 \vdash F_5, \Delta_2, []F_3 \quad h_4 : \Box\Gamma_1, F_6, \Delta_7 \vdash \Delta_2, []F_3}{\bullet h_4 : (\Box\Gamma_1, \Delta_7), F_5 \rightarrow F_6 \vdash \Delta_2, []F_3} \rightarrow_L \rightarrow \frac{\overline{h_4 : \text{unbox}(\Box\Gamma_1) \vdash F_3}}{\bullet h_4 : \text{unbox}(\Box\Gamma_1) \vdash F_3} \text{ax/ind}_H$$

- Case rule \wedge_L

$$\frac{h_4 : \Box\Gamma_1, F_5, F_6, \Delta_7 \vdash \Delta_2, []F_3}{\bullet h_4 : (\Box\Gamma_1, \Delta_7), F_5 \wedge F_6 \vdash \Delta_2, []F_3} \wedge_L \rightarrow \frac{\overline{h_4 : \text{unbox}(\Box\Gamma_1) \vdash F_3}}{\bullet h_4 : \text{unbox}(\Box\Gamma_1) \vdash F_3} \text{ax/ind}_H$$

- Case rule \vee_L

$$\frac{h_4 : \Box\Gamma_1, F_5, \Delta_7 \vdash \Delta_2, []F_3 \quad h_4 : \Box\Gamma_1, F_6, \Delta_7 \vdash \Delta_2, []F_3}{\bullet h_4 : (\Box\Gamma_1, \Delta_7), F_5 \vee F_6 \vdash \Delta_2, []F_3} \vee_L \rightarrow \frac{\overline{h_4 : \text{unbox}(\Box\Gamma_1) \vdash F_3}}{\bullet h_4 : \text{unbox}(\Box\Gamma_1) \vdash F_3} \text{ax/ind}_H$$

- Case rule AT

$$\frac{h_4 : \Box\Gamma_6, F_5, \Delta_1, []F_5 \vdash \Delta_2, []F_3}{\bullet h_4 : (\Box\Gamma_6, \Delta_1), []F_5 \vdash \Delta_2, []F_3} AT \rightarrow \frac{\overline{h_4 : F_5, \text{unbox}(\Box\Gamma_6) \vdash F_3}}{\bullet h_4 : F_5, \text{unbox}(\Box\Gamma_6) \vdash F_3} \text{ax/ind}_H$$

$$\frac{h_4 : \Box\Gamma_1, F_5, \Delta_6, []F_5 \vdash \Delta_2, []F_3}{\bullet h_4 : (\Box\Gamma_1, \Delta_6), []F_5 \vdash \Delta_2, []F_3} AT \rightarrow \frac{\overline{h_4 : \text{unbox}(\Box\Gamma_1) \vdash F_3}}{\bullet h_4 : \text{unbox}(\Box\Gamma_1) \vdash F_3} \text{ax/ind}_H$$

- Case rule \perp_L

$$\frac{}{\bullet h_4 : \perp, \Box\Gamma_1, \Delta_5 \vdash \Delta_2, []F_3} \perp_L \rightarrow \frac{}{\bullet h_4 : \text{unbox}(\Box\Gamma_1) \vdash F_3} \text{fail}$$

- Case rule I

$$\frac{}{\bullet h_3 : p_4, \Box\Gamma_1, \Delta_6 \vdash p_4, \Delta_5, []F_2} I \rightarrow \frac{}{\bullet h_3 : \text{unbox}(\Box\Gamma_1) \vdash F_2} \text{fail}$$

- Case rule \top_L

$$\frac{h_4 : \Box\Gamma_1, \Delta_5 \vdash \Delta_2, []F_3}{\bullet h_4 : \top, \Box\Gamma_1, \Delta_5 \vdash \Delta_2, []F_3} \top_L \rightarrow \frac{\overline{h_4 : \text{unbox}(\Box\Gamma_1) \vdash F_3}}{\bullet h_4 : \text{unbox}(\Box\Gamma_1) \vdash F_3} \text{ax/ind}_H$$

4.8 Status of A45: : Non invertible

- Case rule \rightarrow_R

$$\frac{h_5 : \Box\Gamma_1, F_6, \Delta_2 \vdash \Box\Gamma_3, F_7, \Delta_8, []F_4}{\bullet h_5 : \Box\Gamma_1, \Delta_2 \vdash (\Box\Gamma_3, \Delta_8, []F_4), F_6 \rightarrow F_7} \rightarrow_R \rightarrow \frac{\overline{h_5 : \Box\Gamma_1 \vdash F_4, \Box\Gamma_3}}{\bullet h_5 : \Box\Gamma_1 \vdash F_4, \Box\Gamma_3} \text{ax/ind}_H$$

- Case rule \wedge_R

$$\frac{h_5 : \Box\Gamma_1, \Delta_2 \vdash \Box\Gamma_3, F_6, \Delta_8, []F_4 \quad h_5 : \Box\Gamma_1, \Delta_2 \vdash \Box\Gamma_3, F_7, \Delta_8, []F_4}{\bullet h_5 : \Box\Gamma_1, \Delta_2 \vdash (\Box\Gamma_3, \Delta_8, []F_4), F_6 \wedge F_7} \wedge_R \rightarrow \frac{\overline{h_5 : \Box\Gamma_1 \vdash F_4, \Box\Gamma_3}}{\bullet h_5 : \Box\Gamma_1 \vdash F_4, \Box\Gamma_3} \text{ax/ind}_H$$

- Case rule \vee_R

$$\frac{h_5 : \Box\Gamma_1, \Delta_2 \vdash \Box\Gamma_3, F_6, F_7, \Delta_8; []F_4}{\bullet h_5 : \Box\Gamma_1, \Delta_2 \vdash (\Box\Gamma_3, \Delta_8, []F_4), F_6 \vee F_7} \vee_R \rightarrow \frac{\frac{h_5 : \Box\Gamma_1 \vdash F_4, \Box\Gamma_3}{\bullet h_5 : \Box\Gamma_1 \vdash F_4, \Box\Gamma_3} \text{ax/ind}}{H}$$

- Case rule \perp_R

$$\frac{h_5 : \Box\Gamma_1, \Delta_2 \vdash \Box\Gamma_3, \Delta_6, []F_4}{\bullet h_5 : \Box\Gamma_1, \Delta_2 \vdash \perp, \Box\Gamma_3, \Delta_6, []F_4} \perp_R \rightarrow \frac{\frac{h_5 : \Box\Gamma_1 \vdash F_4, \Box\Gamma_3}{\bullet h_5 : \Box\Gamma_1 \vdash F_4, \Box\Gamma_3} \text{ax/ind}}{H}$$

- Case rule \top_R

$$\frac{}{\bullet h_5 : \Box\Gamma_1, \Delta_2 \vdash \top, \Box\Gamma_3, \Delta_6, []F_4} \top_R \rightarrow \frac{}{\bullet h_5 : \Box\Gamma_1 \vdash \Box\Gamma_3, F_4} \text{fail}$$

- Case rule K

$$\frac{h_3 : \text{unbox}(\Box\Gamma_6), \text{unbox}(\Box\Gamma_7) \vdash F_4}{\bullet h_3 : (\Box\Gamma_6, \Box\Gamma_7), \Box\Gamma_8, \Delta_9 \vdash (\Box\Gamma_5, \Delta_1, []F_2), []F_4} K \rightarrow \frac{}{\bullet h_3 : \Box\Gamma_6, \Box\Gamma_8 \vdash \Box\Gamma_5, F_2, []F_4} \text{fail}$$

$$\frac{h_3 : \text{unbox}(\Box\Gamma_6), \text{unbox}(\Box\Gamma_7) \vdash F_4}{\bullet h_3 : (\Box\Gamma_6, \Box\Gamma_7), \Box\Gamma_8, \Delta_9 \vdash (\Box\Gamma_1, \Delta_5, []F_2), []F_4} K \rightarrow \frac{}{\bullet h_3 : \Box\Gamma_6, \Box\Gamma_8 \vdash \Box\Gamma_1, F_2} \text{fail}$$

$$\frac{h_3 : \text{unbox}(\Box\Gamma_5), \text{unbox}(\Box\Gamma_6) \vdash F_4}{\bullet h_3 : (\Box\Gamma_5, \Box\Gamma_6), \Box\Gamma_7, \Delta_8 \vdash (\Box\Gamma_1, \Delta_2), []F_4} K \rightarrow \frac{}{\bullet h_3 : \Box\Gamma_5, \Box\Gamma_7 \vdash \Box\Gamma_1, F_4} \text{fail}$$

- Case rule $A45$

$$\frac{h_2 : \Box\Gamma_8, \Box\Gamma_9 \vdash \Box\Gamma_4, \Box\Gamma_5, F_3, []F_1}{\bullet h_2 : (\Box\Gamma_8, \Box\Gamma_9), \Box\Gamma_{10}, \Delta_{11} \vdash (\Box\Gamma_4, \Box\Gamma_5, []F_1), (\Box\Gamma_6, \Delta_7), []F_3} A45 \rightarrow \frac{}{\bullet h_2 : \Box\Gamma_8, \Box\Gamma_{10} \vdash \Box\Gamma_4, \Box\Gamma_6, F_1, []F_3} \text{fail}$$

$$\frac{h_2 : \Box\Gamma_8, \Box\Gamma_9 \vdash \Box\Gamma_4, \Box\Gamma_5, F_3}{\bullet h_2 : (\Box\Gamma_8, \Box\Gamma_9), \Box\Gamma_{10}, \Delta_{11} \vdash (\Box\Gamma_4, \Box\Gamma_5), (\Box\Gamma_6, \Delta_7, []F_1), []F_3} A45 \rightarrow \frac{}{\bullet h_2 : \Box\Gamma_8, \Box\Gamma_{10} \vdash \Box\Gamma_4, \Box\Gamma_6, F_1, []F_3} \text{fail}$$

$$\frac{h_2 : \Box\Gamma_8, \Box\Gamma_9 \vdash \Box\Gamma_4, \Box\Gamma_5, F_3, []F_1}{\bullet h_2 : (\Box\Gamma_8, \Box\Gamma_9), \Box\Gamma_{10}, \Delta_{11} \vdash (\Box\Gamma_4, \Box\Gamma_5, []F_1), (\Box\Gamma_6, \Delta_7), []F_3} A45 \rightarrow \frac{}{\bullet h_2 : \Box\Gamma_8, \Box\Gamma_{10} \vdash \Box\Gamma_4, \Box\Gamma_6, F_1} \text{fail}$$

$$\frac{h_2 : \Box\Gamma_8, \Box\Gamma_9 \vdash \Box\Gamma_4, \Box\Gamma_5, F_3}{\bullet h_2 : (\Box\Gamma_8, \Box\Gamma_9), \Box\Gamma_{10}, \Delta_{11} \vdash (\Box\Gamma_4, \Box\Gamma_5), (\Box\Gamma_6, \Delta_7, []F_1), []F_3} A45 \rightarrow \frac{}{\bullet h_2 : \Box\Gamma_8, \Box\Gamma_{10} \vdash \Box\Gamma_4, \Box\Gamma_6, F_1} \text{fail}$$

$$\frac{h_1 : \Box\Gamma_7, \Box\Gamma_8 \vdash \Box\Gamma_3, \Box\Gamma_4, F_2}{\bullet h_1 : (\Box\Gamma_7, \Box\Gamma_8), \Box\Gamma_9, \Delta_{10} \vdash (\Box\Gamma_3, \Box\Gamma_4), (\Box\Gamma_5, \Delta_6), []F_2} A45 \rightarrow \frac{}{\bullet h_1 : \Box\Gamma_7, \Box\Gamma_9 \vdash \Box\Gamma_3, \Box\Gamma_5, F_2} \text{fail}$$

- Case rule \rightarrow_L

$$\frac{h_5 : \Box\Gamma_1, \Delta_8 \vdash \Box\Gamma_2, F_6, \Delta_3, []F_4 \quad h_5 : \Box\Gamma_1, F_7, \Delta_8 \vdash \Box\Gamma_2, \Delta_3, []F_4}{\bullet h_5 : (\Box\Gamma_1, \Delta_8), F_6 \rightarrow F_7 \vdash \Box\Gamma_2, \Delta_3, []F_4} \rightarrow_L \rightarrow \frac{\frac{h_5 : \Box\Gamma_1 \vdash F_4, \Box\Gamma_2}{\bullet h_5 : \Box\Gamma_1 \vdash F_4, \Box\Gamma_2} \text{ax/ind}}{H}$$

- Case rule \wedge_L

$$\frac{h_5 : \Box\Gamma_1, F_6, F_7, \Delta_8 \vdash \Box\Gamma_2, \Delta_3, \llbracket F_4 \rrbracket}{\bullet h_5 : (\Box\Gamma_1, \Delta_8), F_6 \wedge F_7 \vdash \Box\Gamma_2, \Delta_3, \llbracket F_4 \rrbracket} \wedge_L \rightarrow \frac{\frac{h_5 : \Box\Gamma_1 \vdash F_4, \Box\Gamma_2}{\bullet h_5 : \Box\Gamma_1 \vdash F_4, \Box\Gamma_2} \text{ ax/ind}}{H}$$

- Case rule \vee_L

$$\frac{h_5 : \Box\Gamma_1, F_6, \Delta_8 \vdash \Box\Gamma_2, \Delta_3, \llbracket F_4 \rrbracket \quad h_5 : \Box\Gamma_1, F_7, \Delta_8 \vdash \Box\Gamma_2, \Delta_3, \llbracket F_4 \rrbracket}{\bullet h_5 : (\Box\Gamma_1, \Delta_8), F_6 \vee F_7 \vdash \Box\Gamma_2, \Delta_3, \llbracket F_4 \rrbracket} \vee_L \rightarrow \frac{\frac{h_5 : \Box\Gamma_1 \vdash F_4, \Box\Gamma_2}{\bullet h_5 : \Box\Gamma_1 \vdash F_4, \Box\Gamma_2} \text{ ax/ind}}{H}$$

- Case rule AT

$$\frac{h_5 : \Box\Gamma_7, F_6, \Delta_1, \llbracket F_6 \vdash \Box\Gamma_2, \Delta_3, \llbracket F_4 \rrbracket \rrbracket}{\bullet h_5 : (\Box\Gamma_7, \Delta_1), \llbracket F_6 \vdash \Box\Gamma_2, \Delta_3, \llbracket F_4 \rrbracket \rrbracket} AT \rightarrow \frac{\frac{h_5 : \Box\Gamma_7, \llbracket F_6 \vdash F_4, \Box\Gamma_2 \rrbracket}{\bullet h_5 : \Box\Gamma_7, \llbracket F_6 \vdash F_4, \Box\Gamma_2 \rrbracket} \text{ ax/ind}}{H}$$

$$\frac{h_5 : \Box\Gamma_1, F_6, \Delta_7, \llbracket F_6 \vdash \Box\Gamma_2, \Delta_3, \llbracket F_4 \rrbracket \rrbracket}{\bullet h_5 : (\Box\Gamma_1, \Delta_7), \llbracket F_6 \vdash \Box\Gamma_2, \Delta_3, \llbracket F_4 \rrbracket \rrbracket} AT \rightarrow \frac{\frac{h_5 : \Box\Gamma_1 \vdash F_4, \Box\Gamma_2}{\bullet h_5 : \Box\Gamma_1 \vdash F_4, \Box\Gamma_2} \text{ ax/ind}}{H}$$

- Case rule \perp_L

$$\frac{}{\bullet h_5 : \perp, \Box\Gamma_1, \Delta_6 \vdash \Box\Gamma_2, \Delta_3, \llbracket F_4 \rrbracket} \perp_L \rightarrow \frac{}{\bullet h_5 : \Box\Gamma_1 \vdash \Box\Gamma_2, F_4} \text{ fail}$$

- Case rule I

$$\frac{}{\bullet h_4 : p_5, \Box\Gamma_1, \Delta_7 \vdash p_5, \Box\Gamma_2, \Delta_6, \llbracket F_3 \rrbracket} I \rightarrow \frac{}{\bullet h_4 : \Box\Gamma_1 \vdash \Box\Gamma_2, F_3} \text{ fail}$$

- Case rule \top_L

$$\frac{h_5 : \Box\Gamma_1, \Delta_6 \vdash \Box\Gamma_2, \Delta_3, \llbracket F_4 \rrbracket}{\bullet h_5 : \top, \Box\Gamma_1, \Delta_6 \vdash \Box\Gamma_2, \Delta_3, \llbracket F_4 \rrbracket} \top_L \rightarrow \frac{\frac{h_5 : \Box\Gamma_1 \vdash F_4, \Box\Gamma_2}{\bullet h_5 : \Box\Gamma_1 \vdash F_4, \Box\Gamma_2} \text{ ax/ind}}{H}$$

4.9 Status of \rightarrow_L : (Left Premise): Invertible

- Case rule \rightarrow_R

$$\frac{h_4 : F_6, \Delta_1, F_2 \rightarrow F_3 \vdash F_7, \Delta_5}{\bullet h_4 : \Delta_1, F_2 \rightarrow F_3 \vdash \Delta_5, F_6 \rightarrow F_7} \rightarrow_R \rightarrow \frac{\frac{h_4 : \Delta_1, F_6 \vdash \Delta_5, F_2, F_7}{\bullet h_4 : \Delta_1 \vdash \Delta_5, F_2, F_6 \rightarrow F_7} \text{ ax/ind}}{\rightarrow_R}$$

- Case rule \wedge_R

$$\frac{h_4 : \Delta_1, F_2 \rightarrow F_3 \vdash F_6, \Delta_5 \quad h_4 : \Delta_1, F_2 \rightarrow F_3 \vdash F_7, \Delta_5}{\bullet h_4 : \Delta_1, F_2 \rightarrow F_3 \vdash \Delta_5, F_6 \wedge F_7} \wedge_R \rightarrow \frac{\frac{h_4 : \Delta_1 \vdash \Delta_5, F_2, F_6}{\bullet h_4 : \Delta_1 \vdash \Delta_5, F_2, F_6} \text{ ax/ind} \quad \frac{h_4 : \Delta_1 \vdash \Delta_5, F_2, F_7}{\bullet h_4 : \Delta_1 \vdash \Delta_5, F_2, F_7} \text{ ax/ind}}{\bullet h_4 : \Delta_1 \vdash \Delta_5, F_2, F_6 \wedge F_7} \wedge_R$$

- Case rule \vee_R

$$\frac{h_4 : \Delta_1, F_2 \rightarrow F_3 \vdash F_6, F_7, \Delta_5}{\bullet h_4 : \Delta_1, F_2 \rightarrow F_3 \vdash \Delta_5, F_6 \vee F_7} \vee_R \rightarrow \frac{\frac{h_4 : \Delta_1 \vdash \Delta_5, F_2, F_6, F_7}{\bullet h_4 : \Delta_1 \vdash \Delta_5, F_2, F_6 \vee F_7} \text{ ax/ind}}{\vee_R}$$

- Case rule \perp_R

$$\frac{h_4 : \Delta_1, F_2 \rightarrow F_3 \vdash \Delta_5}{\bullet h_4 : \Delta_1, F_2 \rightarrow F_3 \vdash \perp, \Delta_5} \perp_R \rightarrow \frac{\overline{h_4 : \Delta_1 \vdash \Delta_5, F_2} \text{ ax/ind}}{\bullet h_4 : \Delta_1 \vdash \perp, \Delta_5, F_2} \perp_R$$

- Case rule \top_R

$$\frac{\overline{h_4 : \Delta_1, F_2 \rightarrow F_3 \vdash \top, \Delta_5}}{\bullet h_4 : \Delta_1 \vdash \top, \Delta_5, F_2} \top_R \rightarrow \frac{\overline{h_4 : \Delta_1 \vdash \top, \Delta_5, F_2}}{\bullet h_4 : \Delta_1 \vdash \top, \Delta_5, F_2} \top_R$$

- Case rule K

$$\frac{h_3 : \text{unbox}(\Box\Gamma_4) \vdash F_6}{\bullet h_3 : \Box\Gamma_4, \Delta_7, F_1 \rightarrow F_2 \vdash \Delta_5, \llbracket F_6 \rrbracket} K \rightarrow \frac{\overline{h_3 : \text{unbox}(\Box\Gamma_4) \vdash F_6} \text{ ax}}{\bullet h_3 : \Delta_7, \Box\Gamma_4 \vdash \Delta_5, F_1, \llbracket F_6 \rrbracket} K$$

- Case rule $A45$

$$\frac{h_3 : \Box\Gamma_4 \vdash \Box\Gamma_5, F_7}{\bullet h_3 : \Box\Gamma_4, \Delta_8, F_1 \rightarrow F_2 \vdash \Box\Gamma_5, \Delta_6, \llbracket F_7 \rrbracket} A45 \rightarrow \frac{\overline{h_3 : \Box\Gamma_4 \vdash F_7, \Box\Gamma_5} \text{ ax}}{\bullet h_3 : \Delta_8, \Box\Gamma_4 \vdash \Delta_6, F_1, \Box\Gamma_5, \llbracket F_7 \rrbracket} A45$$

- Case rule \rightarrow_L

$$\frac{h_3 : \Delta_7, F_1 \rightarrow F_2 \vdash F_4, \Delta_6 \quad h_3 : F_5, \Delta_7, F_1 \rightarrow F_2 \vdash \Delta_6}{\bullet h_3 : (\Delta_7, F_1 \rightarrow F_2), F_4 \rightarrow F_5 \vdash \Delta_6} \rightarrow_L \rightarrow \frac{\overline{h_3 : \Delta_7 \vdash \Delta_6, F_1, F_4} \text{ ax/ind}}{\bullet h_3 : \Delta_7, F_4 \rightarrow F_5 \vdash \Delta_6, F_1} \rightarrow_L \frac{\overline{h_3 : \Delta_7, F_5 \vdash \Delta_6, F_1} \text{ ax/ind}}{\bullet h_3 : \Delta_7, F_4 \rightarrow F_5 \vdash \Delta_6, F_1} \rightarrow_L$$

$$\frac{h_1 : \Delta_2 \vdash F_3, \Delta_5 \quad h_1 : F_4, \Delta_2 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_3 \rightarrow F_4 \vdash \Delta_5} \rightarrow_L \rightarrow \frac{\overline{h_1 : \Delta_2 \vdash \Delta_5, F_3} \text{ ax}}{\bullet h_1 : \Delta_2 \vdash \Delta_5, F_3} H$$

- Case rule \wedge_L

$$\frac{h_3 : F_4, F_5, \Delta_7, F_1 \rightarrow F_2 \vdash \Delta_6}{\bullet h_3 : (\Delta_7, F_1 \rightarrow F_2), F_4 \wedge F_5 \vdash \Delta_6} \wedge_L \rightarrow \frac{\overline{h_3 : \Delta_7, F_4, F_5 \vdash \Delta_6, F_1} \text{ ax/ind}}{\bullet h_3 : \Delta_7, F_4 \wedge F_5 \vdash \Delta_6, F_1} \wedge_L$$

- Case rule \vee_L

$$\frac{h_3 : F_4, \Delta_7, F_1 \rightarrow F_2 \vdash \Delta_6 \quad h_3 : F_5, \Delta_7, F_1 \rightarrow F_2 \vdash \Delta_6}{\bullet h_3 : (\Delta_7, F_1 \rightarrow F_2), F_4 \vee F_5 \vdash \Delta_6} \vee_L \rightarrow \frac{\overline{h_3 : \Delta_7, F_4 \vdash \Delta_6, F_1} \text{ ax/ind}}{\bullet h_3 : \Delta_7, F_4 \vee F_5 \vdash \Delta_6, F_1} \vee_L \frac{\overline{h_3 : \Delta_7, F_5 \vdash \Delta_6, F_1} \text{ ax/ind}}{\bullet h_3 : \Delta_7, F_4 \vee F_5 \vdash \Delta_6, F_1} \vee_L$$

- Case rule AT

$$\frac{h_3 : F_4, \Delta_6, \llbracket F_4, F_1 \rightarrow F_2 \vdash \Delta_5 \rrbracket}{\bullet h_3 : (\Delta_6, F_1 \rightarrow F_2), \llbracket F_4 \vdash \Delta_5 \rrbracket} AT \rightarrow \frac{\overline{h_3 : \Delta_6, F_4, \llbracket F_4 \vdash \Delta_5, F_1 \rrbracket} \text{ ax/ind}}{\bullet h_3 : \Delta_6, \llbracket F_4 \vdash \Delta_5, F_1 \rrbracket} AT$$

- Case rule \perp_L

$$\frac{\overline{\bullet h_3 : \perp, \Delta_5, F_1 \rightarrow F_2 \vdash \Delta_4}}{\bullet h_3 : \perp, \Delta_5, F_1 \rightarrow F_2 \vdash \Delta_4} \perp_L \rightarrow \frac{\overline{\bullet h_3 : \perp, \Delta_5 \vdash \Delta_4, F_1}}{\bullet h_3 : \perp, \Delta_5 \vdash \Delta_4, F_1} \perp_L$$

- Case rule I

$$\frac{}{\bullet h_3 : p_4, \Delta_6, F_1 \rightarrow F_2 \vdash p_4, \Delta_5} I \rightarrow \frac{}{\bullet h_3 : \Delta_6, p_4 \vdash \Delta_5, F_1, p_4} I$$

- Case rule \top_L

$$\frac{h_3 : \Delta_5, F_1 \rightarrow F_2 \vdash \Delta_4}{\bullet h_3 : \top, \Delta_5, F_1 \rightarrow F_2 \vdash \Delta_4} \top_L \rightarrow \frac{\frac{}{h_3 : \Delta_5 \vdash \Delta_4, F_1} \text{ax/ind}}{\bullet h_3 : \top, \Delta_5 \vdash \Delta_4, F_1} \top_L} \top_L$$

4.10 Status of \rightarrow_L (Right Premise): : Invertible

- Case rule \rightarrow_R

$$\frac{h_4 : F_6, \Delta_1, F_2 \rightarrow F_3 \vdash F_7, \Delta_5}{\bullet h_4 : \Delta_1, F_2 \rightarrow F_3 \vdash \Delta_5, F_6 \rightarrow F_7} \rightarrow_R \rightarrow \frac{\frac{}{h_4 : \Delta_1, F_3, F_6 \vdash \Delta_5, F_7} \text{ax/ind}}{\bullet h_4 : \Delta_1, F_3 \vdash \Delta_5, F_6 \rightarrow F_7} \rightarrow_R} \rightarrow_R$$

- Case rule \wedge_R

$$\frac{h_4 : \Delta_1, F_2 \rightarrow F_3 \vdash F_6, \Delta_5 \quad h_4 : \Delta_1, F_2 \rightarrow F_3 \vdash F_7, \Delta_5}{\bullet h_4 : \Delta_1, F_2 \rightarrow F_3 \vdash \Delta_5, F_6 \wedge F_7} \wedge_R \rightarrow \frac{\frac{\frac{}{h_4 : \Delta_1, F_3 \vdash \Delta_5, F_6} \text{ax/ind} \quad \frac{}{h_4 : \Delta_1, F_3 \vdash \Delta_5, F_7} \text{ax/ind}}{\bullet h_4 : \Delta_1, F_3 \vdash \Delta_5, F_6 \wedge F_7} \wedge_R}} \wedge_R$$

- Case rule \vee_R

$$\frac{h_4 : \Delta_1, F_2 \rightarrow F_3 \vdash F_6, F_7, \Delta_5}{\bullet h_4 : \Delta_1, F_2 \rightarrow F_3 \vdash \Delta_5, F_6 \vee F_7} \vee_R \rightarrow \frac{\frac{}{h_4 : \Delta_1, F_3 \vdash \Delta_5, F_6, F_7} \text{ax/ind}}{\bullet h_4 : \Delta_1, F_3 \vdash \Delta_5, F_6 \vee F_7} \vee_R} \vee_R$$

- Case rule \perp_R

$$\frac{h_4 : \Delta_1, F_2 \rightarrow F_3 \vdash \Delta_5}{\bullet h_4 : \Delta_1, F_2 \rightarrow F_3 \vdash \perp, \Delta_5} \perp_R \rightarrow \frac{\frac{}{h_4 : \Delta_1, F_3 \vdash \Delta_5} \text{ax/ind}}{\bullet h_4 : \Delta_1, F_3 \vdash \perp, \Delta_5} \perp_R} \perp_R$$

- Case rule \top_R

$$\frac{}{\bullet h_4 : \Delta_1, F_2 \rightarrow F_3 \vdash \top, \Delta_5} \top_R \rightarrow \frac{}{\bullet h_4 : \Delta_1, F_3 \vdash \top, \Delta_5} \top_R$$

- Case rule K

$$\frac{h_3 : \text{unbox}(\Box\Gamma_4) \vdash F_6}{\bullet h_3 : \Box\Gamma_4, \Delta_7, F_1 \rightarrow F_2 \vdash \Delta_5, \llbracket F_6 \rrbracket} K \rightarrow \frac{\frac{}{h_3 : \text{unbox}(\Box\Gamma_4) \vdash F_6} \text{ax}}{\bullet h_3 : \Delta_7, F_2, \Box\Gamma_4 \vdash \Delta_5, \llbracket F_6 \rrbracket} K} K$$

- Case rule $A45$

$$\frac{h_3 : \Box\Gamma_4 \vdash \Box\Gamma_5, F_7}{\bullet h_3 : \Box\Gamma_4, \Delta_8, F_1 \rightarrow F_2 \vdash \Box\Gamma_5, \Delta_6, \llbracket F_7 \rrbracket} A45 \rightarrow \frac{\frac{}{h_3 : \Box\Gamma_4 \vdash F_7, \Box\Gamma_5} \text{ax}}{\bullet h_3 : \Delta_8, F_2, \Box\Gamma_4 \vdash \Delta_6, \Box\Gamma_5, \llbracket F_7 \rrbracket} A45} A45$$

- Case rule \rightarrow_L

$$\frac{h_3 : \Delta_7, F_1 \rightarrow F_2 \vdash F_4, \Delta_6 \quad h_3 : F_5, \Delta_7, F_1 \rightarrow F_2 \vdash \Delta_6}{\bullet h_3 : (\Delta_7, F_1 \rightarrow F_2), F_4 \rightarrow F_5 \vdash \Delta_6} \rightarrow_L \rightarrow \frac{\frac{h_3 : \Delta_7, F_2 \vdash \Delta_6, F_4}{\bullet h_3 : \Delta_7, F_2, F_4 \rightarrow F_5 \vdash \Delta_6} \text{ ax/ind} \quad \frac{h_3 : \Delta_7, F_2, F_5 \vdash \Delta_6}{\bullet h_3 : \Delta_7, F_2, F_4 \rightarrow F_5 \vdash \Delta_6} \text{ ax/ind}}{\bullet h_3 : \Delta_7, F_2, F_4 \rightarrow F_5 \vdash \Delta_6} \rightarrow_L$$

$$\frac{h_1 : \Delta_2 \vdash F_3, \Delta_5 \quad h_1 : F_4, \Delta_2 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_3 \rightarrow F_4 \vdash \Delta_5} \rightarrow_L \rightarrow \frac{h_1 : \Delta_2, F_4 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_4 \vdash \Delta_5} \text{ ax} \quad \text{H}$$

- Case rule \wedge_L

$$\frac{h_3 : F_4, F_5, \Delta_7, F_1 \rightarrow F_2 \vdash \Delta_6}{\bullet h_3 : (\Delta_7, F_1 \rightarrow F_2), F_4 \wedge F_5 \vdash \Delta_6} \wedge_L \rightarrow \frac{\frac{h_3 : \Delta_7, F_2, F_4, F_5 \vdash \Delta_6}{\bullet h_3 : \Delta_7, F_2, F_4 \wedge F_5 \vdash \Delta_6} \text{ ax/ind}}{\bullet h_3 : \Delta_7, F_2, F_4 \wedge F_5 \vdash \Delta_6} \wedge_L$$

- Case rule \vee_L

$$\frac{h_3 : F_4, \Delta_7, F_1 \rightarrow F_2 \vdash \Delta_6 \quad h_3 : F_5, \Delta_7, F_1 \rightarrow F_2 \vdash \Delta_6}{\bullet h_3 : (\Delta_7, F_1 \rightarrow F_2), F_4 \vee F_5 \vdash \Delta_6} \vee_L \rightarrow \frac{\frac{h_3 : \Delta_7, F_2, F_4 \vdash \Delta_6}{\bullet h_3 : \Delta_7, F_2, F_4 \vee F_5 \vdash \Delta_6} \text{ ax/ind} \quad \frac{h_3 : \Delta_7, F_2, F_5 \vdash \Delta_6}{\bullet h_3 : \Delta_7, F_2, F_4 \vee F_5 \vdash \Delta_6} \text{ ax/ind}}{\bullet h_3 : \Delta_7, F_2, F_4 \vee F_5 \vdash \Delta_6} \vee_L$$

- Case rule AT

$$\frac{h_3 : F_4, \Delta_6, \boxed{F_4}, F_1 \rightarrow F_2 \vdash \Delta_5}{\bullet h_3 : (\Delta_6, F_1 \rightarrow F_2), \boxed{F_4} \vdash \Delta_5} AT \rightarrow \frac{\frac{h_3 : \Delta_6, F_2, F_4, \boxed{F_4} \vdash \Delta_5}{\bullet h_3 : \Delta_6, F_2, \boxed{F_4} \vdash \Delta_5} \text{ ax/ind}}{\bullet h_3 : \Delta_6, F_2, \boxed{F_4} \vdash \Delta_5} AT$$

- Case rule \perp_L

$$\frac{}{\bullet h_3 : \perp, \Delta_5, F_1 \rightarrow F_2 \vdash \Delta_4} \perp_L \rightarrow \frac{}{\bullet h_3 : \perp, \Delta_5, F_2 \vdash \Delta_4} \perp_L$$

- Case rule I

$$\frac{}{\bullet h_3 : P_4, \Delta_6, F_1 \rightarrow F_2 \vdash P_4, \Delta_5} I \rightarrow \frac{}{\bullet h_3 : \Delta_6, F_2, P_4 \vdash \Delta_5, P_4} I$$

- Case rule \top_L

$$\frac{h_3 : \Delta_5, F_1 \rightarrow F_2 \vdash \Delta_4}{\bullet h_3 : \top, \Delta_5, F_1 \rightarrow F_2 \vdash \Delta_4} \top_L \rightarrow \frac{\frac{h_3 : \Delta_5, F_2 \vdash \Delta_4}{\bullet h_3 : \top, \Delta_5, F_2 \vdash \Delta_4} \text{ ax/ind}}{\bullet h_3 : \top, \Delta_5, F_2 \vdash \Delta_4} \top_L$$

4.11 Status of \wedge_L : : Invertible

- Case rule \rightarrow_R

$$\frac{h_4 : F_6, \Delta_1, F_2 \wedge F_3 \vdash F_7, \Delta_5}{\bullet h_4 : \Delta_1, F_2 \wedge F_3 \vdash \Delta_5, F_6 \rightarrow F_7} \rightarrow_R \rightarrow \frac{\frac{h_4 : \Delta_1, F_2, F_3, F_6 \vdash \Delta_5, F_7}{\bullet h_4 : \Delta_1, F_2, F_3 \vdash \Delta_5, F_6 \rightarrow F_7} \text{ ax/ind}}{\bullet h_4 : \Delta_1, F_2, F_3 \vdash \Delta_5, F_6 \rightarrow F_7} \rightarrow_R$$

- Case rule \wedge_R

$$\frac{h_4 : \Delta_1, F_2 \wedge F_3 \vdash F_6, \Delta_5 \quad h_4 : \Delta_1, F_2 \wedge F_3 \vdash F_7, \Delta_5}{\bullet h_4 : \Delta_1, F_2 \wedge F_3 \vdash \Delta_5, F_6 \wedge F_7} \wedge_R \rightarrow \frac{\frac{h_4 : \Delta_1, F_2, F_3 \vdash \Delta_5, F_6}{\bullet h_4 : \Delta_1, F_2, F_3 \vdash \Delta_5, F_6 \wedge F_7} \text{ ax/ind} \quad \frac{h_4 : \Delta_1, F_2, F_3 \vdash \Delta_5, F_7}{\bullet h_4 : \Delta_1, F_2, F_3 \vdash \Delta_5, F_6 \wedge F_7} \text{ ax/ind}}{\bullet h_4 : \Delta_1, F_2, F_3 \vdash \Delta_5, F_6 \wedge F_7} \wedge_R$$

- Case rule \vee_R

$$\frac{h_4 : \Delta_1, F_2 \wedge F_3 \vdash F_6, F_7, \Delta_5}{\bullet h_4 : \Delta_1, F_2 \wedge F_3 \vdash \Delta_5, F_6 \vee F_7} \vee_R \rightarrow \frac{\frac{h_4 : \Delta_1, F_2, F_3 \vdash \Delta_5, F_6, F_7}{\bullet h_4 : \Delta_1, F_2, F_3 \vdash \Delta_5, F_6 \vee F_7} \text{ax/ind}}{\vee_R}$$

- Case rule \perp_R

$$\frac{h_4 : \Delta_1, F_2 \wedge F_3 \vdash \Delta_5}{\bullet h_4 : \Delta_1, F_2 \wedge F_3 \vdash \perp, \Delta_5} \perp_R \rightarrow \frac{\frac{h_4 : \Delta_1, F_2, F_3 \vdash \Delta_5}{\bullet h_4 : \Delta_1, F_2, F_3 \vdash \perp, \Delta_5} \text{ax/ind}}{\perp_R}$$

- Case rule \top_R

$$\frac{}{\bullet h_4 : \Delta_1, F_2 \wedge F_3 \vdash \top, \Delta_5} \top_R \rightarrow \frac{}{\bullet h_4 : \Delta_1, F_2, F_3 \vdash \top, \Delta_5} \top_R$$

- Case rule K

$$\frac{h_3 : \text{unbox}(\Box \Gamma_4) \vdash F_6}{\bullet h_3 : \Box \Gamma_4, \Delta_7, F_1 \wedge F_2 \vdash \Delta_5, []F_6} K \rightarrow \frac{\frac{h_3 : \text{unbox}(\Box \Gamma_4) \vdash F_6}{\bullet h_3 : \Delta_7, F_1, F_2, \Box \Gamma_4 \vdash \Delta_5, []F_6} \text{ax}}{K}$$

- Case rule $A45$

$$\frac{h_3 : \Box \Gamma_4 \vdash \Box \Gamma_5, F_7}{\bullet h_3 : \Box \Gamma_4, \Delta_8, F_1 \wedge F_2 \vdash \Box \Gamma_5, \Delta_6, []F_7} A45 \rightarrow \frac{\frac{h_3 : \Box \Gamma_4 \vdash F_7, \Box \Gamma_5}{\bullet h_3 : \Delta_8, F_1, F_2, \Box \Gamma_4 \vdash \Delta_6, \Box \Gamma_5, []F_7} \text{ax}}{A45}$$

- Case rule \rightarrow_L

$$\frac{h_3 : \Delta_7, F_1 \wedge F_2 \vdash F_4, \Delta_6 \quad h_3 : F_5, \Delta_7, F_1 \wedge F_2 \vdash \Delta_6}{\bullet h_3 : (\Delta_7, F_1 \wedge F_2), F_4 \rightarrow F_5 \vdash \Delta_6} \rightarrow_L \rightarrow \frac{\frac{h_3 : \Delta_7, F_1, F_2 \vdash \Delta_6, F_4}{\bullet h_3 : \Delta_7, F_1, F_2, F_4 \rightarrow F_5 \vdash \Delta_6} \text{ax/ind}}{\rightarrow_L} \frac{h_3 : \Delta_7, F_1, F_2, F_5 \vdash \Delta_6}{\rightarrow_L} \text{ax/ind}$$

- Case rule \wedge_L

$$\frac{h_3 : F_4, F_5, \Delta_7, F_1 \wedge F_2 \vdash \Delta_6}{\bullet h_3 : (\Delta_7, F_1 \wedge F_2), F_4 \wedge F_5 \vdash \Delta_6} \wedge_L \rightarrow \frac{\frac{h_3 : \Delta_7, F_1, F_2, F_4, F_5 \vdash \Delta_6}{\bullet h_3 : \Delta_7, F_1, F_2, F_4 \wedge F_5 \vdash \Delta_6} \text{ax/ind}}{\wedge_L}$$

$$\frac{h_1 : F_3, F_4, \Delta_2 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_3 \wedge F_4 \vdash \Delta_5} \wedge_L \rightarrow \frac{\frac{h_1 : \Delta_2, F_3, F_4 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_3, F_4 \vdash \Delta_5} \text{ax}}{H}$$

- Case rule \vee_L

$$\frac{h_3 : F_4, \Delta_7, F_1 \wedge F_2 \vdash \Delta_6 \quad h_3 : F_5, \Delta_7, F_1 \wedge F_2 \vdash \Delta_6}{\bullet h_3 : (\Delta_7, F_1 \wedge F_2), F_4 \vee F_5 \vdash \Delta_6} \vee_L \rightarrow \frac{\frac{h_3 : \Delta_7, F_1, F_2, F_4 \vdash \Delta_6}{\bullet h_3 : \Delta_7, F_1, F_2, F_4 \vee F_5 \vdash \Delta_6} \text{ax/ind}}{\vee_L} \frac{h_3 : \Delta_7, F_1, F_2, F_5 \vdash \Delta_6}{\vee_L} \text{ax/ind}$$

- Case rule AT

$$\frac{h_3 : F_4, \Delta_6, []F_4, F_1 \wedge F_2 \vdash \Delta_5}{\bullet h_3 : (\Delta_6, F_1 \wedge F_2), []F_4 \vdash \Delta_5} AT \rightarrow \frac{\frac{h_3 : \Delta_6, F_1, F_2, F_4, []F_4 \vdash \Delta_5}{\bullet h_3 : \Delta_6, F_1, F_2, []F_4 \vdash \Delta_5} \text{ax/ind}}{AT}$$

- Case rule \perp_L

$$\frac{}{\bullet h_3 : \perp, \Delta_5, F_1 \wedge F_2 \vdash \Delta_4} \perp_L \rightarrow \frac{}{\bullet h_3 : \perp, \Delta_5, F_1, F_2 \vdash \Delta_4} \perp_L$$

- Case rule I

$$\frac{}{\bullet h_3 : p_4, \Delta_6, F_1 \wedge F_2 \vdash p_4, \Delta_5} I \rightarrow \frac{}{\bullet h_3 : \Delta_6, F_1, F_2, p_4 \vdash \Delta_5, p_4} I$$

- Case rule \top_L

$$\frac{h_3 : \Delta_5, F_1 \wedge F_2 \vdash \Delta_4}{\bullet h_3 : \top, \Delta_5, F_1 \wedge F_2 \vdash \Delta_4} \top_L \rightarrow \frac{h_3 : \Delta_5, F_1, F_2 \vdash \Delta_4}{\bullet h_3 : \top, \Delta_5, F_1, F_2 \vdash \Delta_4} \text{ax/ind} \top_L$$

4.12 Status of \vee_L : (Left Premise): Invertible

- Case rule \rightarrow_R

$$\frac{h_4 : F_6, \Delta_1, F_2 \vee F_3 \vdash F_7, \Delta_5}{\bullet h_4 : \Delta_1, F_2 \vee F_3 \vdash \Delta_5, F_6 \rightarrow F_7} \rightarrow_R \rightarrow \frac{h_4 : \Delta_1, F_2, F_6 \vdash \Delta_5, F_7}{\bullet h_4 : \Delta_1, F_2 \vdash \Delta_5, F_6 \rightarrow F_7} \text{ax/ind} \rightarrow_R$$

- Case rule \wedge_R

$$\frac{h_4 : \Delta_1, F_2 \vee F_3 \vdash F_6, \Delta_5 \quad h_4 : \Delta_1, F_2 \vee F_3 \vdash F_7, \Delta_5}{\bullet h_4 : \Delta_1, F_2 \vee F_3 \vdash \Delta_5, F_6 \wedge F_7} \wedge_R \rightarrow \frac{h_4 : \Delta_1, F_2 \vdash \Delta_5, F_6}{\bullet h_4 : \Delta_1, F_2 \vdash \Delta_5, F_6 \wedge F_7} \text{ax/ind} \frac{h_4 : \Delta_1, F_2 \vdash \Delta_5, F_7}{\bullet h_4 : \Delta_1, F_2 \vdash \Delta_5, F_6 \wedge F_7} \text{ax/ind} \wedge_R$$

- Case rule \vee_R

$$\frac{h_4 : \Delta_1, F_2 \vee F_3 \vdash F_6, F_7, \Delta_5}{\bullet h_4 : \Delta_1, F_2 \vee F_3 \vdash \Delta_5, F_6 \vee F_7} \vee_R \rightarrow \frac{h_4 : \Delta_1, F_2 \vdash \Delta_5, F_6, F_7}{\bullet h_4 : \Delta_1, F_2 \vdash \Delta_5, F_6 \vee F_7} \text{ax/ind} \vee_R$$

- Case rule \perp_R

$$\frac{h_4 : \Delta_1, F_2 \vee F_3 \vdash \Delta_5}{\bullet h_4 : \Delta_1, F_2 \vee F_3 \vdash \perp, \Delta_5} \perp_R \rightarrow \frac{h_4 : \Delta_1, F_2 \vdash \Delta_5}{\bullet h_4 : \Delta_1, F_2 \vdash \perp, \Delta_5} \text{ax/ind} \perp_R$$

- Case rule \top_R

$$\frac{}{\bullet h_4 : \Delta_1, F_2 \vee F_3 \vdash \top, \Delta_5} \top_R \rightarrow \frac{}{\bullet h_4 : \Delta_1, F_2 \vdash \top, \Delta_5} \top_R$$

- Case rule K

$$\frac{h_3 : \text{unbox}(\Box\Gamma_4) \vdash F_6}{\bullet h_3 : \Box\Gamma_4, \Delta_7, F_1 \vee F_2 \vdash \Delta_5, \llbracket F_6 \rrbracket} K \rightarrow \frac{h_3 : \text{unbox}(\Box\Gamma_4) \vdash F_6}{\bullet h_3 : \Delta_7, F_1, \Box\Gamma_4 \vdash \Delta_5, \llbracket F_6 \rrbracket} \text{ax} K$$

- Case rule $A45$

$$\frac{h_3 : \Box\Gamma_4 \vdash \Box\Gamma_5, F_7}{\bullet h_3 : \Box\Gamma_4, \Delta_8, F_1 \vee F_2 \vdash \Box\Gamma_5, \Delta_6, []F_7} A45 \rightarrow \frac{\overline{h_3 : \Box\Gamma_4 \vdash F_7, \Box\Gamma_5} \text{ ax}}{\bullet h_3 : \Delta_8, F_1, \Box\Gamma_4 \vdash \Delta_6, \Box\Gamma_5, []F_7} A45$$

- Case rule \rightarrow_L

$$\frac{h_3 : \Delta_7, F_1 \vee F_2 \vdash F_4, \Delta_6 \quad h_3 : F_5, \Delta_7, F_1 \vee F_2 \vdash \Delta_6}{\bullet h_3 : (\Delta_7, F_1 \vee F_2), F_4 \rightarrow F_5 \vdash \Delta_6} \rightarrow_L \rightarrow \frac{\overline{h_3 : \Delta_7, F_1 \vdash \Delta_6, F_4} \text{ ax/ind} \quad \overline{h_3 : \Delta_7, F_1, F_5 \vdash \Delta_6} \text{ ax/ind}}{\bullet h_3 : \Delta_7, F_1, F_4 \rightarrow F_5 \vdash \Delta_6} \rightarrow_L$$

- Case rule \wedge_L

$$\frac{h_3 : F_4, F_5, \Delta_7, F_1 \vee F_2 \vdash \Delta_6}{\bullet h_3 : (\Delta_7, F_1 \vee F_2), F_4 \wedge F_5 \vdash \Delta_6} \wedge_L \rightarrow \frac{\overline{h_3 : \Delta_7, F_1, F_4, F_5 \vdash \Delta_6} \text{ ax/ind}}{\bullet h_3 : \Delta_7, F_1, F_4 \wedge F_5 \vdash \Delta_6} \wedge_L$$

- Case rule \vee_L

$$\frac{h_3 : F_4, \Delta_7, F_1 \vee F_2 \vdash \Delta_6 \quad h_3 : F_5, \Delta_7, F_1 \vee F_2 \vdash \Delta_6}{\bullet h_3 : (\Delta_7, F_1 \vee F_2), F_4 \vee F_5 \vdash \Delta_6} \vee_L \rightarrow \frac{\overline{h_3 : \Delta_7, F_1, F_4 \vdash \Delta_6} \text{ ax/ind} \quad \overline{h_3 : \Delta_7, F_1, F_5 \vdash \Delta_6} \text{ ax/ind}}{\bullet h_3 : \Delta_7, F_1, F_4 \vee F_5 \vdash \Delta_6} \vee_L$$

$$\frac{h_1 : F_3, \Delta_2 \vdash \Delta_5 \quad h_1 : F_4, \Delta_2 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_3 \vee F_4 \vdash \Delta_5} \vee_L \rightarrow \frac{\overline{h_1 : \Delta_2, F_3 \vdash \Delta_5} \text{ ax}}{\bullet h_1 : \Delta_2, F_3 \vee F_4 \vdash \Delta_5} \vee_L$$

- Case rule AT

$$\frac{h_3 : F_4, \Delta_6, []F_4, F_1 \vee F_2 \vdash \Delta_5}{\bullet h_3 : (\Delta_6, F_1 \vee F_2), []F_4 \vdash \Delta_5} AT \rightarrow \frac{\overline{h_3 : \Delta_6, F_1, F_4, []F_4 \vdash \Delta_5} \text{ ax/ind}}{\bullet h_3 : \Delta_6, F_1, []F_4 \vdash \Delta_5} AT$$

- Case rule \perp_L

$$\frac{}{\bullet h_3 : \perp, \Delta_5, F_1 \vee F_2 \vdash \Delta_4} \perp_L \rightarrow \frac{}{\bullet h_3 : \perp, \Delta_5, F_1 \vdash \Delta_4} \perp_L$$

- Case rule I

$$\frac{}{\bullet h_3 : p_4, \Delta_6, F_1 \vee F_2 \vdash p_4, \Delta_5} I \rightarrow \frac{}{\bullet h_3 : \Delta_6, F_1, p_4 \vdash \Delta_5, p_4} I$$

- Case rule \top_L

$$\frac{h_3 : \Delta_5, F_1 \vee F_2 \vdash \Delta_4}{\bullet h_3 : \top, \Delta_5, F_1 \vee F_2 \vdash \Delta_4} \top_L \rightarrow \frac{\overline{h_3 : \Delta_5, F_1 \vdash \Delta_4} \text{ ax/ind}}{\bullet h_3 : \top, \Delta_5, F_1 \vdash \Delta_4} \top_L$$

4.13 Status of \vee_L (Right Premise): : Invertible

- Case rule \rightarrow_R

$$\frac{h_4 : F_6, \Delta_1, F_2 \vee F_3 \vdash F_7, \Delta_5}{\bullet h_4 : \Delta_1, F_2 \vee F_3 \vdash \Delta_5, F_6 \rightarrow F_7} \rightarrow_R \rightarrow \frac{\overline{h_4 : \Delta_1, F_3, F_6 \vdash \Delta_5, F_7}}{\bullet h_4 : \Delta_1, F_3 \vdash \Delta_5, F_6 \rightarrow F_7} \text{ax/ind} \rightarrow_R$$

- Case rule \wedge_R

$$\frac{h_4 : \Delta_1, F_2 \vee F_3 \vdash F_6, \Delta_5 \quad h_4 : \Delta_1, F_2 \vee F_3 \vdash F_7, \Delta_5}{\bullet h_4 : \Delta_1, F_2 \vee F_3 \vdash \Delta_5, F_6 \wedge F_7} \wedge_R \rightarrow \frac{\overline{h_4 : \Delta_1, F_3 \vdash \Delta_5, F_6} \text{ax/ind} \quad \overline{h_4 : \Delta_1, F_3 \vdash \Delta_5, F_7} \text{ax/ind}}{\bullet h_4 : \Delta_1, F_3 \vdash \Delta_5, F_6 \wedge F_7} \wedge_R$$

- Case rule \vee_R

$$\frac{h_4 : \Delta_1, F_2 \vee F_3 \vdash F_6, F_7, \Delta_5}{\bullet h_4 : \Delta_1, F_2 \vee F_3 \vdash \Delta_5, F_6 \vee F_7} \vee_R \rightarrow \frac{\overline{h_4 : \Delta_1, F_3 \vdash \Delta_5, F_6, F_7} \text{ax/ind}}{\bullet h_4 : \Delta_1, F_3 \vdash \Delta_5, F_6 \vee F_7} \vee_R$$

- Case rule \perp_R

$$\frac{h_4 : \Delta_1, F_2 \vee F_3 \vdash \Delta_5}{\bullet h_4 : \Delta_1, F_2 \vee F_3 \vdash \perp, \Delta_5} \perp_R \rightarrow \frac{\overline{h_4 : \Delta_1, F_3 \vdash \Delta_5} \text{ax/ind}}{\bullet h_4 : \Delta_1, F_3 \vdash \perp, \Delta_5} \perp_R$$

- Case rule \top_R

$$\frac{\overline{\bullet h_4 : \Delta_1, F_2 \vee F_3 \vdash \top, \Delta_5}}{\bullet h_4 : \Delta_1, F_3 \vdash \top, \Delta_5} \top_R \rightarrow \frac{\overline{\bullet h_4 : \Delta_1, F_3 \vdash \top, \Delta_5}}{\bullet h_4 : \Delta_1, F_3 \vdash \top, \Delta_5} \top_R$$

- Case rule K

$$\frac{h_3 : \text{unbox}(\Box\Gamma_4) \vdash F_6}{\bullet h_3 : \Box\Gamma_4, \Delta_7, F_1 \vee F_2 \vdash \Delta_5, []F_6} K \rightarrow \frac{\overline{h_3 : \text{unbox}(\Box\Gamma_4) \vdash F_6} \text{ax}}{\bullet h_3 : \Delta_7, F_2, \Box\Gamma_4 \vdash \Delta_5, []F_6} K$$

- Case rule $A45$

$$\frac{h_3 : \Box\Gamma_4 \vdash \Box\Gamma_5, F_7}{\bullet h_3 : \Box\Gamma_4, \Delta_8, F_1 \vee F_2 \vdash \Box\Gamma_5, \Delta_6, []F_7} A45 \rightarrow \frac{\overline{h_3 : \Box\Gamma_4 \vdash F_7, \Box\Gamma_5} \text{ax}}{\bullet h_3 : \Delta_8, F_2, \Box\Gamma_4 \vdash \Delta_6, \Box\Gamma_5, []F_7} A45$$

- Case rule \rightarrow_L

$$\frac{h_3 : \Delta_7, F_1 \vee F_2 \vdash F_4, \Delta_6 \quad h_3 : F_5, \Delta_7, F_1 \vee F_2 \vdash \Delta_6}{\bullet h_3 : (\Delta_7, F_1 \vee F_2), F_4 \rightarrow F_5 \vdash \Delta_6} \rightarrow_L \rightarrow \frac{\overline{h_3 : \Delta_7, F_2 \vdash \Delta_6, F_4} \text{ax/ind} \quad \overline{h_3 : \Delta_7, F_2, F_5 \vdash \Delta_6} \text{ax/ind}}{\bullet h_3 : \Delta_7, F_2, F_4 \rightarrow F_5 \vdash \Delta_6} \rightarrow_L$$

- Case rule \wedge_L

$$\frac{h_3 : F_4, F_5, \Delta_7, F_1 \vee F_2 \vdash \Delta_6}{\bullet h_3 : (\Delta_7, F_1 \vee F_2), F_4 \wedge F_5 \vdash \Delta_6} \wedge_L \rightarrow \frac{\overline{h_3 : \Delta_7, F_2, F_4, F_5 \vdash \Delta_6} \text{ax/ind}}{\bullet h_3 : \Delta_7, F_2, F_4 \wedge F_5 \vdash \Delta_6} \wedge_L$$

- Case rule \vee_L

$$\frac{\frac{h_3 : F_4, \Delta_7, F_1 \vee F_2 \vdash \Delta_6}{\bullet h_3 : (\Delta_7, F_1 \vee F_2), F_4 \vee F_5 \vdash \Delta_6} \vee_L \quad \frac{h_3 : F_5, \Delta_7, F_1 \vee F_2 \vdash \Delta_6}{\bullet h_3 : (\Delta_7, F_1 \vee F_2), F_4 \vee F_5 \vdash \Delta_6} \vee_L}{\frac{h_3 : \Delta_7, F_2, F_4 \vdash \Delta_6}{\bullet h_3 : \Delta_7, F_2, F_4 \vee F_5 \vdash \Delta_6} \text{ax/ind} \quad \frac{h_3 : \Delta_7, F_2, F_5 \vdash \Delta_6}{\bullet h_3 : \Delta_7, F_2, F_4 \vee F_5 \vdash \Delta_6} \text{ax/ind}}{\vee_L}$$

$$\frac{\frac{h_1 : F_3, \Delta_2 \vdash \Delta_5 \quad h_1 : F_4, \Delta_2 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_3 \vee F_4 \vdash \Delta_5} \vee_L}{\frac{h_1 : \Delta_2, F_4 \vdash \Delta_5}{\bullet h_1 : \Delta_2, F_4 \vdash \Delta_5} \text{ax}}{\text{H}}$$

- Case rule AT

$$\frac{\frac{h_3 : F_4, \Delta_6, []F_4, F_1 \vee F_2 \vdash \Delta_5}{\bullet h_3 : (\Delta_6, F_1 \vee F_2), []F_4 \vdash \Delta_5} AT}{\frac{h_3 : \Delta_6, F_2, F_4, []F_4 \vdash \Delta_5}{\bullet h_3 : \Delta_6, F_2, []F_4 \vdash \Delta_5} \text{ax/ind}}{AT}$$

- Case rule \perp_L

$$\frac{}{\bullet h_3 : \perp, \Delta_5, F_1 \vee F_2 \vdash \Delta_4} \perp_L \rightarrow \frac{}{\bullet h_3 : \perp, \Delta_5, F_2 \vdash \Delta_4} \perp_L$$

- Case rule I

$$\frac{}{\bullet h_3 : p_4, \Delta_6, F_1 \vee F_2 \vdash p_4, \Delta_5} I \rightarrow \frac{}{\bullet h_3 : \Delta_6, F_2, p_4 \vdash \Delta_5, p_4} I$$

- Case rule \top_L

$$\frac{\frac{h_3 : \Delta_5, F_1 \vee F_2 \vdash \Delta_4}{\bullet h_3 : \top, \Delta_5, F_1 \vee F_2 \vdash \Delta_4} \top_L}{\frac{h_3 : \Delta_5, F_2 \vdash \Delta_4}{\bullet h_3 : \top, \Delta_5, F_2 \vdash \Delta_4} \text{ax/ind}}{\top_L}$$

4.14 Status of AT : : Invertible

- Case rule \rightarrow_R

$$\frac{\frac{h_3 : F_5, \Delta_1, []F_2 \vdash F_6, \Delta_4}{\bullet h_3 : \Delta_1, []F_2 \vdash \Delta_4, F_5 \rightarrow F_6} \rightarrow_R}{\frac{h_3 : \Delta_1, F_2, F_5, []F_2 \vdash \Delta_4, F_6}{\bullet h_3 : \Delta_1, F_2, []F_2 \vdash \Delta_4, F_5 \rightarrow F_6} \text{ax/ind}}{\rightarrow_R}$$

- Case rule \wedge_R

$$\frac{\frac{h_3 : \Delta_1, []F_2 \vdash F_5, \Delta_4 \quad h_3 : \Delta_1, []F_2 \vdash F_6, \Delta_4}{\bullet h_3 : \Delta_1, []F_2 \vdash \Delta_4, F_5 \wedge F_6} \wedge_R}{\frac{h_3 : \Delta_1, F_2, []F_2 \vdash \Delta_4, F_5}{\bullet h_3 : \Delta_1, F_2, []F_2 \vdash \Delta_4, F_5 \wedge F_6} \text{ax/ind} \quad \frac{h_3 : \Delta_1, F_2, []F_2 \vdash \Delta_4, F_6}{\bullet h_3 : \Delta_1, F_2, []F_2 \vdash \Delta_4, F_5 \wedge F_6} \text{ax/ind}}{\wedge_R}$$

- Case rule \vee_R

$$\frac{\frac{h_3 : \Delta_1, []F_2 \vdash F_5, F_6, \Delta_4}{\bullet h_3 : \Delta_1, []F_2 \vdash \Delta_4, F_5 \vee F_6} \vee_R}{\frac{h_3 : \Delta_1, F_2, []F_2 \vdash \Delta_4, F_5, F_6}{\bullet h_3 : \Delta_1, F_2, []F_2 \vdash \Delta_4, F_5 \vee F_6} \text{ax/ind}}{\vee_R}$$

- Case rule \perp_R

$$\frac{\frac{h_3 : \Delta_1, []F_2 \vdash \Delta_4}{\bullet h_3 : \Delta_1, []F_2 \vdash \perp, \Delta_4} \perp_R}{\frac{h_3 : \Delta_1, F_2, []F_2 \vdash \Delta_4}{\bullet h_3 : \Delta_1, F_2, []F_2 \vdash \perp, \Delta_4} \text{ax/ind}}{\perp_R}$$

- Case rule \top_R

$$\frac{}{\bullet h_3 : \Delta_1, []F_2 \vdash \top, \Delta_4} \top_R \rightarrow \frac{}{\bullet h_3 : \Delta_1, F_2, []F_2 \vdash \top, \Delta_4} \top_R$$

- Case rule K

$$\frac{h_2 : F_1, \text{unbox}(\Box\Gamma_6) \vdash F_5}{\bullet h_2 : (\Box\Gamma_6, []F_1), \Delta_3 \vdash \Delta_4, []F_5} K \rightarrow \frac{h_2 : F_1, \text{unbox}(\Box\Gamma_6) \vdash F_5 \text{ ax}}{\bullet h_2 : \Delta_3, F_1, \Box\Gamma_6, []F_1 \vdash \Delta_4, []F_5} K$$

$$\frac{h_2 : \text{unbox}(\Box\Gamma_3) \vdash F_5}{\bullet h_2 : \Box\Gamma_3, \Delta_6, []F_1 \vdash \Delta_4, []F_5} K \rightarrow \frac{h_2 : \text{unbox}(\Box\Gamma_3) \vdash F_5 \text{ ax}}{\bullet h_2 : \Delta_6, F_1, \Box\Gamma_3, []F_1 \vdash \Delta_4, []F_5} K$$

- Case rule $A45$

$$\frac{h_2 : \Box\Gamma_7, []F_1 \vdash \Box\Gamma_4, F_6}{\bullet h_2 : (\Box\Gamma_7, []F_1), \Delta_3 \vdash \Box\Gamma_4, \Delta_5, []F_6} A45 \rightarrow \frac{h_2 : \Box\Gamma_7, []F_1 \vdash F_6, \Box\Gamma_4 \text{ ax}}{\bullet h_2 : \Delta_3, F_1, \Box\Gamma_7, []F_1 \vdash \Delta_5, \Box\Gamma_4, []F_6} A45$$

$$\frac{h_2 : \Box\Gamma_3 \vdash \Box\Gamma_4, F_6}{\bullet h_2 : \Box\Gamma_3, \Delta_7, []F_1 \vdash \Box\Gamma_4, \Delta_5, []F_6} A45 \rightarrow \frac{h_2 : \Box\Gamma_3 \vdash F_6, \Box\Gamma_4 \text{ ax}}{\bullet h_2 : \Delta_7, F_1, \Box\Gamma_3, []F_1 \vdash \Delta_5, \Box\Gamma_4, []F_6} A45$$

- Case rule \rightarrow_L

$$\frac{h_2 : \Delta_6, []F_1 \vdash F_3, \Delta_5 \quad h_2 : F_4, \Delta_6, []F_1 \vdash \Delta_5}{\bullet h_2 : (\Delta_6, []F_1), F_3 \rightarrow F_4 \vdash \Delta_5} \rightarrow_L \rightarrow \frac{h_2 : \Delta_6, F_1, []F_1 \vdash \Delta_5, F_3 \text{ ax/ind} \quad h_2 : \Delta_6, F_1, F_4, []F_1 \vdash \Delta_5 \text{ ax/ind}}{\bullet h_2 : \Delta_6, F_1, []F_1, F_3 \rightarrow F_4 \vdash \Delta_5} \rightarrow_L$$

- Case rule \wedge_L

$$\frac{h_2 : F_3, F_4, \Delta_6, []F_1 \vdash \Delta_5}{\bullet h_2 : (\Delta_6, []F_1), F_3 \wedge F_4 \vdash \Delta_5} \wedge_L \rightarrow \frac{h_2 : \Delta_6, F_1, F_3, F_4, []F_1 \vdash \Delta_5 \text{ ax/ind}}{\bullet h_2 : \Delta_6, F_1, []F_1, F_3 \wedge F_4 \vdash \Delta_5} \wedge_L$$

- Case rule \vee_L

$$\frac{h_2 : F_3, \Delta_6, []F_1 \vdash \Delta_5 \quad h_2 : F_4, \Delta_6, []F_1 \vdash \Delta_5}{\bullet h_2 : (\Delta_6, []F_1), F_3 \vee F_4 \vdash \Delta_5} \vee_L \rightarrow \frac{h_2 : \Delta_6, F_1, F_3, []F_1 \vdash \Delta_5 \text{ ax/ind} \quad h_2 : \Delta_6, F_1, F_4, []F_1 \vdash \Delta_5 \text{ ax/ind}}{\bullet h_2 : \Delta_6, F_1, []F_1, F_3 \vee F_4 \vdash \Delta_5} \vee_L$$

- Case rule AT

$$\frac{h_2 : F_3, \Delta_5, []F_1, []F_3 \vdash \Delta_4}{\bullet h_2 : (\Delta_5, []F_1), []F_3 \vdash \Delta_4} AT \rightarrow \frac{h_2 : \Delta_5, F_1, F_3, []F_1, []F_3 \vdash \Delta_4 \text{ ax/ind}}{\bullet h_2 : \Delta_5, F_1, []F_1, []F_3 \vdash \Delta_4} AT$$

$$\frac{h_1 : F_3, \Delta_2, []F_3 \vdash \Delta_4}{\bullet h_1 : \Delta_2, []F_3 \vdash \Delta_4} AT \rightarrow \frac{h_1 : \Delta_2, F_3, F_3, []F_3 \vdash \Delta_4 \text{ ax/ind}}{\bullet h_1 : \Delta_2, F_3, []F_3 \vdash \Delta_4} AT$$

- Case rule \perp_L

$$\frac{}{\bullet h_2 : \perp, \Delta_4, []F_1 \vdash \Delta_3} \perp_L \rightarrow \frac{}{\bullet h_2 : \perp, \Delta_4, F_1, []F_1 \vdash \Delta_3} \perp_L$$

- Case rule I

$$\frac{}{\bullet h_2 : p_3, \Delta_5, []F_1 \vdash p_3, \Delta_4} I \quad \rightarrow \quad \frac{}{\bullet h_2 : \Delta_5, F_1, p_3, []F_1 \vdash \Delta_4, p_3} I$$

- Case rule \top_L

$$\frac{h_2 : \Delta_4, []F_1 \vdash \Delta_3}{\bullet h_2 : \top, \Delta_4, []F_1 \vdash \Delta_3} \top_L \quad \rightarrow \quad \frac{\frac{}{h_2 : \Delta_4, F_1, []F_1 \vdash \Delta_3} \text{ax/ind}}{\bullet h_2 : \top, \Delta_4, F_1, []F_1 \vdash \Delta_3} \top_L$$

4.15 Status of \perp_L : : Invertible

- Case rule \rightarrow_R

$$\frac{h_2 : \perp, F_4, \Delta_1 \vdash F_5, \Delta_3}{\bullet h_2 : \perp, \Delta_1 \vdash \Delta_3, F_4 \rightarrow F_5} \rightarrow_R \quad \rightarrow \quad \text{trivial}$$

- Case rule \wedge_R

$$\frac{h_2 : \perp, \Delta_1 \vdash F_4, \Delta_3 \quad h_2 : \perp, \Delta_1 \vdash F_5, \Delta_3}{\bullet h_2 : \perp, \Delta_1 \vdash \Delta_3, F_4 \wedge F_5} \wedge_R \quad \rightarrow \quad \text{trivial}$$

- Case rule \vee_R

$$\frac{h_2 : \perp, \Delta_1 \vdash F_4, F_5, \Delta_3}{\bullet h_2 : \perp, \Delta_1 \vdash \Delta_3, F_4 \vee F_5} \vee_R \quad \rightarrow \quad \text{trivial}$$

- Case rule \perp_R

$$\frac{h_2 : \perp, \Delta_1 \vdash \Delta_3}{\bullet h_2 : \perp, \Delta_1 \vdash \perp, \Delta_3} \perp_R \quad \rightarrow \quad \text{trivial}$$

- Case rule \top_R

$$\frac{}{\bullet h_2 : \perp, \Delta_1 \vdash \top, \Delta_3} \top_R \quad \rightarrow \quad \text{trivial}$$

- Case rule K

$$\frac{h_1 : \text{unbox}(\Box\Gamma_2) \vdash F_4}{\bullet h_1 : \Box\Gamma_2, \perp, \Delta_5 \vdash \Delta_3, []F_4} K \quad \rightarrow \quad \text{trivial}$$

- Case rule $A45$

$$\frac{h_1 : \Box\Gamma_2 \vdash \Box\Gamma_3, F_5}{\bullet h_1 : \Box\Gamma_2, \perp, \Delta_6 \vdash \Box\Gamma_3, \Delta_4, []F_5} A45 \quad \rightarrow \quad \text{trivial}$$

- Case rule \rightarrow_L

$$\frac{h_1 : \perp, \Delta_5 \vdash F_2, \Delta_4 \quad h_1 : \perp, F_3, \Delta_5 \vdash \Delta_4}{\bullet h_1 : (\perp, \Delta_5), F_2 \rightarrow F_3 \vdash \Delta_4} \rightarrow_L \rightarrow \text{trivial}$$

- Case rule \wedge_L

$$\frac{h_1 : \perp, F_2, F_3, \Delta_5 \vdash \Delta_4}{\bullet h_1 : (\perp, \Delta_5), F_2 \wedge F_3 \vdash \Delta_4} \wedge_L \rightarrow \text{trivial}$$

- Case rule \vee_L

$$\frac{h_1 : \perp, F_2, \Delta_5 \vdash \Delta_4 \quad h_1 : \perp, F_3, \Delta_5 \vdash \Delta_4}{\bullet h_1 : (\perp, \Delta_5), F_2 \vee F_3 \vdash \Delta_4} \vee_L \rightarrow \text{trivial}$$

- Case rule AT

$$\frac{h_1 : \perp, F_2, \Delta_4, []F_2 \vdash \Delta_3}{\bullet h_1 : (\perp, \Delta_4), []F_2 \vdash \Delta_3} AT \rightarrow \text{trivial}$$

- Case rule \perp_L

$$\frac{}{\bullet h_1 : \perp, \Delta_2 \vdash \Delta_3} \perp_L \rightarrow \text{trivial}$$

- Case rule I

$$\frac{}{\bullet h_1 : p_2, \perp, \Delta_4 \vdash p_2, \Delta_3} I \rightarrow \text{trivial}$$

- Case rule \top_L

$$\frac{h_1 : \perp, \Delta_3 \vdash \Delta_2}{\bullet h_1 : \top, \perp, \Delta_3 \vdash \Delta_2} \top_L \rightarrow \text{trivial}$$

4.16 Status of I : : Invertible

- Case rule \rightarrow_R

$$\frac{h_3 : F_4, \Delta_1, p_2 \vdash F_5, \Delta_6, p_2}{\bullet h_3 : \Delta_1, p_2 \vdash (\Delta_6, p_2), F_4 \rightarrow F_5} \rightarrow_R \rightarrow \text{trivial}$$

- Case rule \wedge_R

$$\frac{h_3 : \Delta_1, p_2 \vdash F_4, \Delta_6, p_2 \quad h_3 : \Delta_1, p_2 \vdash F_5, \Delta_6, p_2}{\bullet h_3 : \Delta_1, p_2 \vdash (\Delta_6, p_2), F_4 \wedge F_5} \wedge_R \rightarrow \text{trivial}$$

- Case rule \vee_R

$$\frac{h_3 : \Delta_1, p_2 \vdash F_4, F_5, \Delta_6, p_2}{\bullet h_3 : \Delta_1, p_2 \vdash (\Delta_6, p_2), F_4 \vee F_5} \vee_R \rightarrow \text{trivial}$$

- Case rule \perp_R

$$\frac{h_3 : \Delta_1, P_2 \vdash \Delta_4, P_2}{\bullet h_3 : \Delta_1, P_2 \vdash \perp, \Delta_4, P_2} \perp_R \rightarrow \text{trivial}$$

- Case rule \top_R

$$\frac{}{\bullet h_3 : \Delta_1, P_2 \vdash \top, \Delta_4, P_2} \top_R \rightarrow \text{trivial}$$

- Case rule K

$$\frac{h_2 : \text{unbox}(\Box \Gamma_3) \vdash F_4}{\bullet h_2 : \Box \Gamma_3, \Delta_6, P_1 \vdash (\Delta_5, P_1), \Box F_4} K \rightarrow \text{trivial}$$

- Case rule $A45$

$$\frac{h_2 : \Box \Gamma_3 \vdash \Box \Gamma_4, F_5}{\bullet h_2 : \Box \Gamma_3, \Delta_7, P_1 \vdash \Box \Gamma_4, (\Delta_6, P_1), \Box F_5} A45 \rightarrow \text{trivial}$$

- Case rule \rightarrow_L

$$\frac{h_3 : \Delta_6, P_1 \vdash F_4, \Delta_2, P_1 \quad h_3 : F_5, \Delta_6, P_1 \vdash \Delta_2, P_1}{\bullet h_3 : (\Delta_6, P_1), F_4 \rightarrow F_5 \vdash \Delta_2, P_1} \rightarrow_L \rightarrow \text{trivial}$$

- Case rule \wedge_L

$$\frac{h_3 : F_4, F_5, \Delta_6, P_1 \vdash \Delta_2, P_1}{\bullet h_3 : (\Delta_6, P_1), F_4 \wedge F_5 \vdash \Delta_2, P_1} \wedge_L \rightarrow \text{trivial}$$

- Case rule \vee_L

$$\frac{h_3 : F_4, \Delta_6, P_1 \vdash \Delta_2, P_1 \quad h_3 : F_5, \Delta_6, P_1 \vdash \Delta_2, P_1}{\bullet h_3 : (\Delta_6, P_1), F_4 \vee F_5 \vdash \Delta_2, P_1} \vee_L \rightarrow \text{trivial}$$

- Case rule AT

$$\frac{h_3 : F_4, \Delta_5, P_1, \Box F_4 \vdash \Delta_2, P_1}{\bullet h_3 : (\Delta_5, P_1), \Box F_4 \vdash \Delta_2, P_1} AT \rightarrow \text{trivial}$$

- Case rule \perp_L

$$\frac{}{\bullet h_3 : \perp, \Delta_4, P_1 \vdash \Delta_2, P_1} \perp_L \rightarrow \text{trivial}$$

- Case rule I

$$\frac{}{\bullet h_2 : P_3, \Delta_5, P_1 \vdash P_3, \Delta_4, P_1} I \rightarrow \text{trivial}$$

$$\frac{}{\bullet h_1 : P_3, \Delta_2 \vdash P_3, \Delta_4} I \rightarrow \text{trivial}$$

- Case rule \top_L

$$\frac{h_3 : \Delta_4, P_1 \vdash \Delta_2, P_1}{\bullet h_3 : \top, \Delta_4, P_1 \vdash \Delta_2, P_1} \top_L \rightarrow \text{trivial}$$

4.17 Status of \top_L : : Invertible

- Case rule \rightarrow_R

$$\frac{h_2 : \top, F_4, \Delta_1 \vdash F_5, \Delta_3}{\bullet h_2 : \top, \Delta_1 \vdash \Delta_3, F_4 \rightarrow F_5} \rightarrow_R \rightarrow \frac{\overline{h_2 : \Delta_1, F_4 \vdash \Delta_3, F_5}}{\bullet h_2 : \Delta_1 \vdash \Delta_3, F_4 \rightarrow F_5} \xrightarrow{\text{ax/ind}} \rightarrow_R$$

- Case rule \wedge_R

$$\frac{h_2 : \top, \Delta_1 \vdash F_4, \Delta_3 \quad h_2 : \top, \Delta_1 \vdash F_5, \Delta_3}{\bullet h_2 : \top, \Delta_1 \vdash \Delta_3, F_4 \wedge F_5} \wedge_R \rightarrow \frac{\overline{h_2 : \Delta_1 \vdash \Delta_3, F_4} \quad \overline{h_2 : \Delta_1 \vdash \Delta_3, F_5}}{\bullet h_2 : \Delta_1 \vdash \Delta_3, F_4 \wedge F_5} \xrightarrow{\text{ax/ind}} \wedge_R$$

- Case rule \vee_R

$$\frac{h_2 : \top, \Delta_1 \vdash F_4, F_5, \Delta_3}{\bullet h_2 : \top, \Delta_1 \vdash \Delta_3, F_4 \vee F_5} \vee_R \rightarrow \frac{\overline{h_2 : \Delta_1 \vdash \Delta_3, F_4, F_5}}{\bullet h_2 : \Delta_1 \vdash \Delta_3, F_4 \vee F_5} \xrightarrow{\text{ax/ind}} \vee_R$$

- Case rule \perp_R

$$\frac{h_2 : \top, \Delta_1 \vdash \Delta_3}{\bullet h_2 : \top, \Delta_1 \vdash \perp, \Delta_3} \perp_R \rightarrow \frac{\overline{h_2 : \Delta_1 \vdash \Delta_3}}{\bullet h_2 : \Delta_1 \vdash \perp, \Delta_3} \xrightarrow{\text{ax/ind}} \perp_R$$

- Case rule \top_R

$$\frac{\overline{\bullet h_2 : \top, \Delta_1 \vdash \top, \Delta_3}}{\bullet h_2 : \top, \Delta_1 \vdash \top, \Delta_3} \top_R \rightarrow \frac{\overline{\bullet h_2 : \Delta_1 \vdash \top, \Delta_3}}{\bullet h_2 : \Delta_1 \vdash \top, \Delta_3} \top_R$$

- Case rule K

$$\frac{h_1 : \text{unbox}(\Box\Gamma_2) \vdash F_4}{\bullet h_1 : \Box\Gamma_2, \top, \Delta_5 \vdash \Delta_3, []F_4} K \rightarrow \frac{\overline{h_1 : \text{unbox}(\Box\Gamma_2) \vdash F_4}}{\bullet h_1 : \Delta_5, \Box\Gamma_2 \vdash \Delta_3, []F_4} \xrightarrow{\text{ax}} K$$

- Case rule $A45$

$$\frac{h_1 : \Box\Gamma_2 \vdash \Box\Gamma_3, F_5}{\bullet h_1 : \Box\Gamma_2, \top, \Delta_6 \vdash \Box\Gamma_3, \Delta_4, []F_5} A45 \rightarrow \frac{\overline{h_1 : \Box\Gamma_2 \vdash F_5, \Box\Gamma_3}}{\bullet h_1 : \Delta_6, \Box\Gamma_2 \vdash \Delta_4, \Box\Gamma_3, []F_5} \xrightarrow{\text{ax}} A45$$

- Case rule \rightarrow_L

$$\frac{h_1 : \top, \Delta_5 \vdash F_2, \Delta_4 \quad h_1 : \top, F_3, \Delta_5 \vdash \Delta_4}{\bullet h_1 : (\top, \Delta_5), F_2 \rightarrow F_3 \vdash \Delta_4} \rightarrow_L \rightarrow \frac{\overline{h_1 : \Delta_5 \vdash \Delta_4, F_2} \quad \overline{h_1 : \Delta_5, F_3 \vdash \Delta_4}}{\bullet h_1 : \Delta_5, F_2 \rightarrow F_3 \vdash \Delta_4} \xrightarrow{\text{ax/ind}} \rightarrow_L$$

- Case rule \wedge_L

$$\frac{h_1 : \top, F_2, F_3, \Delta_5 \vdash \Delta_4}{\bullet h_1 : (\top, \Delta_5), F_2 \wedge F_3 \vdash \Delta_4} \wedge_L \rightarrow \frac{\frac{h_1 : \Delta_5, F_2, F_3 \vdash \Delta_4}{\bullet h_1 : \Delta_5, F_2 \wedge F_3 \vdash \Delta_4} \wedge_L}{\bullet h_1 : \Delta_5, F_2, F_3 \vdash \Delta_4} \text{ax/ind}$$

- Case rule \vee_L

$$\frac{h_1 : \top, F_2, \Delta_5 \vdash \Delta_4 \quad h_1 : \top, F_3, \Delta_5 \vdash \Delta_4}{\bullet h_1 : (\top, \Delta_5), F_2 \vee F_3 \vdash \Delta_4} \vee_L \rightarrow \frac{\frac{h_1 : \Delta_5, F_2 \vdash \Delta_4}{\bullet h_1 : \Delta_5, F_2 \vee F_3 \vdash \Delta_4} \vee_L \quad \frac{h_1 : \Delta_5, F_3 \vdash \Delta_4}{\bullet h_1 : \Delta_5, F_2 \vee F_3 \vdash \Delta_4} \vee_L}{\bullet h_1 : \Delta_5, F_2 \vee F_3 \vdash \Delta_4} \text{ax/ind}$$

- Case rule AT

$$\frac{h_1 : \top, F_2, \Delta_4, []F_2 \vdash \Delta_3}{\bullet h_1 : (\top, \Delta_4), []F_2 \vdash \Delta_3} AT \rightarrow \frac{\frac{h_1 : \Delta_4, F_2, []F_2 \vdash \Delta_3}{\bullet h_1 : \Delta_4, []F_2 \vdash \Delta_3} AT}{\bullet h_1 : \Delta_4, F_2, []F_2 \vdash \Delta_3} \text{ax/ind}$$

- Case rule \perp_L

$$\frac{}{\bullet h_1 : \perp, \top, \Delta_3 \vdash \Delta_2} \perp_L \rightarrow \frac{}{\bullet h_1 : \perp, \Delta_3 \vdash \Delta_2} \perp_L$$

- Case rule I

$$\frac{}{\bullet h_1 : p_2, \top, \Delta_4 \vdash p_2, \Delta_3} I \rightarrow \frac{}{\bullet h_1 : \Delta_4, p_2 \vdash \Delta_3, p_2} I$$

- Case rule \top_L

$$\frac{h_1 : \Delta_2 \vdash \Delta_3}{\bullet h_1 : \top, \Delta_2 \vdash \Delta_3} \top_L \rightarrow \frac{\frac{h_1 : \Delta_2 \vdash \Delta_3}{\bullet h_1 : \Delta_2 \vdash \Delta_3} \text{H}}{\bullet h_1 : \Delta_2 \vdash \Delta_3} \text{ax}$$

5 Identity-Expansion

$$\frac{\overline{- : F_0 \vdash F_0} \text{ IH}}{- : \boxed{F_0} \vdash \boxed{F_0}} K$$

$$\frac{\frac{\overline{- : F_0 \vdash F_0} \text{ IH}}{- : F_0 \vdash F_0, F_1} W \quad \frac{\overline{- : F_1 \vdash F_1} \text{ IH}}{- : F_1 \vdash F_0, F_1} W}{- : F_0 \vee F_1 \vdash F_0, F_1} \vee_L}{- : F_0 \vee F_1 \vdash F_0 \vee F_1} \vee_R$$

$$\frac{\frac{\overline{- : F_0 \vdash F_0} \text{ IH}}{- : F_0, F_1 \vdash F_0} W \quad \frac{\overline{- : F_1 \vdash F_1} \text{ IH}}{- : F_0, F_1 \vdash F_1} W}{- : F_0, F_1 \vdash F_0 \wedge F_1} \wedge_R}{- : F_0 \wedge F_1 \vdash F_0 \wedge F_1} \wedge_L$$

$$\frac{\frac{\overline{- : F_0 \vdash F_0} \text{ IH}}{- : F_0 \vdash F_0, F_1} W \quad \frac{\overline{- : F_1 \vdash F_1} \text{ IH}}{- : F_0, F_1 \vdash F_1} W}{- : F_0, F_0 \rightarrow F_1 \vdash F_1} \rightarrow_L}{- : F_0 \rightarrow F_1 \vdash F_0 \rightarrow F_1} \rightarrow_R$$

$$\overline{- : \top \vdash \top} \top_R$$

$$\overline{- : \perp \vdash \perp} \perp_L$$

6 Cut-Elimination

6.1 Status of \rightarrow_R : OK

- Case rule \rightarrow_R

$$\begin{array}{c}
\frac{h_1 : F_7, \Delta_6 \vdash F_8, \Delta_{10}, F_{11} \rightarrow F_{12} \quad \rightarrow_R \quad h_9 : F_{11}, \Delta_6, F_7 \rightarrow F_8 \vdash F_{12}, \Delta_{10} \quad \rightarrow_R}{\bullet h_1 : \Delta_6 \vdash (\Delta_{10}, F_{11} \rightarrow F_{12}), F_7 \rightarrow F_8 \quad \bullet h_9 : \Delta_6, F_7 \rightarrow F_8 \vdash \Delta_{10}, F_{11} \rightarrow F_{12}} \text{Cut} \\
\frac{}{- : \Delta_6 \vdash \Delta_{10}, F_{11} \rightarrow F_{12}} \rightarrow \\
\frac{\frac{h_1 : \Delta_6, F_{11}, F_7 \vdash \Delta_{10}, F_{12}, F_8 \quad \text{inv-th/ax}}{\bullet h_1 : \Delta_6, F_{11} \vdash \Delta_{10}, F_{12}, F_7 \rightarrow F_8} \rightarrow_R \quad \frac{h_9 : \Delta_6, F_{11}, F_7 \rightarrow F_8 \vdash \Delta_{10}, F_{12} \quad \text{ax/W}}{\bullet h_9 : \Delta_6, F_{11}, F_7 \vdash \Delta_{10}, F_{12}} \text{hCut}}{- : \Delta_6, F_{11} \vdash \Delta_{10}, F_{12}} \rightarrow_R \\
\frac{}{- : \Delta_6 \vdash \Delta_{10}, F_{11} \rightarrow F_{12}} \rightarrow_R \\
\frac{h_2 : F_9, \Delta_8 \vdash F_7, F_{10}, \Delta_{14}, F_{12} \rightarrow F_{13} \quad \rightarrow_R \quad h_{11} : F_7, F_{12}, \Delta_8 \vdash F_{13}, \Delta_{14}, F_9 \rightarrow F_{10} \quad \rightarrow_R}{\bullet h_2 : \Delta_8 \vdash ((\Delta_{14}, F_{12} \rightarrow F_{13}), F_9 \rightarrow F_{10}), F_7 \quad \bullet h_{11} : \Delta_8, F_7 \vdash (\Delta_{14}, F_{12} \rightarrow F_{13}), F_9 \rightarrow F_{10}} \text{Cut} \\
\frac{}{- : \Delta_8 \vdash (\Delta_{14}, F_{12} \rightarrow F_{13}), F_9 \rightarrow F_{10}} \rightarrow \\
\frac{\frac{h_2 : \Delta_8, F_{12}, F_9 \vdash \Delta_{14}, F_{10}, F_{13}, F_7 \quad \text{inv-th/ax}}{\bullet h_2 : \Delta_8, F_{12} \vdash \Delta_{14}, F_{13}, F_7, F_9 \rightarrow F_{10}} \rightarrow_R \quad \frac{h_{11} : \Delta_8, F_{12}, F_7 \vdash \Delta_{14}, F_{13}, F_9 \rightarrow F_{10} \quad \text{ax/W}}{\bullet h_{11} : \Delta_8, F_{12}, F_7 \vdash \Delta_{14}, F_{13}, F_9 \rightarrow F_{10}} \text{hCut}}{- : \Delta_8, F_{12} \vdash \Delta_{14}, F_{13}, F_9 \rightarrow F_{10}} \rightarrow_R \\
\frac{}{- : \Delta_8 \vdash \Delta_{14}, F_{12} \rightarrow F_{13}, F_9 \rightarrow F_{10}} \rightarrow_R \\
\frac{h_2 : F_{11}, \Delta_8 \vdash F_7, F_{12}, \Delta_{10} \quad \rightarrow_R \quad h_9 : F_7, F_{11}, \Delta_8 \vdash F_{12}, \Delta_{10} \quad \rightarrow_R}{\bullet h_2 : \Delta_8 \vdash (\Delta_{10}, F_{11} \rightarrow F_{12}), F_7 \quad \bullet h_9 : \Delta_8, F_7 \vdash \Delta_{10}, F_{11} \rightarrow F_{12}} \text{Cut} \\
\frac{}{- : \Delta_8 \vdash \Delta_{10}, F_{11} \rightarrow F_{12}} \rightarrow \\
\frac{\frac{h_2 : \Delta_8, F_{11} \vdash \Delta_{10}, F_{12}, F_7 \quad \text{ax/W}}{\bullet h_2 : \Delta_8, F_{11} \vdash \Delta_{10}, F_{12}, F_7} \text{ax/W} \quad \frac{h_9 : \Delta_8, F_{11}, F_7 \vdash \Delta_{10}, F_{12} \quad \text{ax/W}}{\bullet h_9 : \Delta_8, F_{11}, F_7 \vdash \Delta_{10}, F_{12}} \text{H}}{- : \Delta_8, F_{11} \vdash \Delta_{10}, F_{12}} \rightarrow_R \\
\frac{}{- : \Delta_8 \vdash \Delta_{10}, F_{11} \rightarrow F_{12}} \rightarrow_R
\end{array}$$

- Case rule \wedge_R

$$\begin{array}{c}
\frac{h_1 : F_7, \Delta_6 \vdash F_8, \Delta_{10}, F_{11} \wedge F_{12} \quad \rightarrow_R \quad h_9 : \Delta_6, F_7 \rightarrow F_8 \vdash F_{11}, \Delta_{10} \quad h_9 : \Delta_6, F_7 \rightarrow F_8 \vdash F_{12}, \Delta_{10}}{\bullet h_1 : \Delta_6 \vdash (\Delta_{10}, F_{11} \wedge F_{12}), F_7 \rightarrow F_8 \quad \bullet h_9 : \Delta_6, F_7 \rightarrow F_8 \vdash \Delta_{10}, F_{11} \wedge F_{12}} \text{Cut} \wedge_R \\
\frac{}{- : \Delta_6 \vdash \Delta_{10}, F_{11} \wedge F_{12}} \rightarrow \\
\frac{\frac{h_1 : \Delta_6, F_7 \vdash \Delta_{10}, F_{11}, F_8 \quad \text{inv-th/ax}}{\bullet h_1 : \Delta_6 \vdash \Delta_{10}, F_{11}, F_7 \rightarrow F_8} \rightarrow_R \quad \frac{h_9 : \Delta_6, F_7 \rightarrow F_8 \vdash \Delta_{10}, F_{11} \quad \text{ax/W}}{\bullet h_9 : \Delta_6, F_7 \rightarrow F_8 \vdash \Delta_{10}, F_{11}} \text{hCut} \quad \frac{h_1 : \Delta_6, F_7 \vdash \Delta_{10}, F_{12}, F_8 \quad \text{inv-th/ax}}{\bullet h_1 : \Delta_6 \vdash \Delta_{10}, F_{12}, F_7 \rightarrow F_8} \rightarrow_R \quad \frac{h_9 : \Delta_6, F_7 \rightarrow F_8 \vdash \Delta_{10}, F_{12}}{\bullet h_9 : \Delta_6, F_7 \rightarrow F_8 \vdash \Delta_{10}, F_{12}} \text{ax/W}}{- : \Delta_6 \vdash \Delta_{10}, F_{11} \wedge F_{12}} \wedge_R \\
\frac{}{- : \Delta_6 \vdash \Delta_{10}, F_{11} \wedge F_{12}} \wedge_R \\
\frac{h_2 : F_9, \Delta_8 \vdash F_7, F_{10}, \Delta_{14}, F_{12} \wedge F_{13} \quad \rightarrow_R \quad h_{11} : F_7, \Delta_8 \vdash F_{12}, \Delta_{14}, F_9 \rightarrow F_{10} \quad h_{11} : F_7, \Delta_8 \vdash F_{13}, \Delta_{14}, F_9 \rightarrow F_{10}}{\bullet h_2 : \Delta_8 \vdash ((\Delta_{14}, F_{12} \wedge F_{13}), F_9 \rightarrow F_{10}), F_7 \quad \bullet h_{11} : \Delta_8, F_7 \vdash (\Delta_{14}, F_{12} \wedge F_{13}), F_9 \rightarrow F_{10}} \text{Cut} \wedge_R \\
\frac{}{- : \Delta_8 \vdash (\Delta_{14}, F_{12} \wedge F_{13}), F_9 \rightarrow F_{10}} \rightarrow \\
\frac{\frac{h_2 : \Delta_8, F_9 \vdash \Delta_{14}, F_{10}, F_7, F_{12} \wedge F_{13} \quad \text{ax/W}}{\bullet h_2 : \Delta_8, F_9 \vdash \Delta_{14}, F_{10}, F_7, F_{12} \wedge F_{13}} \text{ax/W} \quad \frac{h_{11} : \Delta_8, F_7, F_9 \vdash \Delta_{14}, F_{10}, F_{12} \quad \text{inv-th/ax}}{\bullet h_{11} : \Delta_8, F_7, F_9 \vdash \Delta_{14}, F_{10}, F_{12} \wedge F_{13}} \text{hCut} \quad \frac{h_{11} : \Delta_8, F_7, F_9 \vdash \Delta_{14}, F_{10}, F_{13} \quad \text{inv-th/ax}}{\bullet h_{11} : \Delta_8, F_7, F_9 \vdash \Delta_{14}, F_{10}, F_{13}} \wedge_R}}{- : \Delta_8, F_9 \vdash \Delta_{14}, F_{10}, F_{12} \wedge F_{13}} \rightarrow_R \\
\frac{}{- : \Delta_8 \vdash \Delta_{14}, F_9 \rightarrow F_{10}, F_{12} \wedge F_{13}} \rightarrow_R
\end{array}$$

- Case rule \vee_R

$$\begin{array}{c}
\frac{h_1 : F_7, \Delta_6 \vdash F_8, \Delta_{10}, F_{11} \vee F_{12}}{\bullet h_1 : \Delta_6 \vdash (\Delta_{10}, F_{11} \vee F_{12}), F_7 \rightarrow F_8} \rightarrow_R \quad \frac{h_9 : \Delta_6, F_7 \rightarrow F_8 \vdash F_{11}, F_{12}, \Delta_{10}}{\bullet h_9 : \Delta_6, F_7 \rightarrow F_8 \vdash \Delta_{10}, F_{11} \vee F_{12}} \vee_R \\
\hline
- : \Delta_6 \vdash \Delta_{10}, F_{11} \vee F_{12} \\
\rightarrow \\
\frac{\frac{h_1 : \Delta_6, F_7 \vdash \Delta_{10}, F_{11}, F_{12}, F_8}{\bullet h_1 : \Delta_6 \vdash \Delta_{10}, F_{11}, F_{12}, F_7 \rightarrow F_8} \text{inv-th/ax}}{\rightarrow_R} \quad \frac{h_9 : \Delta_6, F_7 \rightarrow F_8 \vdash \Delta_{10}, F_{11}, F_{12}}{\bullet h_9 : \Delta_6, F_7 \rightarrow F_8 \vdash \Delta_{10}, F_{11}, F_{12}} \text{ax/W} \\
\hline
- : \Delta_6 \vdash \Delta_{10}, F_{11}, F_{12} \quad \vee_R \\
- : \Delta_6 \vdash \Delta_{10}, F_{11} \vee F_{12} \quad \text{hCut}
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : F_9, \Delta_8 \vdash F_7, F_{10}, \Delta_{14}, F_{12} \vee F_{13}}{\bullet h_2 : \Delta_8 \vdash ((\Delta_{14}, F_{12} \vee F_{13}), F_9 \rightarrow F_{10}), F_7} \rightarrow_R \quad \frac{h_{11} : F_7, \Delta_8 \vdash F_{12}, F_{13}, \Delta_{14}, F_9 \rightarrow F_{10}}{\bullet h_{11} : \Delta_8, F_7 \vdash (\Delta_{14}, F_{12} \vee F_{13}), F_9 \rightarrow F_{10}} \vee_R \\
\hline
- : \Delta_8 \vdash (\Delta_{14}, F_{12} \vee F_{13}), F_9 \rightarrow F_{10} \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_8, F_9 \vdash \Delta_{14}, F_{10}, F_7, F_{12} \vee F_{13}}{\bullet h_2 : \Delta_8, F_9 \vdash \Delta_{14}, F_{10}, F_7, F_{12} \vee F_{13}} \text{ax/W}}{\rightarrow_R} \quad \frac{h_{11} : \Delta_8, F_7, F_9 \vdash \Delta_{14}, F_{10}, F_{12}, F_{13}}{\bullet h_{11} : \Delta_8, F_7, F_9 \vdash \Delta_{14}, F_{10}, F_{12} \vee F_{13}} \text{inv-th/ax} \\
\hline
- : \Delta_8, F_9 \vdash \Delta_{14}, F_{10}, F_{12} \vee F_{13} \quad \vee_R \\
- : \Delta_8 \vdash \Delta_{14}, F_9 \rightarrow F_{10}, F_{12} \vee F_{13} \quad \text{hCut}
\end{array}$$

- Case rule \perp_R

$$\begin{array}{c}
\frac{h_1 : F_7, \Delta_6 \vdash F_8, \perp, \Delta_{10}}{\bullet h_1 : \Delta_6 \vdash (\perp, \Delta_{10}), F_7 \rightarrow F_8} \rightarrow_R \quad \frac{h_9 : \Delta_6, F_7 \rightarrow F_8 \vdash \Delta_{10}}{\bullet h_9 : \Delta_6, F_7 \rightarrow F_8 \vdash \perp, \Delta_{10}} \perp_R \\
\hline
- : \Delta_6 \vdash \perp, \Delta_{10} \\
\rightarrow \\
\frac{\frac{h_1 : \Delta_6 \vdash \perp, \Delta_{10}, F_7 \rightarrow F_8}{\bullet h_1 : \Delta_6 \vdash \perp, \Delta_{10}, F_7 \rightarrow F_8} \text{ax/W}}{\rightarrow_R} \quad \frac{h_9 : \Delta_6, F_7 \rightarrow F_8 \vdash \perp, \Delta_{10}}{\bullet h_9 : \Delta_6, F_7 \rightarrow F_8 \vdash \perp, \Delta_{10}} \text{ax/W} \\
\hline
- : \Delta_6 \vdash \perp, \Delta_{10} \quad \text{hCut}
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : F_9, \Delta_8 \vdash F_7, F_{10}, \perp, \Delta_{12}}{\bullet h_2 : \Delta_8 \vdash ((\perp, \Delta_{12}), F_9 \rightarrow F_{10}), F_7} \rightarrow_R \quad \frac{h_{11} : F_7, \Delta_8 \vdash \Delta_{12}, F_9 \rightarrow F_{10}}{\bullet h_{11} : \Delta_8, F_7 \vdash (\perp, \Delta_{12}), F_9 \rightarrow F_{10}} \perp_R \\
\hline
- : \Delta_8 \vdash (\perp, \Delta_{12}), F_9 \rightarrow F_{10} \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_8 \vdash \perp, \Delta_{12}, F_7, F_9 \rightarrow F_{10}}{\bullet h_2 : \Delta_8 \vdash \perp, \Delta_{12}, F_7, F_9 \rightarrow F_{10}} \text{ax/W}}{\rightarrow_R} \quad \frac{h_{11} : \Delta_8, F_7 \vdash \perp, \Delta_{12}, F_9 \rightarrow F_{10}}{\bullet h_{11} : \Delta_8, F_7 \vdash \perp, \Delta_{12}, F_9 \rightarrow F_{10}} \text{ax/W} \\
\hline
- : \Delta_8 \vdash \perp, \Delta_{12}, F_9 \rightarrow F_{10} \quad \text{hCut}
\end{array}$$

- Case rule \top_R

$$\begin{array}{c}
\frac{h_1 : F_7, \Delta_6 \vdash F_8, \top, \Delta_{10}}{\bullet h_1 : \Delta_6 \vdash (\top, \Delta_{10}), F_7 \rightarrow F_8} \rightarrow_R \quad \frac{h_9 : \Delta_6, F_7 \rightarrow F_8 \vdash \top, \Delta_{10}}{\bullet h_9 : \Delta_6, F_7 \rightarrow F_8 \vdash \top, \Delta_{10}} \top_R \\
\hline
- : \Delta_6 \vdash \top, \Delta_{10} \\
\rightarrow \\
\frac{- : \Delta_6 \vdash \top, \Delta_{10}}{\top_R}
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : F_9, \Delta_8 \vdash F_7, F_{10}, \top, \Delta_{12}}{\bullet h_2 : \Delta_8 \vdash ((\top, \Delta_{12}), F_9 \rightarrow F_{10}), F_7} \rightarrow_R \quad \frac{h_{11} : \Delta_8, F_7 \vdash (\top, \Delta_{12}), F_9 \rightarrow F_{10}}{\bullet h_{11} : \Delta_8, F_7 \vdash (\top, \Delta_{12}), F_9 \rightarrow F_{10}} \top_R \\
\hline
- : \Delta_8 \vdash (\top, \Delta_{12}), F_9 \rightarrow F_{10} \\
\rightarrow \\
\frac{- : \Delta_8 \vdash \top, \Delta_{12}, F_9 \rightarrow F_{10}}{\top_R}
\end{array}$$

- Case rule K

$$\begin{array}{c}
\frac{h_1 : F_6, \Box \Gamma_9, \Delta_{12} \vdash F_7, \Delta_{10}, \Box F_{11}}{\bullet h_1 : \Box \Gamma_9, \Delta_{12} \vdash (\Delta_{10}, \Box F_{11}), F_6 \rightarrow F_7} \rightarrow_R \quad \frac{h_8 : \text{unbox}(\Box \Gamma_9) \vdash F_{11}}{\bullet h_8 : (\Box \Gamma_9, \Delta_{12}), F_6 \rightarrow F_7 \vdash \Delta_{10}, \Box F_{11}} K \\
\hline
- : \Box \Gamma_9, \Delta_{12} \vdash \Delta_{10}, \Box F_{11} \\
\rightarrow \\
\frac{- : \text{unbox}(\Box \Gamma_9) \vdash F_{11}}{\text{ax/W}} \\
\hline
- : \Delta_{12}, \Box \Gamma_9 \vdash \Delta_{10}, \Box F_{11} \quad K
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : F_8, \Box\Gamma_{14}, \Delta_{11} \vdash \Box F_7, F_9, \Delta_{13}, \Box F_{12}}{\bullet h_2 : \Box\Gamma_{14}, \Delta_{11} \vdash ((\Delta_{13}, \Box F_{12}), F_8 \rightarrow F_9), \Box F_7} \rightarrow_R \frac{h_{10} : \text{unbox}(\Box\Gamma_{14}), \text{unbox}(\Box F_7) \vdash F_{12}}{\bullet h_{10} : (\Box\Gamma_{14}, \Delta_{11}), \Box F_7 \vdash (\Delta_{13}, \Box F_{12}), F_8 \rightarrow F_9} \text{K} \\
\frac{}{- : \Box\Gamma_{14}, \Delta_{11} \vdash (\Delta_{13}, \Box F_{12}), F_8 \rightarrow F_9} \rightarrow \\
\frac{\frac{h_2 : \Delta_{11}, F_8, \Box\Gamma_{14} \vdash \Box F_7, \Delta_{13}, F_9, \Box F_{12}}{- : \Delta_{11}, F_8, \Box\Gamma_{14} \vdash \Delta_{13}, F_9, \Box F_{12}} \text{ax/W}}{\frac{}{- : \Delta_{11}, \Box\Gamma_{14} \vdash \Delta_{13}, \Box F_{12}} \text{ax/W}}{- : \Delta_{11}, \Box\Gamma_{14} \vdash \Delta_{13}, \Box F_{12}} \text{ax/W}} \frac{\frac{h_{10} : \text{unbox}(\Box F_7), \text{unbox}(\Box\Gamma_{14}) \vdash F_{12}}{\bullet h_{10} : \Box F_7, \Delta_{11}, F_8, \Box\Gamma_{14} \vdash \Delta_{13}, F_9, \Box F_{12}} \text{K}}{\frac{}{- : \Delta_{11}, \Box\Gamma_{14} \vdash \Delta_{13}, F_9, \Box F_{12}} \text{hCut}}{- : \Delta_{11}, \Box\Gamma_{14} \vdash \Delta_{13}, F_9, \Box F_{12}} \text{hCut}} \rightarrow_R \\
\frac{}{- : \Delta_{11}, \Box\Gamma_{14} \vdash \Delta_{13}, \Box F_{12}, F_8 \rightarrow F_9} \rightarrow_R \\
\frac{h_2 : F_8, \Box\Gamma_{11}, \Delta_{14} \vdash F_7, F_9, \Delta_{13}, \Box F_{12}}{\bullet h_2 : \Box\Gamma_{11}, \Delta_{14} \vdash ((\Delta_{13}, \Box F_{12}), F_8 \rightarrow F_9), F_7} \rightarrow_R \frac{h_{10} : \text{unbox}(\Box\Gamma_{11}) \vdash F_{12}}{\bullet h_{10} : (\Box\Gamma_{11}, \Delta_{14}), F_7 \vdash (\Delta_{13}, \Box F_{12}), F_8 \rightarrow F_9} \text{K} \\
\frac{}{- : \Box\Gamma_{11}, \Delta_{14} \vdash (\Delta_{13}, \Box F_{12}), F_8 \rightarrow F_9} \rightarrow \\
\frac{\frac{}{- : \text{unbox}(\Box\Gamma_{11}) \vdash F_{12}} \text{ax/W}}{\frac{}{- : \Delta_{14}, \Box\Gamma_{11} \vdash \Delta_{13}, \Box F_{12}, F_8 \rightarrow F_9} \text{K}}{- : \Delta_{14}, \Box\Gamma_{11} \vdash \Delta_{13}, \Box F_{12}, F_8 \rightarrow F_9} \text{K}
\end{array}$$

• Case rule A45

$$\begin{array}{c}
\frac{h_1 : F_6, \Box\Gamma_9, \Delta_{13} \vdash F_7, \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}}{\bullet h_1 : \Box\Gamma_9, \Delta_{13} \vdash (\Box\Gamma_{10}, \Delta_{11}, \Box F_{12}), F_6 \rightarrow F_7} \rightarrow_R \frac{h_8 : \Box\Gamma_9 \vdash \Box\Gamma_{10}, F_{12}}{\bullet h_8 : (\Box\Gamma_9, \Delta_{13}), F_6 \rightarrow F_7 \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}} \text{A45} \\
\frac{}{- : \Box\Gamma_9, \Delta_{13} \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}} \rightarrow \\
\frac{\frac{}{- : \Box\Gamma_9 \vdash F_{12}, \Box\Gamma_{10}} \text{ax/W}}{\frac{}{- : \Delta_{13}, \Box\Gamma_9 \vdash \Delta_{11}, \Box\Gamma_{10}, \Box F_{12}} \text{A45}}{- : \Delta_{13}, \Box\Gamma_9 \vdash \Delta_{11}, \Box\Gamma_{10}, \Box F_{12}} \text{A45}} \\
\frac{h_2 : F_8, \Box\Gamma_{15}, \Delta_{11} \vdash \Box F_7, F_9, \Box\Gamma_{12}, \Delta_{14}, \Box F_{13}}{\bullet h_2 : \Box\Gamma_{15}, \Delta_{11} \vdash ((\Box\Gamma_{12}, \Delta_{14}, \Box F_{13}), F_8 \rightarrow F_9), \Box F_7} \rightarrow_R \frac{h_{10} : \Box\Gamma_{15}, \Box F_7 \vdash \Box\Gamma_{12}, F_{13}}{\bullet h_{10} : (\Box\Gamma_{15}, \Delta_{11}), \Box F_7 \vdash (\Box\Gamma_{12}, \Delta_{14}, \Box F_{13}), F_8 \rightarrow F_9} \text{A45} \\
\frac{}{- : \Box\Gamma_{15}, \Delta_{11} \vdash (\Box\Gamma_{12}, \Delta_{14}, \Box F_{13}), F_8 \rightarrow F_9} \rightarrow \\
\frac{\frac{h_2 : \Delta_{11}, F_8, \Box\Gamma_{15} \vdash \Box F_7, \Delta_{14}, F_9, \Box\Gamma_{12}, \Box F_{13}}{- : \Delta_{11}, F_8, \Box\Gamma_{15} \vdash \Delta_{14}, F_9, \Box\Gamma_{12}, \Box F_{13}} \text{ax/W}}{\frac{h_{10} : \Box F_7, \Box\Gamma_{15} \vdash F_{13}, \Box\Gamma_{12}}{\bullet h_{10} : \Box F_7, \Delta_{11}, F_8, \Box\Gamma_{15} \vdash \Delta_{14}, F_9, \Box\Gamma_{12}, \Box F_{13}} \text{ax/W}}{- : \Delta_{11}, F_8, \Box\Gamma_{15} \vdash \Delta_{14}, F_9, \Box\Gamma_{12}, \Box F_{13}} \text{ax/W}} \frac{\frac{}{- : \Delta_{11}, \Box\Gamma_{15} \vdash \Delta_{14}, F_9, \Box\Gamma_{12}, \Box F_{13}} \text{hCut}}{\frac{}{- : \Delta_{11}, \Box\Gamma_{15} \vdash \Delta_{14}, \Box\Gamma_{12}, \Box F_{13}, F_8 \rightarrow F_9} \text{hCut}}{- : \Delta_{11}, \Box\Gamma_{15} \vdash \Delta_{14}, \Box\Gamma_{12}, \Box F_{13}, F_8 \rightarrow F_9} \text{hCut}} \rightarrow_R \\
\frac{}{- : \Delta_{11}, \Box\Gamma_{15} \vdash \Delta_{14}, \Box\Gamma_{12}, \Box F_{13}, F_8 \rightarrow F_9} \rightarrow_R \\
\frac{h_2 : F_8, \Box\Gamma_{11}, \Delta_{15} \vdash F_7, F_9, \Box\Gamma_{12}, \Delta_{14}, \Box F_{13}}{\bullet h_2 : \Box\Gamma_{11}, \Delta_{15} \vdash ((\Box\Gamma_{12}, \Delta_{14}, \Box F_{13}), F_8 \rightarrow F_9), F_7} \rightarrow_R \frac{h_{10} : \Box\Gamma_{11} \vdash \Box\Gamma_{12}, F_{13}}{\bullet h_{10} : (\Box\Gamma_{11}, \Delta_{15}), F_7 \vdash (\Box\Gamma_{12}, \Delta_{14}, \Box F_{13}), F_8 \rightarrow F_9} \text{A45} \\
\frac{}{- : \Box\Gamma_{11}, \Delta_{15} \vdash (\Box\Gamma_{12}, \Delta_{14}, \Box F_{13}), F_8 \rightarrow F_9} \rightarrow \\
\frac{\frac{}{- : \Box\Gamma_{11} \vdash F_{13}, \Box\Gamma_{12}} \text{ax/W}}{\frac{}{- : \Delta_{15}, \Box\Gamma_{11} \vdash \Delta_{14}, \Box\Gamma_{12}, \Box F_{13}, F_8 \rightarrow F_9} \text{A45}}{- : \Delta_{15}, \Box\Gamma_{11} \vdash \Delta_{14}, \Box\Gamma_{12}, \Box F_{13}, F_8 \rightarrow F_9} \text{A45}}
\end{array}$$

• Case rule \rightarrow_L

$$\begin{array}{c}
\frac{h_1 : F_6, \Delta_{12}, F_9 \rightarrow F_{10} \vdash F_7, \Delta_{11}}{\bullet h_1 : \Delta_{12}, F_9 \rightarrow F_{10} \vdash \Delta_{11}, F_6 \rightarrow F_7} \rightarrow_R \frac{h_8 : \Delta_{12}, F_6 \rightarrow F_7 \vdash F_9, \Delta_{11} \quad h_8 : F_{10}, \Delta_{12}, F_6 \rightarrow F_7 \vdash \Delta_{11}}{\bullet h_8 : (\Delta_{12}, F_9 \rightarrow F_{10}), F_6 \rightarrow F_7 \vdash \Delta_{11}} \text{Cut} \\
\frac{}{- : \Delta_{12}, F_9 \rightarrow F_{10} \vdash \Delta_{11}} \rightarrow \\
\frac{\frac{h_1 : \Delta_{12}, F_6 \vdash \Delta_{11}, F_7, F_9}{\bullet h_1 : \Delta_{12} \vdash \Delta_{11}, F_9, F_6 \rightarrow F_7} \text{inv-th/ax}}{\frac{}{- : \Delta_{12} \vdash \Delta_{11}, F_9} \text{inv-th/ax}}{- : \Delta_{12} \vdash \Delta_{11}, F_9} \text{inv-th/ax}} \frac{\frac{h_8 : \Delta_{12}, F_6 \rightarrow F_7 \vdash \Delta_{11}, F_9}{\bullet h_8 : \Delta_{12}, F_{10}, F_6 \rightarrow F_7 \vdash \Delta_{11}, F_7} \text{ax/W}}{\frac{}{- : \Delta_{12}, F_{10} \vdash \Delta_{11}, F_7} \text{hCut}}{- : \Delta_{12}, F_{10} \vdash \Delta_{11}, F_7} \text{hCut}} \frac{\frac{h_1 : \Delta_{12}, F_{10}, F_6 \vdash \Delta_{11}, F_7}{\bullet h_1 : \Delta_{12}, F_{10} \vdash \Delta_{11}, F_6 \rightarrow F_7} \text{inv-th/ax}}{\frac{}{- : \Delta_{12}, F_{10} \vdash \Delta_{11}} \text{inv-th/ax}}{- : \Delta_{12}, F_{10} \vdash \Delta_{11}} \text{inv-th/ax}} \frac{\frac{}{- : \Delta_{12}, F_{10}, F_6 \rightarrow F_7 \vdash \Delta_{11}} \text{hCut}}{\frac{}{- : \Delta_{12}, F_9 \rightarrow F_{10} \vdash \Delta_{11}} \text{hCut}}{- : \Delta_{12}, F_9 \rightarrow F_{10} \vdash \Delta_{11}} \text{hCut}} \rightarrow_L \\
\frac{}{- : \Delta_{12}, F_9 \rightarrow F_{10} \vdash \Delta_{11}} \rightarrow_L \\
\frac{h_1 : F_8, \Delta_7 \vdash F_9, \Delta_{10}}{\bullet h_1 : \Delta_7 \vdash \Delta_{10}, F_8 \rightarrow F_9} \rightarrow_R \frac{h_6 : \Delta_7 \vdash F_8, \Delta_{10} \quad h_6 : F_9, \Delta_7 \vdash \Delta_{10}}{\bullet h_6 : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{10}} \text{Cut} \\
\frac{}{- : \Delta_7 \vdash \Delta_{10}} \rightarrow \\
\frac{\frac{}{- : \Delta_7 \vdash \Delta_{10}, F_8} \text{ax/W}}{\frac{}{- : \Delta_7 \vdash \Delta_{10}} \text{ax/W}}{- : \Delta_7 \vdash \Delta_{10}, F_8} \text{ax/W}} \frac{\frac{}{- : \Delta_7, F_8 \vdash \Delta_{10}, F_9} \text{ax/W}}{\frac{}{- : \Delta_7, F_8 \vdash \Delta_{10}} \text{sCut}}{- : \Delta_7, F_8 \vdash \Delta_{10}, F_9} \text{ax/W}} \frac{\frac{}{- : \Delta_7, F_8, F_9 \vdash \Delta_{10}} \text{ax/W}}{\frac{}{- : \Delta_7, F_8 \vdash \Delta_{10}} \text{sCut}}{- : \Delta_7, F_8, F_9 \vdash \Delta_{10}} \text{ax/W}} \frac{\frac{}{- : \Delta_7 \vdash \Delta_{10}} \text{sCut}}{\frac{}{- : \Delta_7 \vdash \Delta_{10}} \text{sCut}}{- : \Delta_7 \vdash \Delta_{10}} \text{sCut}}
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : F_8, \Delta_{11} \vdash F_{12} \rightarrow F_{13}, F_9, \Delta_7}{\bullet h_2 : \Delta_{11} \vdash (\Delta_7, F_8 \rightarrow F_9), F_{12} \rightarrow F_{13}} \rightarrow_R \quad \frac{h_{10} : \Delta_{11} \vdash F_{12}, \Delta_7, F_8 \rightarrow F_9 \quad h_{10} : F_{13}, \Delta_{11} \vdash \Delta_7, F_8 \rightarrow F_9}{\bullet h_{10} : \Delta_{11}, F_{12} \rightarrow F_{13} \vdash \Delta_7, F_8 \rightarrow F_9} \rightarrow_L}{\vdash : \Delta_{11} \vdash \Delta_7, F_8 \rightarrow F_9} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_{11}, F_8 \vdash \Delta_7, F_9, F_{12} \rightarrow F_{13}}{\vdash : \Delta_{11}, F_8 \vdash \Delta_7, F_9} \text{ax/W} \quad \frac{\frac{h_{10} : \Delta_{11}, F_8 \vdash \Delta_7, F_{12}, F_9}{\bullet h_{10} : \Delta_{11}, F_8, F_{12} \rightarrow F_{13} \vdash \Delta_7, F_9} \text{inv-th/ax} \quad \frac{h_{10} : \Delta_{11}, F_{13}, F_8 \vdash \Delta_7, F_9}{\vdash : \Delta_{11}, F_{13}, F_8 \vdash \Delta_7, F_9} \text{inv-th/ax}}{\vdash : \Delta_{11}, F_8 \vdash \Delta_7, F_9} \text{hCut}}{\vdash : \Delta_{11} \vdash \Delta_7, F_8 \rightarrow F_9} \rightarrow_R}{} \\
\rightarrow \\
\frac{\frac{h_2 : F_9, \Delta_{14}, F_{12} \rightarrow F_{13} \vdash F_7, F_{10}, \Delta_8}{\bullet h_2 : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash (\Delta_8, F_9 \rightarrow F_{10}), F_7} \rightarrow_R \quad \frac{h_{11} : F_7, \Delta_{14} \vdash F_{12}, \Delta_8, F_9 \rightarrow F_{10} \quad h_{11} : F_7, F_{13}, \Delta_{14} \vdash \Delta_8, F_9 \rightarrow F_{10}}{\bullet h_{11} : (\Delta_{14}, F_{12} \rightarrow F_{13}), F_7 \vdash \Delta_8, F_9 \rightarrow F_{10}} \rightarrow_L}{\vdash : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_9 \rightarrow F_{10}} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_{14}, F_9, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_{10}, F_7}{\vdash : \Delta_{14}, F_9, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_{10}} \text{ax/W} \quad \frac{\frac{h_{11} : \Delta_{14}, F_7, F_9 \vdash \Delta_8, F_{10}, F_{12}}{\bullet h_{11} : \Delta_{14}, F_7, F_9, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_{10}} \text{inv-th/ax} \quad \frac{h_{11} : \Delta_{14}, F_{13}, F_7, F_9 \vdash \Delta_8, F_{10}}{\vdash : \Delta_{14}, F_{13}, F_7, F_9 \vdash \Delta_8, F_{10}} \text{inv-th/ax}}{\vdash : \Delta_{14}, F_7, F_9, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_{10}} \text{hCut}}{\vdash : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_9 \rightarrow F_{10}} \rightarrow_R}{} \\
\vdash : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_9 \rightarrow F_{10}
\end{array}$$

- Case rule \wedge_L

$$\begin{array}{c}
\frac{h_1 : F_6, \Delta_{12}, F_9 \wedge F_{10} \vdash F_7, \Delta_{11}}{\bullet h_1 : \Delta_{12}, F_9 \wedge F_{10} \vdash \Delta_{11}, F_6 \rightarrow F_7} \rightarrow_R \quad \frac{h_8 : F_9, F_{10}, \Delta_{12}, F_6 \rightarrow F_7 \vdash \Delta_{11}}{\bullet h_8 : (\Delta_{12}, F_9 \wedge F_{10}), F_6 \rightarrow F_7 \vdash \Delta_{11}} \wedge_L}{\vdash : \Delta_{12}, F_9 \wedge F_{10} \vdash \Delta_{11}} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_1 : \Delta_{12}, F_{10}, F_6, F_9 \vdash \Delta_{11}, F_7}{\bullet h_1 : \Delta_{12}, F_{10}, F_9 \vdash \Delta_{11}, F_6 \rightarrow F_7} \text{inv-th/ax} \quad \frac{h_8 : \Delta_{12}, F_{10}, F_9, F_6 \rightarrow F_7 \vdash \Delta_{11}}{\vdash : \Delta_{12}, F_{10}, F_9 \vdash \Delta_{11}} \text{ax/W}}{\vdash : \Delta_{12}, F_9 \wedge F_{10} \vdash \Delta_{11}} \text{hCut} \\
\wedge_L \\
\vdash : \Delta_{12}, F_9 \wedge F_{10} \vdash \Delta_{11} \\
\rightarrow \\
\frac{h_2 : F_8, \Delta_{11} \vdash F_{12} \wedge F_{13}, F_9, \Delta_7}{\bullet h_2 : \Delta_{11} \vdash (\Delta_7, F_8 \rightarrow F_9), F_{12} \wedge F_{13}} \rightarrow_R \quad \frac{h_{10} : F_{12}, F_{13}, \Delta_{11} \vdash \Delta_7, F_8 \rightarrow F_9}{\bullet h_{10} : \Delta_{11}, F_{12} \wedge F_{13} \vdash \Delta_7, F_8 \rightarrow F_9} \wedge_L}{\vdash : \Delta_{11} \vdash \Delta_7, F_8 \rightarrow F_9} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_{11}, F_8 \vdash \Delta_7, F_9, F_{12} \wedge F_{13}}{\vdash : \Delta_{11}, F_8 \vdash \Delta_7, F_9} \text{ax/W} \quad \frac{\frac{h_{10} : \Delta_{11}, F_{12}, F_{13}, F_8 \vdash \Delta_7, F_9}{\bullet h_{10} : \Delta_{11}, F_8, F_{12} \wedge F_{13} \vdash \Delta_7, F_9} \text{inv-th/ax} \quad \wedge_L}{\vdash : \Delta_{11}, F_8 \vdash \Delta_7, F_9} \text{hCut}}{\vdash : \Delta_{11} \vdash \Delta_7, F_8 \rightarrow F_9} \rightarrow_R}{} \\
\rightarrow \\
\frac{h_2 : F_9, \Delta_{14}, F_{12} \wedge F_{13} \vdash F_7, F_{10}, \Delta_8}{\bullet h_2 : \Delta_{14}, F_{12} \wedge F_{13} \vdash (\Delta_8, F_9 \rightarrow F_{10}), F_7} \rightarrow_R \quad \frac{h_{11} : F_7, F_{12}, F_{13}, \Delta_{14} \vdash \Delta_8, F_9 \rightarrow F_{10}}{\bullet h_{11} : (\Delta_{14}, F_{12} \wedge F_{13}), F_7 \vdash \Delta_8, F_9 \rightarrow F_{10}} \wedge_L}{\vdash : \Delta_{14}, F_{12} \wedge F_{13} \vdash \Delta_8, F_9 \rightarrow F_{10}} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_{14}, F_9, F_{12} \wedge F_{13} \vdash \Delta_8, F_{10}, F_7}{\vdash : \Delta_{14}, F_9, F_{12} \wedge F_{13} \vdash \Delta_8, F_{10}} \text{ax/W} \quad \frac{\frac{h_{11} : \Delta_{14}, F_{12}, F_{13}, F_7, F_9 \vdash \Delta_8, F_{10}}{\bullet h_{11} : \Delta_{14}, F_7, F_9, F_{12} \wedge F_{13} \vdash \Delta_8, F_{10}} \text{inv-th/ax} \quad \wedge_L}{\vdash : \Delta_{14}, F_7, F_9, F_{12} \wedge F_{13} \vdash \Delta_8, F_{10}} \text{hCut}}{\vdash : \Delta_{14}, F_{12} \wedge F_{13} \vdash \Delta_8, F_9 \rightarrow F_{10}} \rightarrow_R}{} \\
\vdash : \Delta_{14}, F_{12} \wedge F_{13} \vdash \Delta_8, F_9 \rightarrow F_{10}
\end{array}$$

- Case rule \vee_L

$$\begin{array}{c}
\frac{h_1 : F_6, \Delta_{12}, F_9 \vee F_{10} \vdash F_7, \Delta_{11}}{\bullet h_1 : \Delta_{12}, F_9 \vee F_{10} \vdash \Delta_{11}, F_6 \rightarrow F_7} \rightarrow_R \quad \frac{h_8 : F_9, \Delta_{12}, F_6 \rightarrow F_7 \vdash \Delta_{11} \quad h_8 : F_{10}, \Delta_{12}, F_6 \rightarrow F_7 \vdash \Delta_{11}}{\bullet h_8 : (\Delta_{12}, F_9 \vee F_{10}), F_6 \rightarrow F_7 \vdash \Delta_{11}} \vee_L}{\vdash : \Delta_{12}, F_9 \vee F_{10} \vdash \Delta_{11}} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_1 : \Delta_{12}, F_6, F_9 \vdash \Delta_{11}, F_7}{\bullet h_1 : \Delta_{12}, F_9 \vdash \Delta_{11}, F_6 \rightarrow F_7} \text{inv-th/ax} \quad \frac{h_8 : \Delta_{12}, F_9, F_6 \rightarrow F_7 \vdash \Delta_{11}}{\vdash : \Delta_{12}, F_9 \vdash \Delta_{11}} \text{ax/W}}{\vdash : \Delta_{12}, F_9 \vdash \Delta_{11}} \text{hCut} \\
\rightarrow \\
\frac{\frac{h_1 : \Delta_{12}, F_{10}, F_6 \vdash \Delta_{11}, F_7}{\bullet h_1 : \Delta_{12}, F_{10} \vdash \Delta_{11}, F_6 \rightarrow F_7} \text{inv-th/ax} \quad \frac{h_8 : \Delta_{12}, F_{10}, F_6 \rightarrow F_7 \vdash \Delta_{11}}{\vdash : \Delta_{12}, F_{10} \vdash \Delta_{11}} \text{ax/W}}{\vdash : \Delta_{12}, F_9 \vee F_{10} \vdash \Delta_{11}} \text{hCut} \\
\vee_L \\
\vdash : \Delta_{12}, F_9 \vee F_{10} \vdash \Delta_{11}
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : F_8, \Delta_{11} \vdash F_{12} \vee F_{13}, F_9, \Delta_7}{\bullet h_2 : \Delta_{11} \vdash (\Delta_7, F_8 \rightarrow F_9), F_{12} \vee F_{13}} \rightarrow_R \quad \frac{h_{10} : F_{12}, \Delta_{11} \vdash \Delta_7, F_8 \rightarrow F_9 \quad h_{10} : F_{13}, \Delta_{11} \vdash \Delta_7, F_8 \rightarrow F_9}{\bullet h_{10} : \Delta_{11}, F_{12} \vee F_{13} \vdash \Delta_7, F_8 \rightarrow F_9} \vee_L}{\frac{}{- : \Delta_{11} \vdash \Delta_7, F_8 \rightarrow F_9} \rightarrow} \text{Cut} \\
\frac{}{\frac{h_2 : \Delta_{11}, F_8 \vdash \Delta_7, F_9, F_{12} \vee F_{13}}{\bullet h_2 : \Delta_{11}, F_8 \vdash \Delta_7, F_9} \text{ax/W} \quad \frac{h_{10} : \Delta_{11}, F_{12}, F_8 \vdash \Delta_7, F_9 \quad h_{10} : \Delta_{11}, F_{13}, F_8 \vdash \Delta_7, F_9}{\bullet h_{10} : \Delta_{11}, F_8, F_{12} \vee F_{13} \vdash \Delta_7, F_9} \text{inv-th/ax}}{\frac{}{- : \Delta_{11}, F_8 \vdash \Delta_7, F_9} \rightarrow_R} \text{hCut}} \vee_L \\
\frac{}{\frac{}{- : \Delta_{11} \vdash \Delta_7, F_8 \rightarrow F_9} \rightarrow_R} \text{Cut} \\
\frac{h_2 : F_9, \Delta_{14}, F_{12} \vee F_{13} \vdash F_7, F_{10}, \Delta_8}{\bullet h_2 : \Delta_{14}, F_{12} \vee F_{13} \vdash (\Delta_8, F_9 \rightarrow F_{10}), F_7} \rightarrow_R \quad \frac{h_{11} : F_7, F_{12}, \Delta_{14} \vdash \Delta_8, F_9 \rightarrow F_{10} \quad h_{11} : F_7, F_{13}, \Delta_{14} \vdash \Delta_8, F_9 \rightarrow F_{10}}{\bullet h_{11} : (\Delta_{14}, F_{12} \vee F_{13}), F_7 \vdash \Delta_8, F_9 \rightarrow F_{10}} \vee_L}{\frac{}{- : \Delta_{14}, F_{12} \vee F_{13} \vdash \Delta_8, F_9 \rightarrow F_{10}} \rightarrow} \text{Cut} \\
\frac{}{\frac{h_2 : \Delta_{14}, F_9, F_{12} \vee F_{13} \vdash \Delta_8, F_{10}, F_7}{\bullet h_2 : \Delta_{14}, F_9, F_{12} \vee F_{13} \vdash \Delta_8, F_{10}} \text{ax/W} \quad \frac{h_{11} : \Delta_{14}, F_{12}, F_7, F_9 \vdash \Delta_8, F_{10} \quad h_{11} : \Delta_{14}, F_{13}, F_7, F_9 \vdash \Delta_8, F_{10}}{\bullet h_{11} : \Delta_{14}, F_7, F_9, F_{12} \vee F_{13} \vdash \Delta_8, F_{10}} \text{inv-th/ax}}{\frac{}{- : \Delta_{14}, F_9, F_{12} \vee F_{13} \vdash \Delta_8, F_{10}} \rightarrow_R} \text{hCut}} \vee_L \\
\frac{}{\frac{}{- : \Delta_{14}, F_{12} \vee F_{13} \vdash \Delta_8, F_9 \rightarrow F_{10}} \rightarrow_R} \text{Cut}
\end{array}$$

• Case rule AT

$$\begin{array}{c}
\frac{h_1 : F_6, \Delta_{11}, []F_9 \vdash F_7, \Delta_{10}}{\bullet h_1 : \Delta_{11}, []F_9 \vdash \Delta_{10}, F_6 \rightarrow F_7} \rightarrow_R \quad \frac{h_8 : F_9, \Delta_{11}, []F_9, F_6 \rightarrow F_7 \vdash \Delta_{10}}{\bullet h_8 : (\Delta_{11}, []F_9), F_6 \rightarrow F_7 \vdash \Delta_{10}} AT}{\frac{}{- : \Delta_{11}, []F_9 \vdash \Delta_{10}} \rightarrow} \text{Cut} \\
\frac{}{\frac{}{- : \Delta_{11}, F_9, []F_9 \vdash \Delta_{10}, F_6 \rightarrow F_7} \text{ax/W} \quad \frac{h_8 : \Delta_{11}, F_9, []F_9, F_6 \rightarrow F_7 \vdash \Delta_{10}}{\bullet h_8 : \Delta_{11}, F_9, []F_9 \vdash \Delta_{10}} \text{ax/W}}{\frac{}{- : \Delta_{11}, F_9, []F_9 \vdash \Delta_{10}} AT} \text{hCut} \\
\frac{}{\frac{}{- : \Delta_{11}, []F_9 \vdash \Delta_{10}} AT} \\
\frac{h_2 : F_8, \Delta_{11} \vdash []F_{12}, F_9, \Delta_7}{\bullet h_2 : \Delta_{11} \vdash (\Delta_7, F_8 \rightarrow F_9), []F_{12}} \rightarrow_R \quad \frac{h_{10} : F_{12}, \Delta_{11}, []F_{12} \vdash \Delta_7, F_8 \rightarrow F_9}{\bullet h_{10} : \Delta_{11}, []F_{12} \vdash \Delta_7, F_8 \rightarrow F_9} AT}{\frac{}{- : \Delta_{11} \vdash \Delta_7, F_8 \rightarrow F_9} \rightarrow} \text{Cut} \\
\frac{}{\frac{h_2 : \Delta_{11}, F_8 \vdash \Delta_7, F_9, []F_{12}}{\bullet h_2 : \Delta_{11}, F_8 \vdash \Delta_7, F_9} \text{ax/W} \quad \frac{h_{10} : \Delta_{11}, F_{12}, F_8, []F_{12} \vdash \Delta_7, F_9 \quad h_{10} : \Delta_{11}, F_8, []F_{12} \vdash \Delta_7, F_9}{\bullet h_{10} : \Delta_{11}, F_8, []F_{12} \vdash \Delta_7, F_9} \text{inv-th/ax}}{\frac{}{- : \Delta_{11}, F_8 \vdash \Delta_7, F_9} \rightarrow_R} \text{hCut}} \text{AT} \\
\frac{}{\frac{}{- : \Delta_{11} \vdash \Delta_7, F_8 \rightarrow F_9} \rightarrow_R} \\
\frac{h_2 : F_9, \Delta_{13}, []F_{12} \vdash F_7, F_{10}, \Delta_8}{\bullet h_2 : \Delta_{13}, []F_{12} \vdash (\Delta_8, F_9 \rightarrow F_{10}), F_7} \rightarrow_R \quad \frac{h_{11} : F_7, F_{12}, \Delta_{13}, []F_{12} \vdash \Delta_8, F_9 \rightarrow F_{10}}{\bullet h_{11} : (\Delta_{13}, []F_{12}), F_7 \vdash \Delta_8, F_9 \rightarrow F_{10}} AT}{\frac{}{- : \Delta_{13}, []F_{12} \vdash \Delta_8, F_9 \rightarrow F_{10}} \rightarrow} \text{Cut} \\
\frac{}{\frac{h_2 : \Delta_{13}, F_{12}, []F_{12} \vdash \Delta_8, F_7, F_9 \rightarrow F_{10}}{\bullet h_2 : \Delta_{13}, F_{12}, []F_{12} \vdash \Delta_8, F_9 \rightarrow F_{10}} \text{ax/W} \quad \frac{h_{11} : \Delta_{13}, F_{12}, F_7, []F_{12} \vdash \Delta_8, F_9 \rightarrow F_{10}}{\bullet h_{11} : \Delta_{13}, F_{12}, F_7, []F_{12} \vdash \Delta_8, F_9 \rightarrow F_{10}} \text{ax/W}}{\frac{}{- : \Delta_{13}, F_{12}, []F_{12} \vdash \Delta_8, F_9 \rightarrow F_{10}} AT} \text{hCut} \\
\frac{}{\frac{}{- : \Delta_{13}, []F_{12} \vdash \Delta_8, F_9 \rightarrow F_{10}} AT}
\end{array}$$

• Case rule \perp_L

$$\begin{array}{c}
\frac{h_1 : F_6, \perp, \Delta_{10} \vdash F_7, \Delta_9}{\bullet h_1 : \perp, \Delta_{10} \vdash \Delta_9, F_6 \rightarrow F_7} \rightarrow_R \quad \frac{h_8 : (\perp, \Delta_{10}), F_6 \rightarrow F_7 \vdash \Delta_9}{\bullet h_8 : (\perp, \Delta_{10}), F_6 \rightarrow F_7 \vdash \Delta_9} \perp_L}{\frac{}{- : \perp, \Delta_{10} \vdash \Delta_9} \rightarrow} \text{Cut} \\
\frac{}{\frac{}{- : \perp, \Delta_{10} \vdash \Delta_9} \perp_L} \\
\frac{h_2 : F_8, \Delta_{11} \vdash \perp, F_9, \Delta_7}{\bullet h_2 : \Delta_{11} \vdash (\Delta_7, F_8 \rightarrow F_9), \perp} \rightarrow_R \quad \frac{h_{10} : \Delta_{11}, \perp \vdash \Delta_7, F_8 \rightarrow F_9}{\bullet h_{10} : \Delta_{11}, \perp \vdash \Delta_7, F_8 \rightarrow F_9} \perp_L}{\frac{}{- : \Delta_{11} \vdash \Delta_7, F_8 \rightarrow F_9} \rightarrow} \text{Cut} \\
\frac{}{\frac{h_2 : \Delta_{11}, F_8 \vdash \perp, \Delta_7, F_9}{\bullet h_2 : \Delta_{11}, F_8 \vdash \perp, \Delta_7, F_9} \text{ax/W} \quad \frac{h_{10} : \perp, \Delta_{11}, F_8 \vdash \Delta_7, F_9}{\bullet h_{10} : \perp, \Delta_{11}, F_8 \vdash \Delta_7, F_9} \perp_L}}{\frac{}{- : \Delta_{11}, F_8 \vdash \Delta_7, F_9} \rightarrow_R} \text{hCut} \\
\frac{}{\frac{}{- : \Delta_{11} \vdash \Delta_7, F_8 \rightarrow F_9} \rightarrow_R}
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : F_9, \perp, \Delta_{12} \vdash F_7, F_{10}, \Delta_8}{\bullet h_2 : \perp, \Delta_{12} \vdash (\Delta_8, F_9 \rightarrow F_{10}), F_7} \rightarrow_R \quad \frac{\bullet h_{11} : (\perp, \Delta_{12}), F_7 \vdash \Delta_8, F_9 \rightarrow F_{10}}{\perp_L} \\
\frac{}{- : \perp, \Delta_{12} \vdash \Delta_8, F_9 \rightarrow F_{10}} \rightarrow \\
\frac{}{- : \perp, \Delta_{12} \vdash \Delta_8, F_9 \rightarrow F_{10}} \perp_L \\
\text{Cut}
\end{array}$$

- Case rule I

$$\begin{array}{c}
\frac{h_1 : F_6, \Delta_{11}, p_9 \vdash F_7, \Delta_{10}, p_9}{\bullet h_1 : \Delta_{11}, p_9 \vdash (\Delta_{10}, p_9), F_6 \rightarrow F_7} \rightarrow_R \quad \frac{\bullet h_8 : (\Delta_{11}, p_9), F_6 \rightarrow F_7 \vdash \Delta_{10}, p_9}{I} \\
\frac{}{- : \Delta_{11}, p_9 \vdash \Delta_{10}, p_9} \rightarrow \\
\frac{}{- : \Delta_{11}, p_9 \vdash \Delta_{10}, p_9} I \\
\text{Cut}
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : F_7, \Delta_{10} \vdash p_{11}, F_8, \Delta_{12}, p_{11}}{\bullet h_2 : \Delta_{10} \vdash ((\Delta_{12}, p_{11}), F_7 \rightarrow F_8), p_{11}} \rightarrow_R \quad \frac{\bullet h_9 : \Delta_{10}, p_{11} \vdash (\Delta_{12}, p_{11}), F_7 \rightarrow F_8}{I} \\
\frac{}{- : \Delta_{10} \vdash (\Delta_{12}, p_{11}), F_7 \rightarrow F_8} \rightarrow \\
\frac{h_2 : \Delta_{10}, F_7 \vdash \Delta_{12}, F_8, p_{11}, p_{11} \quad \text{ax/w} \quad \bullet h_9 : \Delta_{10}, F_7, p_{11} \vdash \Delta_{12}, F_8, p_{11}}{- : \Delta_{10}, F_7 \vdash \Delta_{12}, F_8, p_{11}} \rightarrow_R \\
\frac{}{- : \Delta_{10} \vdash \Delta_{12}, p_{11}, F_7 \rightarrow F_8} \text{hCut} \\
\text{Cut}
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : F_8, \Delta_{13}, p_{11} \vdash F_7, F_9, \Delta_{12}, p_{11}}{\bullet h_2 : \Delta_{13}, p_{11} \vdash ((\Delta_{12}, p_{11}), F_8 \rightarrow F_9), F_7} \rightarrow_R \quad \frac{\bullet h_{10} : (\Delta_{13}, p_{11}), F_7 \vdash (\Delta_{12}, p_{11}), F_8 \rightarrow F_9}{I} \\
\frac{}{- : \Delta_{13}, p_{11} \vdash (\Delta_{12}, p_{11}), F_8 \rightarrow F_9} \rightarrow \\
\frac{}{- : \Delta_{13}, p_{11} \vdash \Delta_{12}, p_{11}, F_8 \rightarrow F_9} I \\
\text{Cut}
\end{array}$$

- Case rule \top_L

$$\begin{array}{c}
\frac{h_1 : F_6, \top, \Delta_{10} \vdash F_7, \Delta_9}{\bullet h_1 : \top, \Delta_{10} \vdash \Delta_9, F_6 \rightarrow F_7} \rightarrow_R \quad \frac{h_8 : \Delta_{10}, F_6 \rightarrow F_7 \vdash \Delta_9}{\bullet h_8 : (\top, \Delta_{10}), F_6 \rightarrow F_7 \vdash \Delta_9} \top_L \\
\frac{}{- : \top, \Delta_{10} \vdash \Delta_9} \rightarrow \\
\frac{\bullet h_1 : \top, \Delta_{10} \vdash \Delta_9, F_6 \rightarrow F_7 \quad \text{ax/w} \quad h_8 : \top, \Delta_{10}, F_6 \rightarrow F_7 \vdash \Delta_9}{- : \top, \Delta_{10} \vdash \Delta_9} \text{hCut} \\
\text{Cut}
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : F_8, \Delta_{11} \vdash \top, F_9, \Delta_7}{\bullet h_2 : \Delta_{11} \vdash (\Delta_7, F_8 \rightarrow F_9), \top} \rightarrow_R \quad \frac{h_{10} : \Delta_{11} \vdash \Delta_7, F_8 \rightarrow F_9}{\bullet h_{10} : \Delta_{11}, \top \vdash \Delta_7, F_8 \rightarrow F_9} \top_L \\
\frac{}{- : \Delta_{11} \vdash \Delta_7, F_8 \rightarrow F_9} \rightarrow \\
\frac{}{- : \Delta_{11} \vdash \Delta_7, F_8 \rightarrow F_9} \text{ax/w} \\
\text{Cut}
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : F_9, \top, \Delta_{12} \vdash F_7, F_{10}, \Delta_8}{\bullet h_2 : \top, \Delta_{12} \vdash (\Delta_8, F_9 \rightarrow F_{10}), F_7} \rightarrow_R \quad \frac{h_{11} : F_7, \Delta_{12} \vdash \Delta_8, F_9 \rightarrow F_{10}}{\bullet h_{11} : (\top, \Delta_{12}), F_7 \vdash \Delta_8, F_9 \rightarrow F_{10}} \top_L \\
\frac{}{- : \top, \Delta_{12} \vdash \Delta_8, F_9 \rightarrow F_{10}} \rightarrow \\
\frac{\bullet h_2 : \top, \Delta_{12} \vdash \Delta_8, F_7, F_9 \rightarrow F_{10} \quad \text{ax/w} \quad h_{11} : \top, \Delta_{12}, F_7 \vdash \Delta_8, F_9 \rightarrow F_{10}}{- : \top, \Delta_{12} \vdash \Delta_8, F_9 \rightarrow F_{10}} \text{hCut} \\
\text{Cut}
\end{array}$$

6.2 Status of \wedge_R : OK

- Case rule \rightarrow_R

$$\begin{array}{c}
\frac{h_1 : \Delta_6 \vdash F_7, \Delta_{10}, F_{11} \rightarrow F_{12} \quad h_1 : \Delta_6 \vdash F_8, \Delta_{10}, F_{11} \rightarrow F_{12}}{\bullet h_1 : \Delta_6 \vdash (\Delta_{10}, F_{11} \rightarrow F_{12}), F_7 \wedge F_8} \wedge_R \quad \frac{h_9 : F_{11}, \Delta_6, F_7 \wedge F_8 \vdash F_{12}, \Delta_{10}}{\bullet h_9 : \Delta_6, F_7 \wedge F_8 \vdash \Delta_{10}, F_{11} \rightarrow F_{12}} \rightarrow_R \\
\frac{}{- : \Delta_6 \vdash \Delta_{10}, F_{11} \rightarrow F_{12}} \rightarrow \\
\frac{h_1 : \Delta_6, F_{11} \vdash \Delta_{10}, F_{12}, F_7 \quad \text{inv-th/ax} \quad h_1 : \Delta_6, F_{11} \vdash \Delta_{10}, F_{12}, F_8}{\bullet h_1 : \Delta_6, F_{11} \vdash \Delta_{10}, F_{12}, F_7 \wedge F_8} \wedge_R \quad \frac{h_9 : \Delta_6, F_{11}, F_7 \wedge F_8 \vdash \Delta_{10}, F_{12}}{\text{ax/w}} \\
\frac{}{- : \Delta_6, F_{11} \vdash \Delta_{10}, F_{12}} \rightarrow_R \\
\frac{}{- : \Delta_6 \vdash \Delta_{10}, F_{11} \rightarrow F_{12}} \text{hCut} \\
\text{Cut}
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : \Delta_8 \vdash F_7, F_9, \Delta_{14}, F_{12} \rightarrow F_{13} \quad h_2 : \Delta_8 \vdash F_7, F_{10}, \Delta_{14}, F_{12} \rightarrow F_{13}}{\bullet h_2 : \Delta_8 \vdash ((\Delta_{14}, F_{12} \rightarrow F_{13}), F_9 \wedge F_{10}), F_7} \wedge_R \quad \frac{h_{11} : F_7, F_{12}, \Delta_8 \vdash F_{13}, \Delta_{14}, F_9 \wedge F_{10}}{\bullet h_{11} : \Delta_8, F_7 \vdash (\Delta_{14}, F_{12} \rightarrow F_{13}), F_9 \wedge F_{10}} \rightarrow_R \\
\frac{}{- : \Delta_8 \vdash (\Delta_{14}, F_{12} \rightarrow F_{13}), F_9 \wedge F_{10}}{\rightarrow} \text{Cut} \\
\frac{h_2 : \Delta_8, F_{12} \vdash \Delta_{14}, F_{13}, F_7, F_9 \quad \text{inv-th/ax} \quad \frac{h_2 : \Delta_8, F_{12} \vdash \Delta_{14}, F_{10}, F_{13}, F_7}{\bullet h_2 : \Delta_8, F_{12} \vdash \Delta_{14}, F_{13}, F_7, F_9 \wedge F_{10}} \wedge_R \quad \frac{\text{inv-th/ax} \quad h_{11} : \Delta_8, F_{12}, F_7 \vdash \Delta_{14}, F_{13}, F_9 \wedge F_{10}}{h_{11} : \Delta_8, F_{12}, F_7 \vdash \Delta_{14}, F_{13}, F_9 \wedge F_{10}} \text{ax/W}}{\frac{}{- : \Delta_8, F_{12} \vdash \Delta_{14}, F_{13}, F_9 \wedge F_{10}}{\rightarrow_R} \text{hCut}} \\
\frac{}{- : \Delta_8 \vdash \Delta_{14}, F_{12} \rightarrow F_{13}, F_9 \wedge F_{10}}
\end{array}$$

- Case rule \wedge_R

$$\begin{array}{c}
\frac{h_1 : \Delta_6 \vdash F_7, \Delta_{10}, F_{11} \wedge F_{12} \quad h_1 : \Delta_6 \vdash F_8, \Delta_{10}, F_{11} \wedge F_{12}}{\bullet h_1 : \Delta_6 \vdash (\Delta_{10}, F_{11} \wedge F_{12}), F_7 \wedge F_8} \wedge_R \quad \frac{h_9 : \Delta_6, F_7 \wedge F_8 \vdash F_{11}, \Delta_{10} \quad h_9 : \Delta_6, F_7 \wedge F_8 \vdash F_{12}, \Delta_{10}}{\bullet h_9 : \Delta_6, F_7 \wedge F_8 \vdash \Delta_{10}, F_{11} \wedge F_{12}} \wedge_R \\
\frac{}{- : \Delta_6 \vdash \Delta_{10}, F_{11} \wedge F_{12}}{\rightarrow} \text{Cut} \\
\frac{}{- : \Delta_6 \vdash \Delta_{10}, F_{11} \wedge F_{12}}{\text{ax/W}} \quad \frac{}{- : \Delta_6, F_7 \vdash \Delta_{10}, F_{11} \wedge F_{12}}{\text{ax/W}} \quad \frac{}{- : \Delta_6, F_7, F_8 \vdash \Delta_{10}, F_{11}}{\text{inv-th/ax}} \quad \frac{}{- : \Delta_6, F_7, F_8 \vdash \Delta_{10}, F_{12}}{\text{inv-th/ax}} \wedge_R \\
\frac{}{- : \Delta_6 \vdash \Delta_{10}, F_7, F_{11} \wedge F_{12}}{\text{ax/W}} \quad \frac{}{- : \Delta_6, F_7 \vdash \Delta_{10}, F_{11} \wedge F_{12}}{\text{sCut}} \quad \frac{}{- : \Delta_6, F_7, F_8 \vdash \Delta_{10}, F_{11} \wedge F_{12}}{\text{sCut}} \\
\frac{}{- : \Delta_6 \vdash \Delta_{10}, F_{11} \wedge F_{12}} \\
\frac{h_2 : \Delta_8 \vdash F_7, F_9, \Delta_{14}, F_{12} \wedge F_{13} \quad h_2 : \Delta_8 \vdash F_7, F_{10}, \Delta_{14}, F_{12} \wedge F_{13}}{\bullet h_2 : \Delta_8 \vdash ((\Delta_{14}, F_{12} \wedge F_{13}), F_9 \wedge F_{10}), F_7} \wedge_R \quad \frac{h_{11} : F_7, \Delta_8 \vdash F_{12}, \Delta_{14}, F_9 \wedge F_{10}}{\bullet h_{11} : \Delta_8, F_7 \vdash (\Delta_{14}, F_{12} \wedge F_{13}), F_9 \wedge F_{10}} \wedge_R \\
\frac{}{- : \Delta_8 \vdash (\Delta_{14}, F_{12} \wedge F_{13}), F_9 \wedge F_{10}}{\rightarrow} \\
\frac{h_2 : \Delta_8 \vdash \Delta_{14}, F_{12}, F_7, F_9 \quad \text{inv-th/ax} \quad \frac{h_2 : \Delta_8 \vdash \Delta_{14}, F_{10}, F_{12}, F_7}{\bullet h_2 : \Delta_8 \vdash \Delta_{14}, F_{12}, F_7, F_9 \wedge F_{10}} \wedge_R \quad \frac{\text{inv-th/ax} \quad h_{11} : \Delta_8, F_7 \vdash \Delta_{14}, F_{12}, F_9 \wedge F_{10}}{h_{11} : \Delta_8, F_7 \vdash \Delta_{14}, F_{12}, F_9 \wedge F_{10}} \text{ax/W}}{\frac{}{- : \Delta_8 \vdash \Delta_{14}, F_{12}, F_9 \wedge F_{10}}{\rightarrow_R} \text{hCut}} \quad \frac{}{- : \Delta_8 \vdash \Delta_{14}, F_{12} \wedge F_{13}, F_9 \wedge F_{10}}{\text{inv-th/ax}} \\
\frac{}{- : \Delta_8 \vdash \Delta_{14}, F_{12} \wedge F_{13}, F_9 \wedge F_{10}} \\
\frac{h_2 : \Delta_8 \vdash F_7, F_{11}, \Delta_{10} \quad h_2 : \Delta_8 \vdash F_7, F_{12}, \Delta_{10}}{\bullet h_2 : \Delta_8 \vdash (\Delta_{10}, F_{11} \wedge F_{12}), F_7} \wedge_R \quad \frac{h_9 : F_7, \Delta_8 \vdash F_{11}, \Delta_{10} \quad h_9 : F_7, \Delta_8 \vdash F_{12}, \Delta_{10}}{\bullet h_9 : \Delta_8, F_7 \vdash \Delta_{10}, F_{11} \wedge F_{12}} \wedge_R \\
\frac{}{- : \Delta_8 \vdash \Delta_{10}, F_{11} \wedge F_{12}}{\rightarrow} \text{Cut} \\
\frac{h_2 : \Delta_8 \vdash \Delta_{10}, F_{11}, F_7 \quad \text{ax/W} \quad \frac{h_9 : \Delta_8, F_7 \vdash \Delta_{10}, F_{11}}{\bullet h_9 : \Delta_8, F_7 \vdash \Delta_{10}, F_{11}} \text{H}}{\frac{}{- : \Delta_8 \vdash \Delta_{10}, F_{11}}{\text{hCut}}} \quad \frac{h_2 : \Delta_8 \vdash \Delta_{10}, F_{12}, F_7 \quad \text{ax/W} \quad \frac{h_9 : \Delta_8, F_7 \vdash \Delta_{10}, F_{12}}{\bullet h_9 : \Delta_8, F_7 \vdash \Delta_{10}, F_{12}} \text{H}}{\frac{}{- : \Delta_8 \vdash \Delta_{10}, F_{12}}{\text{hCut}}} \wedge_R \\
\frac{}{- : \Delta_8 \vdash \Delta_{10}, F_{11} \wedge F_{12}}
\end{array}$$

- Case rule \vee_R

$$\begin{array}{c}
\frac{h_1 : \Delta_6 \vdash F_7, \Delta_{10}, F_{11} \vee F_{12} \quad h_1 : \Delta_6 \vdash F_8, \Delta_{10}, F_{11} \vee F_{12}}{\bullet h_1 : \Delta_6 \vdash (\Delta_{10}, F_{11} \vee F_{12}), F_7 \wedge F_8} \wedge_R \quad \frac{h_9 : \Delta_6, F_7 \wedge F_8 \vdash F_{11}, F_{12}, \Delta_{10}}{\bullet h_9 : \Delta_6, F_7 \wedge F_8 \vdash \Delta_{10}, F_{11} \vee F_{12}} \vee_R \\
\frac{}{- : \Delta_6 \vdash \Delta_{10}, F_{11} \vee F_{12}}{\rightarrow} \text{Cut} \\
\frac{h_1 : \Delta_6 \vdash \Delta_{10}, F_{11}, F_{12}, F_7 \quad \text{inv-th/ax} \quad \frac{h_1 : \Delta_6 \vdash \Delta_{10}, F_{11}, F_{12}, F_8}{\bullet h_1 : \Delta_6 \vdash \Delta_{10}, F_{11}, F_{12}, F_7 \wedge F_8} \wedge_R \quad \frac{\text{inv-th/ax} \quad h_9 : \Delta_6, F_7 \wedge F_8 \vdash \Delta_{10}, F_{11}, F_{12}}{h_9 : \Delta_6, F_7 \wedge F_8 \vdash \Delta_{10}, F_{11}, F_{12}} \text{ax/W}}{\frac{}{- : \Delta_6 \vdash \Delta_{10}, F_{11}, F_{12}}{\rightarrow_R} \text{hCut}} \quad \frac{}{- : \Delta_6 \vdash \Delta_{10}, F_{11} \vee F_{12}}{\vee_R} \\
\frac{}{- : \Delta_6 \vdash \Delta_{10}, F_{11} \vee F_{12}} \\
\frac{h_2 : \Delta_8 \vdash F_7, F_9, \Delta_{14}, F_{12} \vee F_{13} \quad h_2 : \Delta_8 \vdash F_7, F_{10}, \Delta_{14}, F_{12} \vee F_{13}}{\bullet h_2 : \Delta_8 \vdash ((\Delta_{14}, F_{12} \vee F_{13}), F_9 \wedge F_{10}), F_7} \wedge_R \quad \frac{h_{11} : F_7, \Delta_8 \vdash F_{12}, F_{13}, \Delta_{14}, F_9 \wedge F_{10}}{\bullet h_{11} : \Delta_8, F_7 \vdash (\Delta_{14}, F_{12} \vee F_{13}), F_9 \wedge F_{10}} \wedge_R \\
\frac{}{- : \Delta_8 \vdash (\Delta_{14}, F_{12} \vee F_{13}), F_9 \wedge F_{10}}{\rightarrow} \text{Cut} \\
\frac{h_2 : \Delta_8 \vdash \Delta_{14}, F_{12}, F_{13}, F_7, F_9 \quad \text{inv-th/ax} \quad \frac{h_2 : \Delta_8 \vdash \Delta_{14}, F_{10}, F_{12}, F_{13}, F_7}{\bullet h_2 : \Delta_8 \vdash \Delta_{14}, F_{12}, F_{13}, F_7, F_9 \wedge F_{10}} \wedge_R \quad \frac{\text{inv-th/ax} \quad h_{11} : \Delta_8, F_7 \vdash \Delta_{14}, F_{12}, F_{13}, F_9 \wedge F_{10}}{h_{11} : \Delta_8, F_7 \vdash \Delta_{14}, F_{12}, F_{13}, F_9 \wedge F_{10}} \text{ax/W}}{\frac{}{- : \Delta_8 \vdash \Delta_{14}, F_{12}, F_{13}, F_9 \wedge F_{10}}{\rightarrow_R} \text{hCut}} \quad \frac{}{- : \Delta_8 \vdash \Delta_{14}, F_9 \wedge F_{10}, F_{12} \vee F_{13}}{\vee_R} \\
\frac{}{- : \Delta_8 \vdash \Delta_{14}, F_9 \wedge F_{10}, F_{12} \vee F_{13}}
\end{array}$$

- Case rule \perp_R

$$\begin{array}{c}
\frac{h_1 : \Delta_6 \vdash F_7, \perp, \Delta_{10} \quad h_1 : \Delta_6 \vdash F_8, \perp, \Delta_{10} \quad \wedge_R \quad \frac{h_9 : \Delta_6, F_7 \wedge F_8 \vdash \Delta_{10}}{\bullet h_9 : \Delta_6, F_7 \wedge F_8 \vdash \perp, \Delta_{10}} \perp_R}{\bullet h_1 : \Delta_6 \vdash (\perp, \Delta_{10}), F_7 \wedge F_8} \text{Cut} \\
\frac{}{- : \Delta_6 \vdash \perp, \Delta_{10}} \rightarrow \\
\frac{\frac{\bullet h_1 : \Delta_6 \vdash \perp, \Delta_{10}, F_7 \wedge F_8}{- : \Delta_6 \vdash \perp, \Delta_{10}} \text{ax/W} \quad \frac{h_9 : \Delta_6, F_7 \wedge F_8 \vdash \perp, \Delta_{10}}{h_9 : \Delta_6, F_7 \wedge F_8 \vdash \perp, \Delta_{10}} \text{ax/W}}{- : \Delta_6 \vdash \perp, \Delta_{10}} \text{hCut} \\
\\
\frac{h_2 : \Delta_8 \vdash F_7, F_9, \perp, \Delta_{12} \quad h_2 : \Delta_8 \vdash F_7, F_{10}, \perp, \Delta_{12} \quad \wedge_R \quad \frac{h_{11} : F_7, \Delta_8 \vdash \Delta_{12}, F_9 \wedge F_{10}}{\bullet h_{11} : \Delta_8, F_7 \vdash (\perp, \Delta_{12}), F_9 \wedge F_{10}} \perp_R}{\bullet h_2 : \Delta_8 \vdash ((\perp, \Delta_{12}), F_9 \wedge F_{10}), F_7} \text{Cut} \\
\frac{}{- : \Delta_8 \vdash (\perp, \Delta_{12}), F_9 \wedge F_{10}} \rightarrow \\
\frac{\frac{\bullet h_2 : \Delta_8 \vdash \perp, \Delta_{12}, F_7, F_9 \wedge F_{10}}{- : \Delta_8 \vdash \perp, \Delta_{12}, F_9 \wedge F_{10}} \text{ax/W} \quad \frac{h_{11} : \Delta_8, F_7 \vdash \perp, \Delta_{12}, F_9 \wedge F_{10}}{h_{11} : \Delta_8, F_7 \vdash \perp, \Delta_{12}, F_9 \wedge F_{10}} \text{ax/W}}{- : \Delta_8 \vdash \perp, \Delta_{12}, F_9 \wedge F_{10}} \text{hCut}
\end{array}$$

- Case rule \top_R

$$\begin{array}{c}
\frac{h_1 : \Delta_6 \vdash F_7, \top, \Delta_{10} \quad h_1 : \Delta_6 \vdash F_8, \top, \Delta_{10} \quad \wedge_R \quad \frac{}{\bullet h_9 : \Delta_6, F_7 \wedge F_8 \vdash \top, \Delta_{10}} \top_R}{\bullet h_1 : \Delta_6 \vdash (\top, \Delta_{10}), F_7 \wedge F_8} \text{Cut} \\
\frac{}{- : \Delta_6 \vdash \top, \Delta_{10}} \rightarrow \\
\frac{}{- : \Delta_6 \vdash \top, \Delta_{10}} \top_R \\
\\
\frac{h_2 : \Delta_8 \vdash F_7, F_9, \top, \Delta_{12} \quad h_2 : \Delta_8 \vdash F_7, F_{10}, \top, \Delta_{12} \quad \wedge_R \quad \frac{}{\bullet h_{11} : \Delta_8, F_7 \vdash (\top, \Delta_{12}), F_9 \wedge F_{10}} \top_R}{\bullet h_2 : \Delta_8 \vdash ((\top, \Delta_{12}), F_9 \wedge F_{10}), F_7} \text{Cut} \\
\frac{}{- : \Delta_8 \vdash (\top, \Delta_{12}), F_9 \wedge F_{10}} \rightarrow \\
\frac{}{- : \Delta_8 \vdash \top, \Delta_{12}, F_9 \wedge F_{10}} \top_R
\end{array}$$

- Case rule K

$$\begin{array}{c}
\frac{h_1 : \Box\Gamma_9, \Delta_{12} \vdash F_6, \Delta_{10}, []F_{11} \quad h_1 : \Box\Gamma_9, \Delta_{12} \vdash F_7, \Delta_{10}, []F_{11} \quad \wedge_R \quad \frac{h_8 : \text{unbox}(\Box\Gamma_9) \vdash F_{11}}{\bullet h_8 : (\Box\Gamma_9, \Delta_{12}), F_6 \wedge F_7 \vdash \Delta_{10}, []F_{11}} K}{\bullet h_1 : \Box\Gamma_9, \Delta_{12} \vdash (\Delta_{10}, []F_{11}), F_6 \wedge F_7} \text{Cut} \\
\frac{}{- : \Box\Gamma_9, \Delta_{12} \vdash \Delta_{10}, []F_{11}} \rightarrow \\
\frac{\frac{}{- : \text{unbox}(\Box\Gamma_9) \vdash F_{11}}{- : \Delta_{12}, \Box\Gamma_9 \vdash \Delta_{10}, []F_{11}} \text{ax/W} \quad K}{- : \Delta_{12}, \Box\Gamma_9 \vdash \Delta_{10}, []F_{11}} K \\
\\
\frac{h_2 : \Box\Gamma_{14}, \Delta_{11} \vdash \Box F_7, F_8, \Delta_{13}, []F_{12} \quad h_2 : \Box\Gamma_{14}, \Delta_{11} \vdash \Box F_7, F_9, \Delta_{13}, []F_{12} \quad \wedge_R \quad \frac{h_{10} : \text{unbox}(\Box\Gamma_{14}), \text{unbox}(\Box F_7) \vdash F_{12}}{\bullet h_{10} : (\Box\Gamma_{14}, \Delta_{11}), \Box F_7 \vdash (\Delta_{13}, []F_{12}), F_8 \wedge F_9}} \text{Cut} \\
\frac{}{- : \Box\Gamma_{14}, \Delta_{11} \vdash (\Delta_{13}, []F_{12}), F_8 \wedge F_9} \rightarrow \\
\frac{\frac{h_2 : \Box\Gamma_{14}, \Delta_{11} \vdash \Box F_7, F_8, \Delta_{13}, []F_{12}}{- : \Delta_{11}, \Box\Gamma_{14} \vdash \Delta_{13}, F_8, []F_{12}} \text{ax/W} \quad \frac{h_{10} : \text{unbox}(\Box F_7), \text{unbox}(\Box\Gamma_{14}) \vdash F_{12}}{\bullet h_{10} : \Box F_7, \Delta_{11}, \Box\Gamma_{14} \vdash \Delta_{13}, F_8, []F_{12}} K}{- : \Delta_{11}, \Box\Gamma_{14} \vdash \Delta_{13}, F_8, []F_{12}} \text{hCut} \quad \frac{h_{10} : \text{unbox}(\Box\Gamma_{14}), \text{unbox}(\Box F_7) \vdash F_{12}}{- : \Delta_{11}, \Box\Gamma_{14} \vdash \Delta_{13}, F_9, []F_{12}} \text{ax/W} \quad \frac{h_{10} : \text{unbox}(\Box F_7), \text{unbox}(\Box\Gamma_{14}) \vdash F_{12}}{\bullet h_{10} : \Box F_7, \Delta_{11}, \Box\Gamma_{14} \vdash \Delta_{13}, F_8, []F_{12}} K}{- : \Delta_{11}, \Box\Gamma_{14} \vdash \Delta_{13}, F_9, []F_{12}} \text{hCut} \\
\\
\frac{h_2 : \Box\Gamma_{11}, \Delta_{14} \vdash F_7, F_8, \Delta_{13}, []F_{12} \quad h_2 : \Box\Gamma_{11}, \Delta_{14} \vdash F_7, F_9, \Delta_{13}, []F_{12} \quad \wedge_R \quad \frac{h_{10} : \text{unbox}(\Box\Gamma_{11}) \vdash F_{12}}{\bullet h_{10} : (\Box\Gamma_{11}, \Delta_{14}), F_7 \vdash (\Delta_{13}, []F_{12}), F_8 \wedge F_9}} \text{Cut} \\
\frac{}{- : \Box\Gamma_{11}, \Delta_{14} \vdash (\Delta_{13}, []F_{12}), F_8 \wedge F_9} \rightarrow \\
\frac{\frac{}{- : \text{unbox}(\Box\Gamma_{11}) \vdash F_{12}}{- : \Delta_{14}, \Box\Gamma_{11} \vdash \Delta_{13}, []F_{12}, F_8 \wedge F_9} \text{ax/W} \quad K}{- : \Delta_{14}, \Box\Gamma_{11} \vdash \Delta_{13}, []F_{12}, F_8 \wedge F_9} K
\end{array}$$

- Case rule $A45$

$$\begin{array}{c}
\frac{h_1 : \Box\Gamma_9, \Delta_{13} \vdash F_6, \Box\Gamma_{10}, \Delta_{11}, []F_{12} \quad h_1 : \Box\Gamma_9, \Delta_{13} \vdash F_7, \Box\Gamma_{10}, \Delta_{11}, []F_{12} \quad \wedge_R \quad \frac{h_8 : \Box\Gamma_9 \vdash \Box\Gamma_{10}, F_{12}}{\bullet h_8 : (\Box\Gamma_9, \Delta_{13}), F_6 \wedge F_7 \vdash \Box\Gamma_{10}, \Delta_{11}, []F_{12}} A45}{\bullet h_1 : \Box\Gamma_9, \Delta_{13} \vdash (\Box\Gamma_{10}, \Delta_{11}, []F_{12}), F_6 \wedge F_7} \text{Cut} \\
\frac{}{- : \Box\Gamma_9, \Delta_{13} \vdash \Box\Gamma_{10}, \Delta_{11}, []F_{12}} \rightarrow \\
\frac{\frac{}{- : \Box\Gamma_9 \vdash F_{12}, \Box\Gamma_{10}}{- : \Delta_{13}, \Box\Gamma_9 \vdash \Delta_{11}, \Box\Gamma_{10}, []F_{12}} \text{ax/W} \quad A45}{- : \Delta_{13}, \Box\Gamma_9 \vdash \Delta_{11}, \Box\Gamma_{10}, []F_{12}} A45
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : \Box\Gamma_{15}, \Delta_{11} \vdash \Box F_7, F_8, \Box\Gamma_{12}, \Delta_{14}, \Box F_{13} \quad h_2 : \Box\Gamma_{15}, \Delta_{11} \vdash \Box F_7, F_9, \Box\Gamma_{12}, \Delta_{14}, \Box F_{13}}{\bullet h_2 : \Box\Gamma_{15}, \Delta_{11} \vdash ((\Box\Gamma_{12}, \Delta_{14}, \Box F_{13}), F_8 \wedge F_9), \Box F_7} \wedge_R \quad \frac{h_{10} : \Box\Gamma_{15}, \Box F_7 \vdash \Box F_9}{\bullet h_{10} : (\Box\Gamma_{15}, \Delta_{11}), \Box F_7 \vdash \Box F_9} \wedge_R}{- : \Box\Gamma_{15}, \Delta_{11} \vdash ((\Box\Gamma_{12}, \Delta_{14}, \Box F_{13}), F_8 \wedge F_9)} \rightarrow \\
\frac{h_2 : \Delta_{11}, \Box\Gamma_{15} \vdash \Box F_7, \Delta_{14}, F_8, \Box\Gamma_{12}, \Box F_{13} \quad \frac{h_{10} : \Box F_7, \Box\Gamma_{15} \vdash F_{13}, \Box\Gamma_{12}}{\bullet h_{10} : \Box F_7, \Delta_{11}, \Box\Gamma_{15} \vdash \Delta_{14}, F_8, \Box\Gamma_{12}, \Box F_{13}} \text{ax/W}}{- : \Delta_{11}, \Box\Gamma_{15} \vdash \Delta_{14}, F_8, \Box\Gamma_{12}, \Box F_{13}} \text{ax/W} \quad \frac{h_2 : \Delta_{11}, \Box\Gamma_{15} \vdash \Box F_7, \Delta_{14}, F_9, \Box\Gamma_{12}, \Box F_{13}}{- : \Delta_{11}, \Box\Gamma_{15} \vdash \Delta_{14}, \Box\Gamma_{12}, \Box F_{13}} \text{ax/W}}{- : \Delta_{11}, \Box\Gamma_{15} \vdash \Delta_{14}, \Box\Gamma_{12}, \Box F_{13}, F_8 \wedge F_9} \text{hCut} \quad \frac{h_2 : \Delta_{11}, \Box\Gamma_{15} \vdash \Box F_7, \Delta_{14}, F_9, \Box\Gamma_{12}, \Box F_{13}}{- : \Delta_{11}, \Box\Gamma_{15} \vdash \Delta_{14}, \Box\Gamma_{12}, \Box F_{13}, F_8 \wedge F_9} \text{ax/W}}{- : \Delta_{11}, \Box\Gamma_{15} \vdash \Delta_{14}, \Box\Gamma_{12}, \Box F_{13}, F_8 \wedge F_9} \text{hCut} \\
\frac{h_2 : \Box\Gamma_{11}, \Delta_{15} \vdash F_7, F_8, \Box\Gamma_{12}, \Delta_{14}, \Box F_{13} \quad h_2 : \Box\Gamma_{11}, \Delta_{15} \vdash F_7, F_9, \Box\Gamma_{12}, \Delta_{14}, \Box F_{13}}{\bullet h_2 : \Box\Gamma_{11}, \Delta_{15} \vdash ((\Box\Gamma_{12}, \Delta_{14}, \Box F_{13}), F_8 \wedge F_9), F_7} \wedge_R \quad \frac{h_{10} : \Box\Gamma_{11} \vdash \Box\Gamma_{12}, F_{13}}{\bullet h_{10} : (\Box\Gamma_{11}, \Delta_{15}), F_7 \vdash ((\Box\Gamma_{12}, \Delta_{14}, \Box F_{13}), F_8 \wedge F_9)} \wedge_R}{- : \Box\Gamma_{11}, \Delta_{15} \vdash ((\Box\Gamma_{12}, \Delta_{14}, \Box F_{13}), F_8 \wedge F_9)} \rightarrow \\
\frac{- : \Box\Gamma_{11} \vdash F_{13}, \Box\Gamma_{12}}{- : \Delta_{15}, \Box\Gamma_{11} \vdash \Delta_{14}, \Box\Gamma_{12}, \Box F_{13}, F_8 \wedge F_9} \text{ax/W} \quad \frac{- : \Box\Gamma_{11} \vdash F_{13}, \Box\Gamma_{12}}{- : \Delta_{15}, \Box\Gamma_{11} \vdash \Delta_{14}, \Box\Gamma_{12}, \Box F_{13}, F_8 \wedge F_9} \text{ax/W}}{- : \Delta_{15}, \Box\Gamma_{11} \vdash \Delta_{14}, \Box\Gamma_{12}, \Box F_{13}, F_8 \wedge F_9} \text{A45}
\end{array}$$

• Case rule \rightarrow_L

$$\begin{array}{c}
\frac{h_1 : \Delta_{12}, F_9 \rightarrow F_{10} \vdash F_6, \Delta_{11} \quad h_1 : \Delta_{12}, F_9 \rightarrow F_{10} \vdash F_7, \Delta_{11}}{\bullet h_1 : \Delta_{12}, F_9 \rightarrow F_{10} \vdash \Delta_{11}, F_6 \wedge F_7} \wedge_R \quad \frac{h_8 : \Delta_{12}, F_6 \wedge F_7 \vdash F_9, \Delta_{11} \quad h_8 : F_{10}, \Delta_{12}, F_6 \wedge F_7 \vdash \Delta_{11}}{\bullet h_8 : (\Delta_{12}, F_9 \rightarrow F_{10}), F_6 \wedge F_7 \vdash \Delta_{11}} \wedge_R}{- : \Delta_{12}, F_9 \rightarrow F_{10} \vdash \Delta_{11}} \rightarrow_L \quad \frac{- : \Delta_{12}, F_9 \rightarrow F_{10} \vdash \Delta_{11}}{- : \Delta_{12}, F_9 \rightarrow F_{10} \vdash \Delta_{11}} \text{Cut} \\
\frac{- : \Delta_{12}, F_9 \rightarrow F_{10} \vdash \Delta_{11}, F_6}{- : \Delta_{12}, F_9 \rightarrow F_{10} \vdash \Delta_{11}, F_6} \text{ax/W} \quad \frac{- : \Delta_{12}, F_6, F_9 \rightarrow F_{10} \vdash \Delta_{11}, F_7}{- : \Delta_{12}, F_6, F_9 \rightarrow F_{10} \vdash \Delta_{11}, F_7} \text{ax/W} \quad \frac{- : \Delta_{12}, F_6, F_7 \vdash \Delta_{11}, F_9}{- : \Delta_{12}, F_6, F_7, F_9 \rightarrow F_{10} \vdash \Delta_{11}} \text{inv-th/ax}}{- : \Delta_{12}, F_6, F_7, F_9 \rightarrow F_{10} \vdash \Delta_{11}} \text{sCut} \quad \frac{- : \Delta_{12}, F_6, F_7, F_9 \rightarrow F_{10} \vdash \Delta_{11}}{- : \Delta_{12}, F_6, F_9 \rightarrow F_{10} \vdash \Delta_{11}} \text{sCut} \\
\frac{- : \Delta_{12}, F_9 \rightarrow F_{10} \vdash \Delta_{11}}{- : \Delta_{12}, F_9 \rightarrow F_{10} \vdash \Delta_{11}} \text{sCut} \\
\frac{h_2 : \Delta_{11} \vdash F_{12} \rightarrow F_{13}, F_8, \Delta_7 \quad h_2 : \Delta_{11} \vdash F_{12} \rightarrow F_{13}, F_9, \Delta_7}{\bullet h_2 : \Delta_{11} \vdash (\Delta_7, F_8 \wedge F_9), F_{12} \rightarrow F_{13}} \wedge_R \quad \frac{h_{10} : \Delta_{11} \vdash F_{12}, \Delta_7, F_8 \wedge F_9 \quad h_{10} : F_{13}, \Delta_{11} \vdash \Delta_7, F_8 \wedge F_9}{\bullet h_{10} : \Delta_{11}, F_{12} \rightarrow F_{13} \vdash \Delta_7, F_8 \wedge F_9} \wedge_R}{- : \Delta_{11} \vdash \Delta_7, F_8 \wedge F_9} \rightarrow_L \quad \frac{- : \Delta_{11} \vdash \Delta_7, F_8 \wedge F_9}{- : \Delta_{11} \vdash \Delta_7, F_8 \wedge F_9} \text{Cut} \\
\frac{- : \Delta_{11} \vdash \Delta_7, F_{13}, F_8}{- : \Delta_{11}, F_{12} \vdash \Delta_7, F_{13}, F_8} \text{inv-th/ax} \quad \frac{- : \Delta_{11}, F_{12} \vdash \Delta_7, F_{13}, F_9}{- : \Delta_{11}, F_{12} \vdash \Delta_7, F_{13}, F_8 \wedge F_9} \text{inv-th/ax}}{- : \Delta_{11}, F_{12} \vdash \Delta_7, F_{13}, F_8 \wedge F_9} \wedge_R \quad \frac{- : \Delta_{11}, F_{12}, F_{13} \vdash \Delta_7, F_8 \wedge F_9}{- : \Delta_{11}, F_{12} \vdash \Delta_7, F_8 \wedge F_9} \text{ax/W}}{- : \Delta_{11} \vdash \Delta_7, F_8 \wedge F_9} \text{sCut} \\
\frac{- : \Delta_{11} \vdash \Delta_7, F_{12}, F_8 \wedge F_9}{- : \Delta_{11} \vdash \Delta_7, F_8 \wedge F_9} \text{ax/W} \\
\frac{h_2 : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash F_7, F_9, \Delta_8 \quad h_2 : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash F_7, F_{10}, \Delta_8}{\bullet h_2 : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash (\Delta_8, F_9 \wedge F_{10}), F_7} \wedge_R \quad \frac{h_{11} : F_7, \Delta_{14} \vdash F_{12}, \Delta_8, F_9 \wedge F_{10}}{\bullet h_{11} : (\Delta_{14}, F_{12} \rightarrow F_{13}), F_7 \vdash \Delta_8, F_9 \wedge F_{10}} \wedge_R}{- : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_9 \wedge F_{10}} \rightarrow_L \\
\frac{- : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_9 \wedge F_{10}}{- : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_9 \wedge F_{10}} \text{Cut} \\
\frac{h_2 : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_7, F_9}{- : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_9} \text{ax/W} \quad \frac{h_{11} : \Delta_{14}, F_7 \vdash \Delta_8, F_{12}, F_9}{\bullet h_{11} : \Delta_{14}, F_7, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_9} \text{inv-th/ax}}{- : \Delta_{14}, F_7, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_9} \text{inv-th/ax}}{- : \Delta_{14}, F_7, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_9} \text{hCut} \quad \frac{- : \Delta_{14}, F_7, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_9}{- : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_9} \text{inv-th/ax}}{- : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_9} \text{inv-th/ax}}{- : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_9} \text{hCut} \\
\frac{- : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_9}{- : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_9} \text{hCut} \quad \frac{- : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_9}{- : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_9} \text{hCut}}{- : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_9 \wedge F_{10}} \text{hCut}
\end{array}$$

• Case rule \wedge_L

$$\begin{array}{c}
\frac{h_1 : \Delta_{12}, F_9 \wedge F_{10} \vdash F_6, \Delta_{11} \quad h_1 : \Delta_{12}, F_9 \wedge F_{10} \vdash F_7, \Delta_{11}}{\bullet h_1 : \Delta_{12}, F_9 \wedge F_{10} \vdash \Delta_{11}, F_6 \wedge F_7} \wedge_R \quad \frac{h_8 : F_9, F_{10}, \Delta_{12}, F_6 \wedge F_7 \vdash \Delta_{11}}{\bullet h_8 : (\Delta_{12}, F_9 \wedge F_{10}), F_6 \wedge F_7 \vdash \Delta_{11}} \wedge_R}{- : \Delta_{12}, F_9 \wedge F_{10} \vdash \Delta_{11}} \wedge_L \quad \frac{- : \Delta_{12}, F_9 \wedge F_{10} \vdash \Delta_{11}}{- : \Delta_{12}, F_9 \wedge F_{10} \vdash \Delta_{11}} \text{Cut} \\
\frac{- : \Delta_{12}, F_{10}, F_9 \vdash \Delta_{11}, F_6}{- : \Delta_{12}, F_{10}, F_9 \vdash \Delta_{11}, F_6} \text{inv-th/ax} \quad \frac{h_1 : \Delta_{12}, F_{10}, F_9 \vdash \Delta_{11}, F_7}{- : \Delta_{12}, F_{10}, F_9 \vdash \Delta_{11}, F_6} \text{inv-th/ax}}{- : \Delta_{12}, F_{10}, F_9 \vdash \Delta_{11}, F_6} \wedge_R \quad \frac{- : \Delta_{12}, F_{10}, F_9 \vdash \Delta_{11}, F_6}{- : \Delta_{12}, F_{10}, F_9, F_6 \wedge F_7 \vdash \Delta_{11}} \text{ax/W}}{- : \Delta_{12}, F_{10}, F_9 \vdash \Delta_{11}} \text{hCut} \\
\frac{- : \Delta_{12}, F_{10}, F_9 \vdash \Delta_{11}}{- : \Delta_{12}, F_9 \wedge F_{10} \vdash \Delta_{11}} \wedge_L
\end{array}$$

$$\begin{array}{c}
\frac{h_1 : \Delta_7 \vdash F_8, \Delta_{10} \quad h_1 : \Delta_7 \vdash F_9, \Delta_{10} \quad \wedge_R \quad \frac{h_6 : F_8, F_9, \Delta_7 \vdash \Delta_{10}}{\bullet h_6 : \Delta_7, F_8 \wedge F_9 \vdash \Delta_{10}} \wedge_L}{\frac{- : \Delta_7 \vdash \Delta_{10}}{\bullet h_1 : \Delta_7 \vdash \Delta_{10}, F_8 \wedge F_9} \text{Cut}}{\rightarrow} \\
\frac{- : \Delta_7 \vdash \Delta_{10}, F_8 \quad \text{ax/W} \quad \frac{- : \Delta_7, F_8 \vdash \Delta_{10}, F_9 \quad \text{ax/W} \quad \frac{- : \Delta_7, F_8, F_9 \vdash \Delta_{10}}{\text{sCut}} \text{ax/W}}{- : \Delta_7 \vdash \Delta_{10}} \text{sCut}}{- : \Delta_7 \vdash \Delta_{10}} \\
\frac{h_2 : \Delta_{11} \vdash F_{12} \wedge F_{13}, F_8, \Delta_7 \quad h_2 : \Delta_{11} \vdash F_{12} \wedge F_{13}, F_9, \Delta_7 \quad \wedge_R \quad \frac{h_{10} : F_{12}, F_{13}, \Delta_{11} \vdash \Delta_7, F_8 \wedge F_9}{\bullet h_{10} : \Delta_{11}, F_{12} \wedge F_{13} \vdash \Delta_7, F_8 \wedge F_9} \wedge_L}{\frac{- : \Delta_{11} \vdash \Delta_7, F_8 \wedge F_9}{\bullet h_2 : \Delta_{11} \vdash (\Delta_7, F_8 \wedge F_9), F_{12} \wedge F_{13}} \text{Cut}}{\rightarrow} \\
\frac{h_2 : \Delta_{11} \vdash \Delta_7, F_8, F_{12} \wedge F_{13} \quad \text{ax/W} \quad \frac{h_{10} : \Delta_{11}, F_{12}, F_{13} \vdash \Delta_7, F_8}{\bullet h_{10} : \Delta_{11}, F_{12} \wedge F_{13} \vdash \Delta_7, F_8} \wedge_L \quad \frac{h_{10} : \Delta_{11}, F_{12}, F_{13} \vdash \Delta_7, F_9}{\bullet h_{10} : \Delta_{11}, F_{12} \wedge F_{13} \vdash \Delta_7, F_9} \wedge_L}{\frac{- : \Delta_{11} \vdash \Delta_7, F_8 \quad \text{inv-th/ax} \quad \frac{- : \Delta_{11} \vdash \Delta_7, F_9, F_{12} \wedge F_{13}}{\text{hCut}} \wedge_L \quad \frac{- : \Delta_{11} \vdash \Delta_7, F_9}{\bullet h_{10} : \Delta_{11}, F_{12} \wedge F_{13} \vdash \Delta_7, F_9} \wedge_L}{- : \Delta_{11} \vdash \Delta_7, F_8} \wedge_L} \wedge_R \\
\frac{h_2 : \Delta_{14}, F_{12} \wedge F_{13} \vdash F_7, F_9, \Delta_8 \quad h_2 : \Delta_{14}, F_{12} \wedge F_{13} \vdash F_7, F_{10}, \Delta_8 \quad \wedge_R \quad \frac{h_{11} : F_7, F_{12}, F_{13}, \Delta_{14} \vdash \Delta_8, F_9 \wedge F_{10}}{\bullet h_{11} : (\Delta_{14}, F_{12} \wedge F_{13}), F_7 \vdash \Delta_8, F_9 \wedge F_{10}} \wedge_L}{\frac{- : \Delta_{14}, F_{12} \wedge F_{13} \vdash \Delta_8, F_9 \wedge F_{10}}{\bullet h_2 : \Delta_{14}, F_{12} \wedge F_{13} \vdash (\Delta_8, F_9 \wedge F_{10}), F_7} \text{Cut}}{\rightarrow} \\
\frac{h_2 : \Delta_{14}, F_{12}, F_{13} \vdash \Delta_8, F_7, F_9 \quad \text{inv-th/ax} \quad \frac{h_2 : \Delta_{14}, F_{12}, F_{13} \vdash \Delta_8, F_{10}, F_7}{\bullet h_2 : \Delta_{14}, F_{12}, F_{13} \vdash \Delta_8, F_7, F_9 \wedge F_{10}} \wedge_R \quad \frac{h_{11} : \Delta_{14}, F_{12}, F_{13}, F_7 \vdash \Delta_8, F_9 \wedge F_{10}}{\text{hCut}} \text{ax/W}}{- : \Delta_{14}, F_{12}, F_{13} \vdash \Delta_8, F_9 \wedge F_{10}} \wedge_L} \wedge_L \\
\frac{- : \Delta_{14}, F_{12} \wedge F_{13} \vdash \Delta_8, F_9 \wedge F_{10}}{- : \Delta_{14}, F_{12} \wedge F_{13} \vdash \Delta_8, F_9 \wedge F_{10}}
\end{array}$$

- Case rule \vee_L

$$\begin{array}{c}
\frac{h_1 : \Delta_{12}, F_9 \vee F_{10} \vdash F_6, \Delta_{11} \quad h_1 : \Delta_{12}, F_9 \vee F_{10} \vdash F_7, \Delta_{11} \quad \wedge_R \quad \frac{h_8 : F_9, \Delta_{12}, F_6 \wedge F_7 \vdash \Delta_{11} \quad h_8 : F_{10}, \Delta_{12}, F_6 \wedge F_7 \vdash \Delta_{11}}{\bullet h_8 : (\Delta_{12}, F_9 \vee F_{10}), F_6 \wedge F_7 \vdash \Delta_{11}} \wedge_L}{\frac{- : \Delta_{12}, F_9 \vee F_{10} \vdash \Delta_{11}, F_6 \wedge F_7}{\bullet h_1 : \Delta_{12}, F_9 \vee F_{10} \vdash \Delta_{11}, F_6 \wedge F_7} \text{Cut}}{\rightarrow} \\
\frac{- : \Delta_{12}, F_9 \vee F_{10} \vdash \Delta_{11}, F_6 \quad \text{ax/W} \quad \frac{- : \Delta_{12}, F_6, F_7, F_9 \vdash \Delta_{11}, F_7 \quad \text{ax/W} \quad \frac{- : \Delta_{12}, F_6, F_7, F_9 \vee F_{10} \vdash \Delta_{11}}{\text{sCut}} \text{inv-th/ax}}{- : \Delta_{12}, F_6, F_7, F_9 \vee F_{10} \vdash \Delta_{11}} \text{ax/W}}{- : \Delta_{12}, F_9 \vee F_{10} \vdash \Delta_{11}} \text{sCut} \\
\frac{h_2 : \Delta_{11} \vdash F_{12} \vee F_{13}, F_8, \Delta_7 \quad h_2 : \Delta_{11} \vdash F_{12} \vee F_{13}, F_9, \Delta_7 \quad \wedge_R \quad \frac{h_{10} : F_{12}, \Delta_{11} \vdash \Delta_7, F_8 \wedge F_9 \quad h_{10} : F_{13}, \Delta_{11} \vdash \Delta_7, F_8 \wedge F_9}{\bullet h_{10} : \Delta_{11}, F_{12} \vee F_{13} \vdash \Delta_7, F_8 \wedge F_9} \wedge_L}{\frac{- : \Delta_{11} \vdash \Delta_7, F_{12}, F_{13}, F_8}{\bullet h_2 : \Delta_{11} \vdash (\Delta_7, F_8 \wedge F_9), F_{12} \vee F_{13}} \text{Cut}}{\rightarrow} \\
\frac{- : \Delta_{11} \vdash \Delta_7, F_{12}, F_{13}, F_8 \quad \text{inv-th/ax} \quad \frac{- : \Delta_{11} \vdash \Delta_7, F_{12}, F_{13}, F_9}{\bullet h_2 : \Delta_{11} \vdash (\Delta_7, F_8 \wedge F_9), F_{12} \vee F_{13}} \wedge_R \quad \frac{- : \Delta_{11}, F_{13} \vdash \Delta_7, F_{12}, F_8 \wedge F_9}{\text{sCut}} \text{ax/W}}{- : \Delta_{11} \vdash \Delta_7, F_{12}, F_8 \wedge F_9} \wedge_R} \wedge_L \\
\frac{- : \Delta_{11} \vdash \Delta_7, F_{12}, F_8 \wedge F_9 \quad \text{ax/W} \quad \frac{- : \Delta_{11}, F_{12} \vdash \Delta_7, F_8 \wedge F_9}{\text{sCut}} \text{ax/W}}{- : \Delta_{11} \vdash \Delta_7, F_8 \wedge F_9} \text{ax/W} \\
\frac{h_2 : \Delta_{14}, F_{12} \vee F_{13} \vdash F_7, F_9, \Delta_8 \quad h_2 : \Delta_{14}, F_{12} \vee F_{13} \vdash F_7, F_{10}, \Delta_8 \quad \wedge_R \quad \frac{h_{11} : F_7, F_{12}, \Delta_{14} \vdash \Delta_8, F_9 \wedge F_{10}}{\bullet h_{11} : (\Delta_{14}, F_{12} \vee F_{13}), F_7 \vdash \Delta_8, F_9 \wedge F_{10}} \wedge_L}{\frac{- : \Delta_{14}, F_{12} \vee F_{13} \vdash \Delta_8, F_9 \wedge F_{10}}{\bullet h_2 : \Delta_{14}, F_{12} \vee F_{13} \vdash (\Delta_8, F_9 \wedge F_{10}), F_7} \text{Cut}}{\rightarrow} \\
\frac{h_2 : \Delta_{14}, F_{12} \vee F_{13} \vdash \Delta_8, F_7, F_9 \quad \text{ax/W} \quad \frac{h_{11} : \Delta_{14}, F_{12}, F_7 \vdash \Delta_8, F_9}{\bullet h_{11} : \Delta_{14}, F_7, F_{12} \vee F_{13} \vdash \Delta_8, F_9} \text{inv-th/ax} \quad \frac{h_{11} : \Delta_{14}, F_{13}, F_7 \vdash \Delta_8, F_9}{\text{inv-th/ax}} \wedge_L}{\frac{- : \Delta_{14}, F_{12} \vee F_{13} \vdash \Delta_8, F_9}{\bullet h_2 : \Delta_{14}, F_{12} \vee F_{13} \vdash \Delta_8, F_9} \text{hCut}} \wedge_L} \wedge_L \\
\frac{- : \Delta_{14}, F_{12} \vee F_{13} \vdash \Delta_8, F_9 \quad \text{ax/W} \quad \frac{- : \Delta_{14}, F_{12} \vee F_{13} \vdash \Delta_8, F_{10}}{\text{hCut}} \wedge_L}{- : \Delta_{14}, F_{12} \vee F_{13} \vdash \Delta_8, F_9 \wedge F_{10}} \wedge_L}
\end{array}$$

- Case rule AT

$$\begin{array}{c}
\frac{h_1 : \Delta_{11}, []F_9 \vdash F_6, \Delta_{10} \quad h_1 : \Delta_{11}, []F_9 \vdash F_7, \Delta_{10} \quad \wedge_R \quad \frac{h_8 : F_9, \Delta_{11}, []F_9, F_6 \wedge F_7 \vdash \Delta_{10} \quad AT}{\bullet h_8 : (\Delta_{11}, []F_9), F_6 \wedge F_7 \vdash \Delta_{10}} \quad Cut}{\frac{- : \Delta_{11}, []F_9 \vdash \Delta_{10}}{\rightarrow}} \\
\frac{\frac{\frac{h_1 : \Delta_{11}, F_9, []F_9 \vdash \Delta_{10}, F_6 \wedge F_7 \quad ax/W}{- : \Delta_{11}, F_9, []F_9 \vdash \Delta_{10}} \quad \frac{h_8 : \Delta_{11}, F_9, []F_9, F_6 \wedge F_7 \vdash \Delta_{10} \quad ax/W}{hCut}}{- : \Delta_{11}, F_9, []F_9 \vdash \Delta_{10}} \quad ATG}{- : \Delta_{11}, []F_9 \vdash \Delta_{10}} \\
\frac{\frac{h_2 : \Delta_{11} \vdash []F_{12}, F_8, \Delta_7 \quad h_2 : \Delta_{11} \vdash []F_{12}, F_9, \Delta_7 \quad \wedge_R \quad \frac{h_{10} : F_{12}, \Delta_{11}, []F_{12} \vdash \Delta_7, F_8 \wedge F_9 \quad AT}{\bullet h_{10} : \Delta_{11}, []F_{12} \vdash \Delta_7, F_8 \wedge F_9} \quad AT}{\frac{- : \Delta_{11} \vdash \Delta_7, F_8 \wedge F_9}{\rightarrow}} \quad Cut}{\frac{h_2 : \Delta_{11} \vdash \Delta_7, F_8, []F_{12} \quad ax/W \quad \frac{h_{10} : \Delta_{11}, F_{12}, []F_{12} \vdash \Delta_7, F_8 \quad inv-th/ax}{\bullet h_{10} : \Delta_{11}, []F_{12} \vdash \Delta_7, F_8} \quad AT}{hCut} \quad \frac{h_2 : \Delta_{11} \vdash \Delta_7, F_9, []F_{12} \quad ax/W \quad \frac{h_{10} : \Delta_{11}, F_{12}, []F_{12} \vdash \Delta_7, F_9 \quad inv-th/ax}{\bullet h_{10} : \Delta_{11}, []F_{12} \vdash \Delta_7, F_9} \quad AT}{hCut}}{- : \Delta_{11} \vdash \Delta_7, F_8} \quad \wedge_R} \\
\frac{- : \Delta_{11} \vdash \Delta_7, F_8 \wedge F_9}{} \\
\frac{h_2 : \Delta_{13}, []F_{12} \vdash F_7, F_9, \Delta_8 \quad h_2 : \Delta_{13}, []F_{12} \vdash F_7, F_{10}, \Delta_8 \quad \wedge_R \quad \frac{h_{11} : F_7, F_{12}, \Delta_{13}, []F_{12} \vdash \Delta_8, F_9 \wedge F_{10} \quad AT}{\bullet h_{11} : (\Delta_{13}, []F_{12}), F_7 \vdash \Delta_8, F_9 \wedge F_{10}} \quad AT}{\frac{- : \Delta_{13}, []F_{12} \vdash \Delta_8, F_9 \wedge F_{10}}{\rightarrow}} \quad Cut \\
\frac{\frac{\frac{\bullet h_2 : \Delta_{13}, F_{12}, []F_{12} \vdash \Delta_8, F_7, F_9 \wedge F_{10} \quad ax/W}{- : \Delta_{13}, F_{12}, []F_{12} \vdash \Delta_8, F_9 \wedge F_{10}} \quad \frac{h_{11} : \Delta_{13}, F_{12}, F_7, []F_{12} \vdash \Delta_8, F_9 \wedge F_{10} \quad ax/W}{hCut}}{- : \Delta_{13}, F_{12}, []F_{12} \vdash \Delta_8, F_9 \wedge F_{10}} \quad ATG}{- : \Delta_{13}, []F_{12} \vdash \Delta_8, F_9 \wedge F_{10}}
\end{array}$$

- Case rule \perp_L

$$\begin{array}{c}
\frac{h_1 : \perp, \Delta_{10} \vdash F_6, \Delta_9 \quad h_1 : \perp, \Delta_{10} \vdash F_7, \Delta_9 \quad \wedge_R \quad \frac{\bullet h_8 : (\perp, \Delta_{10}), F_6 \wedge F_7 \vdash \Delta_9 \quad \perp_L}{\bullet h_8 : (\perp, \Delta_{10}), F_6 \wedge F_7 \vdash \Delta_9} \quad Cut}{\frac{- : \perp, \Delta_{10} \vdash \Delta_9}{\rightarrow}} \\
\frac{- : \perp, \Delta_{10} \vdash \Delta_9}{\rightarrow} \quad \perp_L \\
\frac{h_2 : \Delta_{11} \vdash \perp, F_8, \Delta_7 \quad h_2 : \Delta_{11} \vdash \perp, F_9, \Delta_7 \quad \wedge_R \quad \frac{\bullet h_{10} : \Delta_{11}, \perp \vdash \Delta_7, F_8 \wedge F_9 \quad \perp_L}{\bullet h_{10} : \Delta_{11}, \perp \vdash \Delta_7, F_8 \wedge F_9} \quad \perp_L}{\frac{- : \Delta_{11} \vdash \Delta_7, F_8 \wedge F_9}{\rightarrow}} \quad Cut \\
\frac{h_2 : \Delta_{11} \vdash \perp, \Delta_7, F_8 \quad ax/W \quad \frac{\bullet h_{10} : \perp, \Delta_{11} \vdash \Delta_7, F_8 \quad \perp_L}{hCut} \quad \frac{h_2 : \Delta_{11} \vdash \perp, \Delta_7, F_9 \quad ax/W \quad \bullet h_{10} : \perp, \Delta_{11} \vdash \Delta_7, F_9 \quad \perp_L}{hCut}}{- : \Delta_{11} \vdash \Delta_7, F_8} \quad \wedge_R} \\
\frac{- : \Delta_{11} \vdash \Delta_7, F_8 \wedge F_9}{} \\
\frac{h_2 : \perp, \Delta_{12} \vdash F_7, F_9, \Delta_8 \quad h_2 : \perp, \Delta_{12} \vdash F_7, F_{10}, \Delta_8 \quad \wedge_R \quad \frac{\bullet h_{11} : (\perp, \Delta_{12}), F_7 \vdash \Delta_8, F_9 \wedge F_{10} \quad \perp_L}{\bullet h_{11} : (\perp, \Delta_{12}), F_7 \vdash \Delta_8, F_9 \wedge F_{10}} \quad \perp_L}{\frac{- : \perp, \Delta_{12} \vdash \Delta_8, F_9 \wedge F_{10}}{\rightarrow}} \quad Cut \\
\frac{- : \perp, \Delta_{12} \vdash \Delta_8, F_9 \wedge F_{10}}{\rightarrow} \quad \perp_L \\
\frac{- : \perp, \Delta_{12} \vdash \Delta_8, F_9 \wedge F_{10}}{}
\end{array}$$

- Case rule I

$$\begin{array}{c}
\frac{h_1 : \Delta_{11}, p_9 \vdash F_6, \Delta_{10}, p_9 \quad h_1 : \Delta_{11}, p_9 \vdash F_7, \Delta_{10}, p_9 \quad \wedge_R \quad \frac{\bullet h_8 : (\Delta_{11}, p_9), F_6 \wedge F_7 \vdash \Delta_{10}, p_9 \quad I}{\bullet h_8 : (\Delta_{11}, p_9), F_6 \wedge F_7 \vdash \Delta_{10}, p_9} \quad I}{\frac{- : \Delta_{11}, p_9 \vdash \Delta_{10}, p_9}{\rightarrow}} \quad Cut \\
\frac{- : \Delta_{11}, p_9 \vdash \Delta_{10}, p_9}{\rightarrow} \quad I \\
\frac{h_2 : \Delta_{10} \vdash p_{11}, F_7, \Delta_{12}, p_{11} \quad h_2 : \Delta_{10} \vdash p_{11}, F_8, \Delta_{12}, p_{11} \quad \wedge_R \quad \frac{\bullet h_9 : \Delta_{10}, p_{11} \vdash (\Delta_{12}, p_{11}), F_7 \wedge F_8 \quad I}{\bullet h_9 : \Delta_{10}, p_{11} \vdash (\Delta_{12}, p_{11}), F_7 \wedge F_8} \quad I}{\frac{- : \Delta_{10} \vdash (\Delta_{12}, p_{11}), F_7 \wedge F_8}{\rightarrow}} \quad Cut \\
\frac{h_2 : \Delta_{10} \vdash \Delta_{12}, F_7, p_{11}, p_{11} \quad ax/W \quad \frac{\bullet h_9 : \Delta_{10}, p_{11} \vdash \Delta_{12}, F_7, p_{11} \quad I}{hCut} \quad \frac{h_2 : \Delta_{10} \vdash \Delta_{12}, F_8, p_{11}, p_{11} \quad ax/W \quad \bullet h_9 : \Delta_{10}, p_{11} \vdash \Delta_{12}, F_8, p_{11} \quad I}{hCut}}{- : \Delta_{10} \vdash \Delta_{12}, F_7, p_{11}} \quad \wedge_R} \\
\frac{- : \Delta_{10} \vdash \Delta_{12}, F_7, p_{11}}{- : \Delta_{10} \vdash \Delta_{12}, p_{11}, F_7 \wedge F_8}
\end{array}$$

$$\frac{\frac{h_2 : \Delta_{13}, P_{11} \vdash F_7, F_8, \Delta_{12}, P_{11} \quad h_2 : \Delta_{13}, P_{11} \vdash F_7, F_9, \Delta_{12}, P_{11}}{\bullet h_2 : \Delta_{13}, P_{11} \vdash ((\Delta_{12}, P_{11}), F_8 \wedge F_9), F_7} \wedge_R \quad \frac{\bullet h_{10} : (\Delta_{13}, P_{11}), F_7 \vdash (\Delta_{12}, P_{11}), F_8 \wedge F_9}{- : \Delta_{13}, P_{11} \vdash (\Delta_{12}, P_{11}), F_8 \wedge F_9} I \text{ Cut}}{- : \Delta_{13}, P_{11} \vdash (\Delta_{12}, P_{11}), F_8 \wedge F_9} \rightarrow I$$

- Case rule \top_L

$$\frac{\frac{h_1 : \top, \Delta_{10} \vdash F_6, \Delta_9 \quad h_1 : \top, \Delta_{10} \vdash F_7, \Delta_9}{\bullet h_1 : \top, \Delta_{10} \vdash \Delta_9, F_6 \wedge F_7} \wedge_R \quad \frac{h_8 : \Delta_{10}, F_6 \wedge F_7 \vdash \Delta_9}{\bullet h_8 : (\top, \Delta_{10}), F_6 \wedge F_7 \vdash \Delta_9} \top_L \text{ Cut}}{- : \top, \Delta_{10} \vdash \Delta_9} \rightarrow$$

$$\frac{\frac{\bullet h_1 : \top, \Delta_{10} \vdash \Delta_9, F_6 \wedge F_7}{- : \top, \Delta_{10} \vdash \Delta_9} \text{ ax/W} \quad \frac{h_8 : \top, \Delta_{10}, F_6 \wedge F_7 \vdash \Delta_9}{h\text{Cut}} \text{ ax/W}}{- : \top, \Delta_{10} \vdash \Delta_9} \text{ hCut}$$

$$\frac{\frac{h_2 : \Delta_{11} \vdash \top, F_8, \Delta_7 \quad h_2 : \Delta_{11} \vdash \top, F_9, \Delta_7}{\bullet h_2 : \Delta_{11} \vdash (\Delta_7, F_8 \wedge F_9), \top} \wedge_R \quad \frac{h_{10} : \Delta_{11} \vdash \Delta_7, F_8 \wedge F_9}{\bullet h_{10} : \Delta_{11}, \top \vdash \Delta_7, F_8 \wedge F_9} \top_L \text{ Cut}}{- : \Delta_{11} \vdash \Delta_7, F_8 \wedge F_9} \rightarrow$$

$$\frac{- : \Delta_{11} \vdash \Delta_7, F_8 \wedge F_9}{- : \Delta_{11} \vdash \Delta_7, F_8 \wedge F_9} \text{ ax/W}}{- : \Delta_{11} \vdash \Delta_7, F_8 \wedge F_9} \text{ ax/W}$$

$$\frac{\frac{h_2 : \top, \Delta_{12} \vdash F_7, F_9, \Delta_8 \quad h_2 : \top, \Delta_{12} \vdash F_7, F_{10}, \Delta_8}{\bullet h_2 : \top, \Delta_{12} \vdash (\Delta_8, F_9 \wedge F_{10}), F_7} \wedge_R \quad \frac{h_{11} : F_7, \Delta_{12} \vdash \Delta_8, F_9 \wedge F_{10}}{\bullet h_{11} : (\top, \Delta_{12}), F_7 \vdash \Delta_8, F_9 \wedge F_{10}} \top_L \text{ Cut}}{- : \top, \Delta_{12} \vdash \Delta_8, F_9 \wedge F_{10}} \rightarrow$$

$$\frac{\frac{\bullet h_2 : \top, \Delta_{12} \vdash \Delta_8, F_7, F_9 \wedge F_{10}}{- : \top, \Delta_{12} \vdash \Delta_8, F_9 \wedge F_{10}} \text{ ax/W} \quad \frac{h_{11} : \top, \Delta_{12}, F_7 \vdash \Delta_8, F_9 \wedge F_{10}}{h\text{Cut}} \text{ ax/W}}{- : \top, \Delta_{12} \vdash \Delta_8, F_9 \wedge F_{10}} \text{ hCut}$$

6.3 Status of \vee_R : OK

- Case rule \rightarrow_R

$$\frac{\frac{h_1 : \Delta_6 \vdash F_7, F_8, \Delta_{10}, F_{11} \rightarrow F_{12}}{\bullet h_1 : \Delta_6 \vdash (\Delta_{10}, F_{11} \rightarrow F_{12}), F_7 \vee F_8} \vee_R \quad \frac{h_9 : F_{11}, \Delta_6, F_7 \vee F_8 \vdash F_{12}, \Delta_{10}}{\bullet h_9 : \Delta_6, F_7 \vee F_8 \vdash \Delta_{10}, F_{11} \rightarrow F_{12}} \rightarrow_R \text{ Cut}}{- : \Delta_6 \vdash \Delta_{10}, F_{11} \rightarrow F_{12}} \rightarrow$$

$$\frac{\frac{h_1 : \Delta_6, F_{11} \vdash \Delta_{10}, F_{12}, F_7, F_8}{\bullet h_1 : \Delta_6, F_{11} \vdash \Delta_{10}, F_{12}, F_7 \vee F_8} \text{ inv-th/ax} \quad \frac{h_9 : \Delta_6, F_{11}, F_7 \vee F_8 \vdash \Delta_{10}, F_{12}}{h\text{Cut}} \text{ ax/W}}{- : \Delta_6, F_{11} \vdash \Delta_{10}, F_{12}} \rightarrow_R \text{ hCut}$$

$$\frac{- : \Delta_6 \vdash \Delta_{10}, F_{11} \rightarrow F_{12}}{- : \Delta_6 \vdash \Delta_{10}, F_{11} \rightarrow F_{12}} \rightarrow_R$$

$$\frac{\frac{h_2 : \Delta_8 \vdash F_7, F_9, F_{10}, \Delta_{14}, F_{12} \rightarrow F_{13}}{\bullet h_2 : \Delta_8 \vdash ((\Delta_{14}, F_{12} \rightarrow F_{13}), F_9 \vee F_{10}), F_7} \vee_R \quad \frac{h_{11} : F_7, F_{12}, \Delta_8 \vdash F_{13}, \Delta_{14}, F_9 \vee F_{10}}{\bullet h_{11} : \Delta_8, F_7 \vdash (\Delta_{14}, F_{12} \rightarrow F_{13}), F_9 \vee F_{10}} \rightarrow_R \text{ Cut}}{- : \Delta_8 \vdash (\Delta_{14}, F_{12} \rightarrow F_{13}), F_9 \vee F_{10}} \rightarrow$$

$$\frac{\frac{h_2 : \Delta_8, F_{12} \vdash \Delta_{14}, F_{10}, F_{13}, F_7, F_9}{\bullet h_2 : \Delta_8, F_{12} \vdash \Delta_{14}, F_{13}, F_7, F_9 \vee F_{10}} \text{ inv-th/ax} \quad \frac{h_{11} : \Delta_8, F_{12}, F_7 \vdash \Delta_{14}, F_{13}, F_9 \vee F_{10}}{h\text{Cut}} \text{ ax/W}}{- : \Delta_8, F_{12} \vdash \Delta_{14}, F_{13}, F_9 \vee F_{10}} \rightarrow_R \text{ hCut}$$

$$\frac{- : \Delta_8 \vdash \Delta_{14}, F_{12} \rightarrow F_{13}, F_9 \vee F_{10}}{- : \Delta_8 \vdash \Delta_{14}, F_{12} \rightarrow F_{13}, F_9 \vee F_{10}} \rightarrow_R$$

- Case rule \wedge_R

$$\frac{\frac{h_1 : \Delta_6 \vdash F_7, F_8, \Delta_{10}, F_{11} \wedge F_{12}}{\bullet h_1 : \Delta_6 \vdash (\Delta_{10}, F_{11} \wedge F_{12}), F_7 \vee F_8} \vee_R \quad \frac{h_9 : \Delta_6, F_7 \vee F_8 \vdash F_{11}, \Delta_{10} \quad h_9 : \Delta_6, F_7 \vee F_8 \vdash F_{12}, \Delta_{10}}{\bullet h_9 : \Delta_6, F_7 \vee F_8 \vdash \Delta_{10}, F_{11} \wedge F_{12}} \wedge_R \text{ Cut}}{- : \Delta_6 \vdash \Delta_{10}, F_{11} \wedge F_{12}} \rightarrow$$

$$\frac{\frac{h_1 : \Delta_6 \vdash \Delta_{10}, F_{11}, F_7, F_8}{\bullet h_1 : \Delta_6 \vdash \Delta_{10}, F_{11}, F_7 \vee F_8} \text{ inv-th/ax} \quad \frac{h_9 : \Delta_6, F_7 \vee F_8 \vdash \Delta_{10}, F_{11}}{h\text{Cut}} \text{ ax/W} \quad \frac{h_1 : \Delta_6 \vdash \Delta_{10}, F_{12}, F_7, F_8}{\bullet h_1 : \Delta_6 \vdash \Delta_{10}, F_{12}, F_7 \vee F_8} \text{ inv-th/ax} \quad \frac{h_9 : \Delta_6, F_7 \vee F_8 \vdash \Delta_{10}, F_{12}}{h\text{Cut}} \text{ ax/W}}{- : \Delta_6 \vdash \Delta_{10}, F_{11} \quad - : \Delta_6 \vdash \Delta_{10}, F_{12}} \wedge_R$$

$$\frac{- : \Delta_6 \vdash \Delta_{10}, F_{11} \quad - : \Delta_6 \vdash \Delta_{10}, F_{12}}{- : \Delta_6 \vdash \Delta_{10}, F_{11} \wedge F_{12}} \wedge_R$$

$$\begin{array}{c}
\frac{\frac{h_2 : \Delta_8 \vdash F_7, F_9, F_{10}, \Delta_{14}, F_{12} \wedge F_{13}}{\bullet h_2 : \Delta_8 \vdash ((\Delta_{14}, F_{12} \wedge F_{13}), F_9 \vee F_{10}), F_7} \vee_R \quad \frac{h_{11} : F_7, \Delta_8 \vdash F_{12}, \Delta_{14}, F_9 \vee F_{10} \quad h_{11} : F_7, \Delta_8 \vdash F_{13}, \Delta_{14}, F_9 \vee F_{10}}{\bullet h_{11} : \Delta_8, F_7 \vdash (\Delta_{14}, F_{12} \wedge F_{13}), F_9 \vee F_{10}} \wedge_R}{- : \Delta_8 \vdash (\Delta_{14}, F_{12} \wedge F_{13}), F_9 \vee F_{10}} \text{Cut}}{\rightarrow} \\
\frac{\frac{h_2 : \Delta_8 \vdash \Delta_{14}, F_{10}, F_7, F_9, F_{12} \wedge F_{13}}{\bullet h_2 : \Delta_8 \vdash \Delta_{14}, F_{10}, F_9, F_{12} \wedge F_{13}} \text{ax/W} \quad \frac{h_{11} : \Delta_8, F_7 \vdash \Delta_{14}, F_{10}, F_{12}, F_9}{\bullet h_{11} : \Delta_8, F_7 \vdash \Delta_{14}, F_{10}, F_9, F_{12} \wedge F_{13}} \text{inv-th/ax}}{- : \Delta_8 \vdash \Delta_{14}, F_{10}, F_9, F_{12} \wedge F_{13}} \vee_R \quad \frac{h_{11} : \Delta_8, F_7 \vdash \Delta_{14}, F_{10}, F_{13}, F_9}{\bullet h_{11} : \Delta_8, F_7 \vdash \Delta_{14}, F_{10}, F_9, F_{12} \wedge F_{13}} \text{inv-th/ax}}{- : \Delta_8 \vdash \Delta_{14}, F_{12} \wedge F_{13}, F_9 \vee F_{10}} \text{hCut}}{- : \Delta_8 \vdash \Delta_{14}, F_{12} \wedge F_{13}, F_9 \vee F_{10}} \vee_R
\end{array}$$

- Case rule \vee_R

$$\begin{array}{c}
\frac{\frac{h_1 : \Delta_6 \vdash F_7, F_8, \Delta_{10}, F_{11} \vee F_{12}}{\bullet h_1 : \Delta_6 \vdash (\Delta_{10}, F_{11} \vee F_{12}), F_7 \vee F_8} \vee_R \quad \frac{h_9 : \Delta_6, F_7 \vee F_8 \vdash F_{11}, F_{12}, \Delta_{10}}{\bullet h_9 : \Delta_6, F_7 \vee F_8 \vdash \Delta_{10}, F_{11} \vee F_{12}} \vee_R}{- : \Delta_6 \vdash \Delta_{10}, F_{11} \vee F_{12}} \text{Cut}}{\rightarrow} \\
\frac{\frac{h_1 : \Delta_6 \vdash \Delta_{10}, F_{11}, F_{12}, F_7, F_8}{\bullet h_1 : \Delta_6 \vdash \Delta_{10}, F_{11}, F_{12}, F_7 \vee F_8} \text{inv-th/ax} \quad \frac{h_9 : \Delta_6, F_7 \vee F_8 \vdash \Delta_{10}, F_{11}, F_{12}}{\bullet h_9 : \Delta_6, F_7 \vee F_8 \vdash \Delta_{10}, F_{11}, F_{12}} \text{ax/W}}{- : \Delta_6 \vdash \Delta_{10}, F_{11}, F_{12}} \vee_R \quad \frac{h_9 : \Delta_6, F_7 \vee F_8 \vdash \Delta_{10}, F_{11}, F_{12}}{\bullet h_9 : \Delta_6, F_7 \vee F_8 \vdash \Delta_{10}, F_{11}, F_{12}} \text{hCut}}{- : \Delta_6 \vdash \Delta_{10}, F_{11} \vee F_{12}} \vee_R \\
\frac{\frac{h_2 : \Delta_8 \vdash F_7, F_9, F_{10}, \Delta_{14}, F_{12} \vee F_{13}}{\bullet h_2 : \Delta_8 \vdash ((\Delta_{14}, F_{12} \vee F_{13}), F_9 \vee F_{10}), F_7} \vee_R \quad \frac{h_{11} : F_7, \Delta_8 \vdash F_{12}, F_{13}, \Delta_{14}, F_9 \vee F_{10}}{\bullet h_{11} : \Delta_8, F_7 \vdash (\Delta_{14}, F_{12} \vee F_{13}), F_9 \vee F_{10}} \vee_R}{- : \Delta_8 \vdash (\Delta_{14}, F_{12} \vee F_{13}), F_9 \vee F_{10}} \text{Cut}}{\rightarrow} \\
\frac{\frac{h_2 : \Delta_8 \vdash \Delta_{14}, F_{10}, F_{12}, F_{13}, F_7, F_9}{\bullet h_2 : \Delta_8 \vdash \Delta_{14}, F_{12}, F_{13}, F_7, F_9 \vee F_{10}} \text{inv-th/ax} \quad \frac{h_{11} : \Delta_8, F_7 \vdash \Delta_{14}, F_{12}, F_{13}, F_9 \vee F_{10}}{\bullet h_{11} : \Delta_8, F_7 \vdash \Delta_{14}, F_{12}, F_{13}, F_9 \vee F_{10}} \text{ax/W}}{- : \Delta_8 \vdash \Delta_{14}, F_{12}, F_{13}, F_9 \vee F_{10}} \vee_R \quad \frac{h_{11} : \Delta_8, F_7 \vdash \Delta_{14}, F_{12}, F_{13}, F_9 \vee F_{10}}{\bullet h_{11} : \Delta_8, F_7 \vdash \Delta_{14}, F_{12}, F_{13}, F_9 \vee F_{10}} \text{hCut}}{- : \Delta_8 \vdash \Delta_{14}, F_{12} \vee F_{13}, F_9 \vee F_{10}} \vee_R \\
\frac{\frac{h_2 : \Delta_8 \vdash F_7, F_{11}, F_{12}, \Delta_{10}}{\bullet h_2 : \Delta_8 \vdash (\Delta_{10}, F_{11} \vee F_{12}), F_7} \vee_R \quad \frac{h_9 : F_7, \Delta_8 \vdash F_{11}, F_{12}, \Delta_{10}}{\bullet h_9 : \Delta_8, F_7 \vdash \Delta_{10}, F_{11} \vee F_{12}} \vee_R}{- : \Delta_8 \vdash \Delta_{10}, F_{11} \vee F_{12}} \text{Cut}}{\rightarrow} \\
\frac{\frac{h_2 : \Delta_8 \vdash \Delta_{10}, F_{11}, F_{12}, F_7}{\bullet h_2 : \Delta_8 \vdash \Delta_{10}, F_{11}, F_{12}, F_7} \text{ax/W} \quad \frac{h_9 : \Delta_8, F_7 \vdash \Delta_{10}, F_{11}, F_{12}}{\bullet h_9 : \Delta_8, F_7 \vdash \Delta_{10}, F_{11}, F_{12}} \text{H}}{- : \Delta_8 \vdash \Delta_{10}, F_{11}, F_{12}} \vee_R \quad \frac{h_9 : \Delta_8, F_7 \vdash \Delta_{10}, F_{11}, F_{12}}{\bullet h_9 : \Delta_8, F_7 \vdash \Delta_{10}, F_{11}, F_{12}} \text{hCut}}{- : \Delta_8 \vdash \Delta_{10}, F_{11} \vee F_{12}} \vee_R
\end{array}$$

- Case rule \perp_R

$$\begin{array}{c}
\frac{\frac{h_1 : \Delta_6 \vdash F_7, F_8, \perp, \Delta_{10}}{\bullet h_1 : \Delta_6 \vdash (\perp, \Delta_{10}), F_7 \vee F_8} \vee_R \quad \frac{h_9 : \Delta_6, F_7 \vee F_8 \vdash \Delta_{10}}{\bullet h_9 : \Delta_6, F_7 \vee F_8 \vdash \perp, \Delta_{10}} \perp_R}{- : \Delta_6 \vdash \perp, \Delta_{10}} \text{Cut}}{\rightarrow} \\
\frac{\frac{h_1 : \Delta_6 \vdash \perp, \Delta_{10}, F_7 \vee F_8}{\bullet h_1 : \Delta_6 \vdash \perp, \Delta_{10}, F_7 \vee F_8} \text{ax/W} \quad \frac{h_9 : \Delta_6, F_7 \vee F_8 \vdash \perp, \Delta_{10}}{\bullet h_9 : \Delta_6, F_7 \vee F_8 \vdash \perp, \Delta_{10}} \text{ax/W}}{- : \Delta_6 \vdash \perp, \Delta_{10}} \text{hCut}}{\rightarrow} \\
\frac{\frac{h_2 : \Delta_8 \vdash F_7, F_9, F_{10}, \perp, \Delta_{12}}{\bullet h_2 : \Delta_8 \vdash ((\perp, \Delta_{12}), F_9 \vee F_{10}), F_7} \vee_R \quad \frac{h_{11} : F_7, \Delta_8 \vdash \Delta_{12}, F_9 \vee F_{10}}{\bullet h_{11} : \Delta_8, F_7 \vdash (\perp, \Delta_{12}), F_9 \vee F_{10}} \perp_R}{- : \Delta_8 \vdash (\perp, \Delta_{12}), F_9 \vee F_{10}} \text{Cut}}{\rightarrow} \\
\frac{\frac{h_2 : \Delta_8 \vdash \perp, \Delta_{12}, F_7, F_9 \vee F_{10}}{\bullet h_2 : \Delta_8 \vdash \perp, \Delta_{12}, F_7, F_9 \vee F_{10}} \text{ax/W} \quad \frac{h_{11} : \Delta_8, F_7 \vdash \perp, \Delta_{12}, F_9 \vee F_{10}}{\bullet h_{11} : \Delta_8, F_7 \vdash \perp, \Delta_{12}, F_9 \vee F_{10}} \text{ax/W}}{- : \Delta_8 \vdash \perp, \Delta_{12}, F_9 \vee F_{10}} \vee_R \quad \frac{h_{11} : \Delta_8, F_7 \vdash \perp, \Delta_{12}, F_9 \vee F_{10}}{\bullet h_{11} : \Delta_8, F_7 \vdash \perp, \Delta_{12}, F_9 \vee F_{10}} \text{hCut}}{- : \Delta_8 \vdash \perp, \Delta_{12}, F_9 \vee F_{10}} \vee_R
\end{array}$$

- Case rule \top_R

$$\begin{array}{c}
\frac{h_1 : \Delta_6 \vdash F_7, F_8, \top, \Delta_{10}}{\bullet h_1 : \Delta_6 \vdash (\top, \Delta_{10}), F_7 \vee F_8} \vee_R \quad \frac{\bullet h_9 : \Delta_6, F_7 \vee F_8 \vdash \top, \Delta_{10}}{\top_R} \\
\hline
- : \Delta_6 \vdash \top, \Delta_{10} \\
\rightarrow \\
\frac{}{- : \Delta_6 \vdash \top, \Delta_{10}} \top_R \\
\hline
\frac{h_2 : \Delta_8 \vdash F_7, F_9, F_{10}, \top, \Delta_{12}}{\bullet h_2 : \Delta_8 \vdash ((\top, \Delta_{12}), F_9 \vee F_{10}), F_7} \vee_R \quad \frac{\bullet h_{11} : \Delta_8, F_7 \vdash (\top, \Delta_{12}), F_9 \vee F_{10}}{\top_R} \\
\hline
- : \Delta_8 \vdash (\top, \Delta_{12}), F_9 \vee F_{10} \\
\rightarrow \\
\frac{}{- : \Delta_8 \vdash \top, \Delta_{12}, F_9 \vee F_{10}} \top_R
\end{array}$$

• Case rule K

$$\begin{array}{c}
\frac{h_1 : \Box\Gamma_9, \Delta_{12} \vdash F_6, F_7, \Delta_{10}, []F_{11}}{\bullet h_1 : \Box\Gamma_9, \Delta_{12} \vdash (\Delta_{10}, []F_{11}), F_6 \vee F_7} \vee_R \quad \frac{h_8 : \text{unbox}(\Box\Gamma_9) \vdash F_{11}}{\bullet h_8 : (\Box\Gamma_9, \Delta_{12}), F_6 \vee F_7 \vdash \Delta_{10}, []F_{11}} K \\
\hline
- : \Box\Gamma_9, \Delta_{12} \vdash \Delta_{10}, []F_{11} \\
\rightarrow \\
\frac{}{- : \text{unbox}(\Box\Gamma_9) \vdash F_{11}} \text{ax/W} \\
\frac{}{- : \Delta_{12}, \Box\Gamma_9 \vdash \Delta_{10}, []F_{11}} K \\
\hline
\frac{h_2 : \Box\Gamma_{14}, \Delta_{11} \vdash \Box F_7, F_8, F_9, \Delta_{13}, []F_{12}}{\bullet h_2 : \Box\Gamma_{14}, \Delta_{11} \vdash ((\Delta_{13}, []F_{12}), F_8 \vee F_9), \Box F_7} \vee_R \quad \frac{h_{10} : \text{unbox}(\Box\Gamma_{14}), \text{unbox}(\Box F_7) \vdash F_{12}}{\bullet h_{10} : (\Box\Gamma_{14}, \Delta_{11}), \Box F_7 \vdash (\Delta_{13}, []F_{12}), F_8 \vee F_9} K \\
\hline
- : \Box\Gamma_{14}, \Delta_{11} \vdash (\Delta_{13}, []F_{12}), F_8 \vee F_9 \\
\rightarrow \\
\frac{}{- : \text{unbox}(\Box F_7), \text{unbox}(\Box\Gamma_{14}) \vdash F_{12}} \text{ax/W} \\
\frac{}{- : \Delta_{11}, \Box\Gamma_{14} \vdash \Delta_{13}, F_8, F_9, []F_{12}} \text{ax/W} \\
\frac{}{- : \Delta_{11}, \Box\Gamma_{14} \vdash \Delta_{13}, F_8, F_9, []F_{12}} K \\
\frac{}{- : \Delta_{11}, \Box\Gamma_{14} \vdash \Delta_{13}, F_8, F_9, []F_{12}} \text{hCut} \\
\frac{}{- : \Delta_{11}, \Box\Gamma_{14} \vdash \Delta_{13}, F_8, F_9, []F_{12}} \vee_R \\
\frac{}{- : \Delta_{11}, \Box\Gamma_{14} \vdash \Delta_{13}, []F_{12}, F_8 \vee F_9} \\
\hline
\frac{h_2 : \Box\Gamma_{11}, \Delta_{14} \vdash F_7, F_8, F_9, \Delta_{13}, []F_{12}}{\bullet h_2 : \Box\Gamma_{11}, \Delta_{14} \vdash ((\Delta_{13}, []F_{12}), F_8 \vee F_9), F_7} \vee_R \quad \frac{h_{10} : \text{unbox}(\Box\Gamma_{11}) \vdash F_{12}}{\bullet h_{10} : (\Box\Gamma_{11}, \Delta_{14}), F_7 \vdash (\Delta_{13}, []F_{12}), F_8 \vee F_9} K \\
\hline
- : \Box\Gamma_{11}, \Delta_{14} \vdash (\Delta_{13}, []F_{12}), F_8 \vee F_9 \\
\rightarrow \\
\frac{}{- : \text{unbox}(\Box\Gamma_{11}) \vdash F_{12}} \text{ax/W} \\
\frac{}{- : \Delta_{14}, \Box\Gamma_{11} \vdash \Delta_{13}, []F_{12}, F_8 \vee F_9} K
\end{array}$$

• Case rule $A45$

$$\begin{array}{c}
\frac{h_1 : \Box\Gamma_9, \Delta_{13} \vdash F_6, F_7, \Box\Gamma_{10}, \Delta_{11}, []F_{12}}{\bullet h_1 : \Box\Gamma_9, \Delta_{13} \vdash (\Box\Gamma_{10}, \Delta_{11}), F_6 \vee F_7} \vee_R \quad \frac{h_8 : \Box\Gamma_9 \vdash \Box\Gamma_{10}, F_{12}}{\bullet h_8 : (\Box\Gamma_9, \Delta_{13}), F_6 \vee F_7 \vdash \Box\Gamma_{10}, \Delta_{11}, []F_{12}} A45 \\
\hline
- : \Box\Gamma_9, \Delta_{13} \vdash \Box\Gamma_{10}, \Delta_{11}, []F_{12} \\
\rightarrow \\
\frac{}{- : \Box\Gamma_9 \vdash F_{12}, \Box\Gamma_{10}} \text{ax/W} \\
\frac{}{- : \Delta_{13}, \Box\Gamma_9 \vdash \Delta_{11}, \Box\Gamma_{10}, []F_{12}} A45 \\
\hline
\frac{h_2 : \Box\Gamma_{15}, \Delta_{11} \vdash \Box F_7, F_8, F_9, \Box\Gamma_{12}, \Delta_{14}, []F_{13}}{\bullet h_2 : \Box\Gamma_{15}, \Delta_{11} \vdash ((\Box\Gamma_{12}, \Delta_{14}), F_8 \vee F_9), \Box F_7} \vee_R \quad \frac{h_{10} : \Box\Gamma_{15}, \Box F_7 \vdash \Box\Gamma_{12}, F_{13}}{\bullet h_{10} : (\Box\Gamma_{15}, \Delta_{11}), \Box F_7 \vdash (\Box\Gamma_{12}, \Delta_{14}), F_8 \vee F_9} A45 \\
\hline
- : \Box\Gamma_{15}, \Delta_{11} \vdash (\Box\Gamma_{12}, \Delta_{14}), F_8 \vee F_9 \\
\rightarrow \\
\frac{}{- : \Box\Gamma_{15}, \Box F_7 \vdash \Box\Gamma_{12}, F_{13}} \text{ax/W} \\
\frac{}{- : \Delta_{11}, \Box\Gamma_{15} \vdash \Delta_{14}, F_8, F_9, \Box\Gamma_{12}, []F_{13}} \text{ax/W} \\
\frac{}{- : \Delta_{11}, \Box\Gamma_{15} \vdash \Delta_{14}, F_8, F_9, \Box\Gamma_{12}, []F_{13}} A45 \\
\frac{}{- : \Delta_{11}, \Box\Gamma_{15} \vdash \Delta_{14}, F_8, F_9, \Box\Gamma_{12}, []F_{13}} \text{hCut} \\
\frac{}{- : \Delta_{11}, \Box\Gamma_{15} \vdash \Delta_{14}, F_8, F_9, \Box\Gamma_{12}, []F_{13}} \vee_R \\
\frac{}{- : \Delta_{11}, \Box\Gamma_{15} \vdash \Delta_{14}, \Box\Gamma_{12}, []F_{13}, F_8 \vee F_9} \\
\hline
\frac{h_2 : \Box\Gamma_{11}, \Delta_{15} \vdash F_7, F_8, F_9, \Box\Gamma_{12}, \Delta_{14}, []F_{13}}{\bullet h_2 : \Box\Gamma_{11}, \Delta_{15} \vdash ((\Box\Gamma_{12}, \Delta_{14}), F_8 \vee F_9), F_7} \vee_R \quad \frac{h_{10} : \Box\Gamma_{11} \vdash \Box\Gamma_{12}, F_{13}}{\bullet h_{10} : (\Box\Gamma_{11}, \Delta_{15}), F_7 \vdash (\Box\Gamma_{12}, \Delta_{14}), F_8 \vee F_9} A45 \\
\hline
- : \Box\Gamma_{11}, \Delta_{15} \vdash (\Box\Gamma_{12}, \Delta_{14}), F_8 \vee F_9 \\
\rightarrow \\
\frac{}{- : \Box\Gamma_{11} \vdash F_{13}, \Box\Gamma_{12}} \text{ax/W} \\
\frac{}{- : \Delta_{15}, \Box\Gamma_{11} \vdash \Delta_{14}, \Box\Gamma_{12}, []F_{13}, F_8 \vee F_9} A45
\end{array}$$

- Case rule \rightarrow_L

$$\begin{array}{c}
\frac{\frac{h_1 : \Delta_{12}, F_9 \rightarrow F_{10} \vdash F_6, F_7, \Delta_{11}}{\bullet h_1 : \Delta_{12}, F_9 \rightarrow F_{10} \vdash \Delta_{11}, F_6 \vee F_7} \vee_R \quad \frac{h_8 : \Delta_{12}, F_6 \vee F_7 \vdash F_9, \Delta_{11} \quad h_8 : F_{10}, \Delta_{12}, F_6 \vee F_7 \vdash \Delta_{11}}{\bullet h_8 : (\Delta_{12}, F_9 \rightarrow F_{10}), F_6 \vee F_7 \vdash \Delta_{11}} \rightarrow_L}{- : \Delta_{12}, F_9 \rightarrow F_{10} \vdash \Delta_{11}} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_1 : \Delta_{12} \vdash \Delta_{11}, F_6, F_7, F_9}{\bullet h_1 : \Delta_{12} \vdash \Delta_{11}, F_9, F_6 \vee F_7} \vee_R \quad \frac{\frac{h_8 : \Delta_{12}, F_6 \vee F_7 \vdash \Delta_{11}, F_9}{- : \Delta_{12} \vdash \Delta_{11}, F_9} \text{inv-th/ax}}{\bullet h_1 : \Delta_{12}, F_9 \rightarrow F_{10} \vdash \Delta_{11}} \text{ax/W}}{\bullet h_1 : \Delta_{12}, F_9 \rightarrow F_{10} \vdash \Delta_{11}} \text{hCut} \quad \frac{\frac{h_1 : \Delta_{12}, F_{10} \vdash \Delta_{11}, F_6, F_7}{\bullet h_1 : \Delta_{12}, F_{10} \vdash \Delta_{11}, F_6 \vee F_7} \vee_R \quad \frac{h_8 : \Delta_{12}, F_{10}, F_6 \vee F_7 \vdash \Delta_{11}}{- : \Delta_{12}, F_{10} \vdash \Delta_{11}} \text{inv-th/ax}}{\bullet h_1 : \Delta_{12}, F_{10} \vdash \Delta_{11}} \text{hCut} \quad \frac{h_8 : \Delta_{12}, F_{10}, F_6 \vee F_7 \vdash \Delta_{11}}{- : \Delta_{12}, F_{10} \vdash \Delta_{11}} \rightarrow_L}{- : \Delta_{12}, F_9 \rightarrow F_{10} \vdash \Delta_{11}} \text{ax/W} \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_{11} \vdash F_{12} \rightarrow F_{13}, F_8, F_9, \Delta_7}{\bullet h_2 : \Delta_{11} \vdash (\Delta_7, F_8 \vee F_9), F_{12} \rightarrow F_{13}} \vee_R \quad \frac{h_{10} : \Delta_{11} \vdash F_{12}, \Delta_7, F_8 \vee F_9 \quad h_{10} : F_{13}, \Delta_{11} \vdash \Delta_7, F_8 \vee F_9}{\bullet h_{10} : \Delta_{11}, F_{12} \rightarrow F_{13} \vdash \Delta_7, F_8 \vee F_9} \rightarrow_L}{- : \Delta_{11} \vdash \Delta_7, F_8 \vee F_9} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_{11} \vdash \Delta_7, F_8, F_9, F_{12} \rightarrow F_{13}}{- : \Delta_{11} \vdash \Delta_7, F_8, F_9} \text{ax/W} \quad \frac{\frac{h_{10} : \Delta_{11} \vdash \Delta_7, F_{12}, F_8, F_9}{\bullet h_{10} : \Delta_{11}, F_{12} \rightarrow F_{13} \vdash \Delta_7, F_8, F_9} \text{inv-th/ax}}{\bullet h_{10} : \Delta_{11}, F_{12} \rightarrow F_{13} \vdash \Delta_7, F_8, F_9} \text{hCut}}{\bullet h_{10} : \Delta_{11}, F_{12} \rightarrow F_{13} \vdash \Delta_7, F_8, F_9} \text{hCut} \quad \frac{h_{10} : \Delta_{11}, F_{13} \vdash \Delta_7, F_8, F_9}{- : \Delta_{11} \vdash \Delta_7, F_8, F_9} \text{inv-th/ax}}{\bullet h_{10} : \Delta_{11}, F_{12} \rightarrow F_{13} \vdash \Delta_7, F_8, F_9} \rightarrow_L \\
\rightarrow \\
\frac{h_2 : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash F_7, F_9, F_{10}, \Delta_8}{\bullet h_2 : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash (\Delta_8, F_9 \vee F_{10}), F_7} \vee_R \quad \frac{h_{11} : F_7, \Delta_{14} \vdash F_{12}, \Delta_8, F_9 \vee F_{10} \quad h_{11} : F_7, F_{13}, \Delta_{14} \vdash \Delta_8, F_9 \vee F_{10}}{\bullet h_{11} : (\Delta_{14}, F_{12} \rightarrow F_{13}), F_7 \vdash \Delta_8, F_9 \vee F_{10}} \rightarrow_L}{- : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_9 \vee F_{10}} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_{10}, F_7, F_9}{\bullet h_2 : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_{10}, F_7, F_9} \text{ax/W} \quad \frac{\frac{h_{11} : \Delta_{14}, F_7 \vdash \Delta_8, F_{10}, F_{12}, F_9}{\bullet h_{11} : \Delta_{14}, F_7, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_{10}, F_9} \text{inv-th/ax}}{\bullet h_{11} : \Delta_{14}, F_7, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_{10}, F_9} \text{hCut}}{\bullet h_{11} : \Delta_{14}, F_7, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_{10}, F_9} \text{hCut} \quad \frac{h_{11} : \Delta_{14}, F_{13}, F_7 \vdash \Delta_8, F_{10}, F_9}{- : \Delta_{14}, F_{13}, F_7 \vdash \Delta_8, F_{10}, F_9} \text{inv-th/ax}}{\bullet h_{11} : \Delta_{14}, F_7, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_{10}, F_9} \rightarrow_L \\
\rightarrow \\
\frac{- : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_{10}, F_9}{- : \Delta_{14}, F_{12} \rightarrow F_{13} \vdash \Delta_8, F_9 \vee F_{10}} \vee_R
\end{array}$$

- Case rule \wedge_L

$$\begin{array}{c}
\frac{\frac{h_1 : \Delta_{12}, F_9 \wedge F_{10} \vdash F_6, F_7, \Delta_{11}}{\bullet h_1 : \Delta_{12}, F_9 \wedge F_{10} \vdash \Delta_{11}, F_6 \vee F_7} \vee_R \quad \frac{h_8 : F_9, F_{10}, \Delta_{12}, F_6 \vee F_7 \vdash \Delta_{11}}{\bullet h_8 : (\Delta_{12}, F_9 \wedge F_{10}), F_6 \vee F_7 \vdash \Delta_{11}} \wedge_L}{- : \Delta_{12}, F_9 \wedge F_{10} \vdash \Delta_{11}} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_1 : \Delta_{12}, F_{10}, F_9 \vdash \Delta_{11}, F_6, F_7}{\bullet h_1 : \Delta_{12}, F_{10}, F_9 \vdash \Delta_{11}, F_6 \vee F_7} \vee_R \quad \frac{\frac{h_8 : \Delta_{12}, F_{10}, F_9, F_6 \vee F_7 \vdash \Delta_{11}}{- : \Delta_{12}, F_{10}, F_9 \vdash \Delta_{11}} \text{inv-th/ax}}{\bullet h_1 : \Delta_{12}, F_{10}, F_9 \vdash \Delta_{11}} \text{ax/W}}{\bullet h_1 : \Delta_{12}, F_{10}, F_9 \vdash \Delta_{11}} \text{hCut} \quad \frac{h_8 : \Delta_{12}, F_{10}, F_9, F_6 \vee F_7 \vdash \Delta_{11}}{- : \Delta_{12}, F_9 \wedge F_{10} \vdash \Delta_{11}} \wedge_L}{\bullet h_1 : \Delta_{12}, F_{10}, F_9 \vdash \Delta_{11}} \wedge_L \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_{11} \vdash F_{12} \wedge F_{13}, F_8, F_9, \Delta_7}{\bullet h_2 : \Delta_{11} \vdash (\Delta_7, F_8 \vee F_9), F_{12} \wedge F_{13}} \vee_R \quad \frac{h_{10} : F_{12}, F_{13}, \Delta_{11} \vdash \Delta_7, F_8 \vee F_9}{\bullet h_{10} : \Delta_{11}, F_{12} \wedge F_{13} \vdash \Delta_7, F_8 \vee F_9} \wedge_L}{- : \Delta_{11} \vdash \Delta_7, F_8 \vee F_9} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_{11} \vdash \Delta_7, F_8, F_9, F_{12} \wedge F_{13}}{- : \Delta_{11} \vdash \Delta_7, F_8, F_9} \text{ax/W} \quad \frac{\frac{h_{10} : \Delta_{11}, F_{12}, F_{13} \vdash \Delta_7, F_8, F_9}{\bullet h_{10} : \Delta_{11}, F_{12} \wedge F_{13} \vdash \Delta_7, F_8, F_9} \text{inv-th/ax}}{\bullet h_{10} : \Delta_{11}, F_{12} \wedge F_{13} \vdash \Delta_7, F_8, F_9} \text{hCut}}{\bullet h_{10} : \Delta_{11}, F_{12} \wedge F_{13} \vdash \Delta_7, F_8, F_9} \text{hCut} \quad \frac{h_{10} : \Delta_{11}, F_{12}, F_{13} \vdash \Delta_7, F_8, F_9}{- : \Delta_{11} \vdash \Delta_7, F_8, F_9} \wedge_L}{\bullet h_{10} : \Delta_{11}, F_{12} \wedge F_{13} \vdash \Delta_7, F_8, F_9} \wedge_L \\
\rightarrow \\
\frac{- : \Delta_{11} \vdash \Delta_7, F_8, F_9}{- : \Delta_{11} \vdash \Delta_7, F_8 \vee F_9} \vee_R \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_{14}, F_{12} \wedge F_{13} \vdash F_7, F_9, F_{10}, \Delta_8}{\bullet h_2 : \Delta_{14}, F_{12} \wedge F_{13} \vdash (\Delta_8, F_9 \vee F_{10}), F_7} \vee_R \quad \frac{h_{11} : F_7, F_{12}, F_{13}, \Delta_{14} \vdash \Delta_8, F_9 \vee F_{10}}{\bullet h_{11} : (\Delta_{14}, F_{12} \wedge F_{13}), F_7 \vdash \Delta_8, F_9 \vee F_{10}} \wedge_L}{- : \Delta_{14}, F_{12} \wedge F_{13} \vdash \Delta_8, F_9 \vee F_{10}} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_{14}, F_{12} \wedge F_{13} \vdash \Delta_8, F_{10}, F_7, F_9}{\bullet h_2 : \Delta_{14}, F_{12} \wedge F_{13} \vdash \Delta_8, F_{10}, F_7, F_9} \text{ax/W} \quad \frac{\frac{h_{11} : \Delta_{14}, F_{12}, F_{13}, F_7 \vdash \Delta_8, F_{10}, F_9}{\bullet h_{11} : \Delta_{14}, F_7, F_{12} \wedge F_{13} \vdash \Delta_8, F_{10}, F_9} \text{inv-th/ax}}{\bullet h_{11} : \Delta_{14}, F_7, F_{12} \wedge F_{13} \vdash \Delta_8, F_{10}, F_9} \text{hCut}}{\bullet h_{11} : \Delta_{14}, F_7, F_{12} \wedge F_{13} \vdash \Delta_8, F_{10}, F_9} \text{hCut} \quad \frac{h_{11} : \Delta_{14}, F_{12}, F_{13}, F_7 \vdash \Delta_8, F_{10}, F_9}{- : \Delta_{14}, F_{12} \wedge F_{13} \vdash \Delta_8, F_{10}, F_9} \wedge_L}{\bullet h_{11} : \Delta_{14}, F_7, F_{12} \wedge F_{13} \vdash \Delta_8, F_{10}, F_9} \wedge_L \\
\rightarrow \\
\frac{- : \Delta_{14}, F_{12} \wedge F_{13} \vdash \Delta_8, F_{10}, F_9}{- : \Delta_{14}, F_{12} \wedge F_{13} \vdash \Delta_8, F_9 \vee F_{10}} \vee_R
\end{array}$$

- Case rule \vee_L

$$\begin{array}{c}
\frac{\frac{h_1 : \Delta_{12}, F_9 \vee F_{10} \vdash F_6, F_7, \Delta_{11}}{\bullet h_1 : \Delta_{12}, F_9 \vee F_{10} \vdash \Delta_{11}, F_6 \vee F_7} \vee_R \quad \frac{h_8 : F_9, \Delta_{12}, F_6 \vee F_7 \vdash \Delta_{11} \quad h_8 : F_{10}, \Delta_{12}, F_6 \vee F_7 \vdash \Delta_{11}}{\bullet h_8 : (\Delta_{12}, F_9 \vee F_{10}), F_6 \vee F_7 \vdash \Delta_{11}} \vee_L}{- : \Delta_{12}, F_9 \vee F_{10} \vdash \Delta_{11}} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_1 : \Delta_{12}, F_9 \vdash \Delta_{11}, F_6, F_7}{\bullet h_1 : \Delta_{12}, F_9 \vdash \Delta_{11}, F_6 \vee F_7} \text{inv-th/ax} \vee_R \quad \frac{h_8 : \Delta_{12}, F_9, F_6 \vee F_7 \vdash \Delta_{11}}{\bullet h_8 : (\Delta_{12}, F_9 \vee F_{10}), F_6 \vee F_7 \vdash \Delta_{11}} \text{ax/W} \text{hCut}}{- : \Delta_{12}, F_9 \vdash \Delta_{11}} \vee_R \quad \frac{\frac{h_1 : \Delta_{12}, F_{10} \vdash \Delta_{11}, F_6, F_7}{\bullet h_1 : \Delta_{12}, F_{10} \vdash \Delta_{11}, F_6 \vee F_7} \text{inv-th/ax} \vee_R \quad \frac{h_8 : \Delta_{12}, F_{10}, F_6 \vee F_7 \vdash \Delta_{11}}{\bullet h_8 : (\Delta_{12}, F_9 \vee F_{10}), F_6 \vee F_7 \vdash \Delta_{11}} \text{ax/W} \text{hCut}}{- : \Delta_{12}, F_{10} \vdash \Delta_{11}} \vee_L}{- : \Delta_{12}, F_9 \vee F_{10} \vdash \Delta_{11}} \vee_L \\
\\
\frac{\frac{h_1 : \Delta_7 \vdash F_8, F_9, \Delta_{10}}{\bullet h_1 : \Delta_7 \vdash \Delta_{10}, F_8 \vee F_9} \vee_R \quad \frac{h_6 : F_8, \Delta_7 \vdash \Delta_{10} \quad h_6 : F_9, \Delta_7 \vdash \Delta_{10}}{\bullet h_6 : \Delta_7, F_8 \vee F_9 \vdash \Delta_{10}} \vee_L}{- : \Delta_7 \vdash \Delta_{10}} \text{Cut} \\
\rightarrow \\
\frac{- : \Delta_7 \vdash \Delta_{10}, F_8, F_9}{- : \Delta_7 \vdash \Delta_{10}, F_8} \text{ax/W} \quad \frac{- : \Delta_7, F_9 \vdash \Delta_{10}, F_8}{- : \Delta_7, F_9 \vdash \Delta_{10}} \text{ax/W} \text{sCut} \quad \frac{- : \Delta_7, F_8 \vdash \Delta_{10}}{- : \Delta_7, F_8 \vdash \Delta_{10}} \text{ax/W} \text{sCut}}{- : \Delta_7 \vdash \Delta_{10}} \text{sCut} \\
\\
\frac{\frac{h_2 : \Delta_{11} \vdash F_{12} \vee F_{13}, F_8, F_9, \Delta_7}{\bullet h_2 : \Delta_{11} \vdash (\Delta_7, F_8 \vee F_9), F_{12} \vee F_{13}} \vee_R \quad \frac{h_{10} : F_{12}, \Delta_{11} \vdash \Delta_7, F_8 \vee F_9 \quad h_{10} : F_{13}, \Delta_{11} \vdash \Delta_7, F_8 \vee F_9}{\bullet h_{10} : \Delta_{11}, F_{12} \vee F_{13} \vdash \Delta_7, F_8 \vee F_9} \vee_L}{- : \Delta_{11} \vdash \Delta_7, F_8 \vee F_9} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_{11} \vdash \Delta_7, F_8, F_9, F_{12} \vee F_{13}}{\bullet h_2 : \Delta_{11} \vdash \Delta_7, F_8, F_9, F_{12} \vee F_{13}} \text{ax/W} \quad \frac{h_{10} : \Delta_{11}, F_{12} \vdash \Delta_7, F_8, F_9}{\bullet h_{10} : \Delta_{11}, F_{12} \vee F_{13} \vdash \Delta_7, F_8, F_9} \text{inv-th/ax} \vee_L \quad \frac{h_{10} : \Delta_{11}, F_{13} \vdash \Delta_7, F_8, F_9}{\bullet h_{10} : \Delta_{11}, F_{12} \vee F_{13} \vdash \Delta_7, F_8, F_9} \text{inv-th/ax} \vee_L}{- : \Delta_{11} \vdash \Delta_7, F_8, F_9} \text{hCut}}{- : \Delta_{11} \vdash \Delta_7, F_8 \vee F_9} \vee_R \\
\\
\frac{\frac{h_2 : \Delta_{14}, F_{12} \vee F_{13} \vdash F_7, F_9, F_{10}, \Delta_8}{\bullet h_2 : \Delta_{14}, F_{12} \vee F_{13} \vdash (\Delta_8, F_9 \vee F_{10}), F_7} \vee_R \quad \frac{h_{11} : F_7, F_{12}, \Delta_{14} \vdash \Delta_8, F_9 \vee F_{10} \quad h_{11} : F_7, F_{13}, \Delta_{14} \vdash \Delta_8, F_9 \vee F_{10}}{\bullet h_{11} : (\Delta_{14}, F_{12} \vee F_{13}), F_7 \vdash \Delta_8, F_9 \vee F_{10}} \vee_L}{- : \Delta_{14}, F_{12} \vee F_{13} \vdash \Delta_8, F_9 \vee F_{10}} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_{14}, F_{12} \vee F_{13} \vdash \Delta_8, F_{10}, F_7, F_9}{\bullet h_2 : \Delta_{14}, F_{12} \vee F_{13} \vdash \Delta_8, F_{10}, F_7, F_9} \text{ax/W} \quad \frac{h_{11} : \Delta_{14}, F_{12}, F_7 \vdash \Delta_8, F_{10}, F_9}{\bullet h_{11} : \Delta_{14}, F_7, F_{12} \vee F_{13} \vdash \Delta_8, F_{10}, F_9} \text{inv-th/ax} \vee_L \quad \frac{h_{11} : \Delta_{14}, F_{13}, F_7 \vdash \Delta_8, F_{10}, F_9}{\bullet h_{11} : \Delta_{14}, F_{12} \vee F_{13} \vdash \Delta_8, F_{10}, F_9} \text{inv-th/ax} \vee_L}{- : \Delta_{14}, F_{12} \vee F_{13} \vdash \Delta_8, F_{10}, F_9} \text{hCut}}{- : \Delta_{14}, F_{12} \vee F_{13} \vdash \Delta_8, F_9 \vee F_{10}} \vee_R
\end{array}$$

• Case rule *AT*

$$\begin{array}{c}
\frac{\frac{h_1 : \Delta_{11}, []F_9 \vdash F_6, F_7, \Delta_{10}}{\bullet h_1 : \Delta_{11}, []F_9 \vdash \Delta_{10}, F_6 \vee F_7} \vee_R \quad \frac{h_8 : F_9, \Delta_{11}, []F_9, F_6 \vee F_7 \vdash \Delta_{10}}{\bullet h_8 : (\Delta_{11}, []F_9), F_6 \vee F_7 \vdash \Delta_{10}} \text{AT}}{- : \Delta_{11}, []F_9 \vdash \Delta_{10}} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_1 : \Delta_{11}, F_9, []F_9 \vdash \Delta_{10}, F_6 \vee F_7}{\bullet h_1 : \Delta_{11}, F_9, []F_9 \vdash \Delta_{10}, F_6 \vee F_7} \text{ax/W} \quad \frac{h_8 : \Delta_{11}, F_9, []F_9, F_6 \vee F_7 \vdash \Delta_{10}}{\bullet h_8 : (\Delta_{11}, F_9), F_6 \vee F_7 \vdash \Delta_{10}} \text{AT}}{- : \Delta_{11}, F_9, []F_9 \vdash \Delta_{10}} \text{hCut}}{- : \Delta_{11}, F_9, []F_9 \vdash \Delta_{10}} \text{ATG} \\
\\
\frac{\frac{h_2 : \Delta_{11} \vdash []F_{12}, F_8, F_9, \Delta_7}{\bullet h_2 : \Delta_{11} \vdash (\Delta_7, F_8 \vee F_9), []F_{12}} \vee_R \quad \frac{h_{10} : F_{12}, \Delta_{11}, []F_{12} \vdash \Delta_7, F_8 \vee F_9}{\bullet h_{10} : \Delta_{11}, []F_{12} \vdash \Delta_7, F_8 \vee F_9} \text{AT}}{- : \Delta_{11} \vdash \Delta_7, F_8 \vee F_9} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_{11} \vdash \Delta_7, F_8, F_9, []F_{12}}{\bullet h_2 : \Delta_{11} \vdash \Delta_7, F_8, F_9, []F_{12}} \text{ax/W} \quad \frac{h_{10} : \Delta_{11}, F_{12}, []F_{12} \vdash \Delta_7, F_8, F_9}{\bullet h_{10} : \Delta_{11}, []F_{12} \vdash \Delta_7, F_8, F_9} \text{inv-th/ax} \text{AT}}{- : \Delta_{11} \vdash \Delta_7, F_8, F_9} \text{hCut}}{- : \Delta_{11} \vdash \Delta_7, F_8 \vee F_9} \vee_R \\
\\
\frac{\frac{h_2 : \Delta_{13}, []F_{12} \vdash F_7, F_9, F_{10}, \Delta_8}{\bullet h_2 : \Delta_{13}, []F_{12} \vdash (\Delta_8, F_9 \vee F_{10}), F_7} \vee_R \quad \frac{h_{11} : F_7, F_{12}, \Delta_{13}, []F_{12} \vdash \Delta_8, F_9 \vee F_{10}}{\bullet h_{11} : (\Delta_{13}, []F_{12}), F_7 \vdash \Delta_8, F_9 \vee F_{10}} \text{AT}}{- : \Delta_{13}, []F_{12} \vdash \Delta_8, F_9 \vee F_{10}} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_{13}, F_{12}, []F_{12} \vdash \Delta_8, F_7, F_9 \vee F_{10}}{\bullet h_2 : \Delta_{13}, F_{12}, []F_{12} \vdash \Delta_8, F_7, F_9 \vee F_{10}} \text{ax/W} \quad \frac{h_{11} : \Delta_{13}, F_{12}, F_7, []F_{12} \vdash \Delta_8, F_9 \vee F_{10}}{\bullet h_{11} : (\Delta_{13}, F_{12}), F_7, []F_{12} \vdash \Delta_8, F_9 \vee F_{10}} \text{AT}}{- : \Delta_{13}, F_{12}, []F_{12} \vdash \Delta_8, F_9 \vee F_{10}} \text{hCut}}{- : \Delta_{13}, F_{12}, []F_{12} \vdash \Delta_8, F_9 \vee F_{10}} \text{AT}
\end{array}$$

- Case rule \perp_L

$$\begin{array}{c}
\frac{\frac{h_1 : \perp, \Delta_{10} \vdash F_6, F_7, \Delta_9}{\bullet h_1 : \perp, \Delta_{10} \vdash \Delta_9, F_6 \vee F_7} \vee_R \quad \frac{}{\bullet h_8 : (\perp, \Delta_{10}), F_6 \vee F_7 \vdash \Delta_9} \perp_L}{\frac{}{- : \perp, \Delta_{10} \vdash \Delta_9} \text{Cut}}{\rightarrow} \perp_L \\
\frac{}{- : \perp, \Delta_{10} \vdash \Delta_9} \perp_L \\
\frac{}{- : \perp, \Delta_{10} \vdash \Delta_9} \perp_L \\
\frac{\frac{h_2 : \Delta_{11} \vdash \perp, F_8, F_9, \Delta_7}{\bullet h_2 : \Delta_{11} \vdash (\Delta_7, F_8 \vee F_9), \perp} \vee_R \quad \frac{}{\bullet h_{10} : \Delta_{11}, \perp \vdash \Delta_7, F_8 \vee F_9} \perp_L}{\frac{}{- : \Delta_{11} \vdash \Delta_7, F_8 \vee F_9} \text{Cut}}{\rightarrow} \perp_L \\
\frac{\frac{h_2 : \Delta_{11} \vdash \perp, \Delta_7, F_8, F_9}{\bullet h_2 : \Delta_{11} \vdash \perp, \Delta_7, F_8, F_9} \text{ax/W} \quad \frac{}{\bullet h_{10} : \perp, \Delta_{11} \vdash \Delta_7, F_8, F_9} \perp_L}{\frac{}{- : \Delta_{11} \vdash \Delta_7, F_8, F_9} \text{hCut}}{\rightarrow} \perp_L \\
\frac{}{- : \Delta_{11} \vdash \Delta_7, F_8 \vee F_9} \vee_R \\
\frac{}{- : \Delta_{11} \vdash \Delta_7, F_8 \vee F_9} \vee_R \\
\frac{\frac{h_2 : \perp, \Delta_{12} \vdash F_7, F_9, F_{10}, \Delta_8}{\bullet h_2 : \perp, \Delta_{12} \vdash (\Delta_8, F_9 \vee F_{10}), F_7} \vee_R \quad \frac{}{\bullet h_{11} : (\perp, \Delta_{12}), F_7 \vdash \Delta_8, F_9 \vee F_{10}} \perp_L}{\frac{}{- : \perp, \Delta_{12} \vdash \Delta_8, F_9 \vee F_{10}} \text{Cut}}{\rightarrow} \perp_L \\
\frac{}{- : \perp, \Delta_{12} \vdash \Delta_8, F_9 \vee F_{10}} \perp_L \\
\frac{}{- : \perp, \Delta_{12} \vdash \Delta_8, F_9 \vee F_{10}} \perp_L
\end{array}$$

- Case rule I

$$\begin{array}{c}
\frac{\frac{h_1 : \Delta_{11}, p_9 \vdash F_6, F_7, \Delta_{10}, p_9}{\bullet h_1 : \Delta_{11}, p_9 \vdash (\Delta_{10}, p_9), F_6 \vee F_7} \vee_R \quad \frac{}{\bullet h_8 : (\Delta_{11}, p_9), F_6 \vee F_7 \vdash \Delta_{10}, p_9} I}{\frac{}{- : \Delta_{11}, p_9 \vdash \Delta_{10}, p_9} \text{Cut}}{\rightarrow} I \\
\frac{}{- : \Delta_{11}, p_9 \vdash \Delta_{10}, p_9} I \\
\frac{\frac{h_2 : \Delta_{10} \vdash p_{11}, F_7, F_8, \Delta_{12}, p_{11}}{\bullet h_2 : \Delta_{10} \vdash ((\Delta_{12}, p_{11}), F_7 \vee F_8), p_{11}} \vee_R \quad \frac{}{\bullet h_9 : \Delta_{10}, p_{11} \vdash (\Delta_{12}, p_{11}), F_7 \vee F_8} I}{\frac{}{- : \Delta_{10} \vdash (\Delta_{12}, p_{11}), F_7 \vee F_8} \text{Cut}}{\rightarrow} I \\
\frac{\frac{h_2 : \Delta_{10} \vdash \Delta_{12}, F_7, F_8, p_{11}, p_{11}}{\bullet h_2 : \Delta_{10} \vdash \Delta_{12}, F_7, F_8, p_{11}, p_{11}} \text{ax/W} \quad \frac{}{\bullet h_9 : \Delta_{10}, p_{11} \vdash \Delta_{12}, F_7, F_8, p_{11}} I}{\frac{}{- : \Delta_{10} \vdash \Delta_{12}, F_7, F_8, p_{11}} \text{hCut}}{\rightarrow} I \\
\frac{}{- : \Delta_{10} \vdash \Delta_{12}, F_7, F_8, p_{11}} \vee_R \\
\frac{}{- : \Delta_{10} \vdash \Delta_{12}, p_{11}, F_7 \vee F_8} \vee_R \\
\frac{\frac{h_2 : \Delta_{13}, p_{11} \vdash F_7, F_8, F_9, \Delta_{12}, p_{11}}{\bullet h_2 : \Delta_{13}, p_{11} \vdash ((\Delta_{12}, p_{11}), F_8 \vee F_9), F_7} \vee_R \quad \frac{}{\bullet h_{10} : (\Delta_{13}, p_{11}), F_7 \vdash (\Delta_{12}, p_{11}), F_8 \vee F_9} I}{\frac{}{- : \Delta_{13}, p_{11} \vdash (\Delta_{12}, p_{11}), F_8 \vee F_9} \text{Cut}}{\rightarrow} I \\
\frac{}{- : \Delta_{13}, p_{11} \vdash (\Delta_{12}, p_{11}), F_8 \vee F_9} I \\
\frac{}{- : \Delta_{13}, p_{11} \vdash \Delta_{12}, p_{11}, F_8 \vee F_9} I
\end{array}$$

- Case rule \top_L

$$\begin{array}{c}
\frac{\frac{h_1 : \top, \Delta_{10} \vdash F_6, F_7, \Delta_9}{\bullet h_1 : \top, \Delta_{10} \vdash \Delta_9, F_6 \vee F_7} \vee_R \quad \frac{h_8 : \Delta_{10}, F_6 \vee F_7 \vdash \Delta_9}{\bullet h_8 : (\top, \Delta_{10}), F_6 \vee F_7 \vdash \Delta_9} \top_L}{\frac{}{- : \top, \Delta_{10} \vdash \Delta_9} \text{Cut}}{\rightarrow} \top_L \\
\frac{\frac{h_1 : \top, \Delta_{10} \vdash \Delta_9, F_6 \vee F_7}{\bullet h_1 : \top, \Delta_{10} \vdash \Delta_9, F_6 \vee F_7} \text{ax/W} \quad \frac{h_8 : \top, \Delta_{10}, F_6 \vee F_7 \vdash \Delta_9}{\bullet h_8 : \top, \Delta_{10}, F_6 \vee F_7 \vdash \Delta_9} \text{ax/W}}{\frac{}{- : \top, \Delta_{10} \vdash \Delta_9} \text{hCut}}{\rightarrow} \top_L \\
\frac{}{- : \top, \Delta_{10} \vdash \Delta_9} \top_L \\
\frac{\frac{h_2 : \Delta_{11} \vdash \top, F_8, F_9, \Delta_7}{\bullet h_2 : \Delta_{11} \vdash (\Delta_7, F_8 \vee F_9), \top} \vee_R \quad \frac{h_{10} : \Delta_{11} \vdash \Delta_7, F_8 \vee F_9}{\bullet h_{10} : \Delta_{11}, \top \vdash \Delta_7, F_8 \vee F_9} \top_L}{\frac{}{- : \Delta_{11} \vdash \Delta_7, F_8 \vee F_9} \text{Cut}}{\rightarrow} \top_L \\
\frac{}{- : \Delta_{11} \vdash \Delta_7, F_8 \vee F_9} \top_L \\
\frac{}{- : \Delta_{11} \vdash \Delta_7, F_8 \vee F_9} \text{ax/W}
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : \top, \Delta_{12} \vdash F_7, F_9, F_{10}, \Delta_8}{\bullet h_2 : \top, \Delta_{12} \vdash (\Delta_8, F_9 \vee F_{10}), F_7} \vee_R \quad \frac{h_{11} : F_7, \Delta_{12} \vdash \Delta_8, F_9 \vee F_{10}}{\bullet h_{11} : (\top, \Delta_{12}), F_7 \vdash \Delta_8, F_9 \vee F_{10}} \top_L \\
\hline
- : \top, \Delta_{12} \vdash \Delta_8, F_9 \vee F_{10} \\
\rightarrow \\
\frac{\bullet h_2 : \top, \Delta_{12} \vdash \Delta_8, F_7, F_9 \vee F_{10} \quad \text{ax/W} \quad \frac{h_{11} : \top, \Delta_{12}, F_7 \vdash \Delta_8, F_9 \vee F_{10}}{\bullet h_{11} : (\top, \Delta_{12}), F_7 \vdash \Delta_8, F_9 \vee F_{10}} \text{ax/W}}{- : \top, \Delta_{12} \vdash \Delta_8, F_9 \vee F_{10}} \text{hCut}
\end{array}$$

6.4 Status of \perp_R : OK

- Case rule \rightarrow_R

$$\begin{array}{c}
\frac{h_1 : \Delta_4 \vdash \Delta_6, F_7 \rightarrow F_8}{\bullet h_1 : \Delta_4 \vdash (\Delta_6, F_7 \rightarrow F_8), \perp} \perp_R \quad \frac{h_5 : \perp, F_7, \Delta_4 \vdash F_8, \Delta_6}{\bullet h_5 : \Delta_4, \perp \vdash \Delta_6, F_7 \rightarrow F_8} \rightarrow_R \\
\hline
- : \Delta_4 \vdash \Delta_6, F_7 \rightarrow F_8 \\
\rightarrow \\
\frac{- : \Delta_4 \vdash \Delta_6, F_7 \rightarrow F_8 \quad \text{ax/W}}{- : \Delta_4 \vdash \Delta_6, F_7 \rightarrow F_8} \text{ax/W} \\
\hline
\frac{h_2 : \Delta_6 \vdash F_5, \Delta_{10}, F_8 \rightarrow F_9}{\bullet h_2 : \Delta_6 \vdash (\perp, \Delta_{10}, F_8 \rightarrow F_9), F_5} \perp_R \quad \frac{h_7 : F_5, F_8, \Delta_6 \vdash \perp, F_9, \Delta_{10}}{\bullet h_7 : \Delta_6, F_5 \vdash \perp, \Delta_{10}, F_8 \rightarrow F_9} \rightarrow_R \\
\hline
- : \Delta_6 \vdash \perp, \Delta_{10}, F_8 \rightarrow F_9 \\
\rightarrow \\
\frac{h_2 : \Delta_6 \vdash \perp, \Delta_{10}, F_5, F_8 \rightarrow F_9 \quad \text{ax/W} \quad \frac{h_7 : F_5, F_8, \Delta_6 \vdash \perp, F_9, \Delta_{10}}{\bullet h_7 : \Delta_6, F_5 \vdash \perp, \Delta_{10}, F_8 \rightarrow F_9} \text{ax/W}}{- : \Delta_6 \vdash \perp, \Delta_{10}, F_8 \rightarrow F_9} \text{hCut}
\end{array}$$

- Case rule \wedge_R

$$\begin{array}{c}
\frac{h_1 : \Delta_4 \vdash \Delta_6, F_7 \wedge F_8}{\bullet h_1 : \Delta_4 \vdash (\Delta_6, F_7 \wedge F_8), \perp} \perp_R \quad \frac{h_5 : \perp, \Delta_4 \vdash F_7, \Delta_6 \quad h_5 : \perp, \Delta_4 \vdash F_8, \Delta_6}{\bullet h_5 : \Delta_4, \perp \vdash \Delta_6, F_7 \wedge F_8} \wedge_R \\
\hline
- : \Delta_4 \vdash \Delta_6, F_7 \wedge F_8 \\
\rightarrow \\
\frac{- : \Delta_4 \vdash \Delta_6, F_7 \wedge F_8 \quad \text{ax/W}}{- : \Delta_4 \vdash \Delta_6, F_7 \wedge F_8} \text{ax/W} \\
\hline
\frac{h_2 : \Delta_6 \vdash F_5, \Delta_{10}, F_8 \wedge F_9}{\bullet h_2 : \Delta_6 \vdash (\perp, \Delta_{10}, F_8 \wedge F_9), F_5} \perp_R \quad \frac{h_7 : F_5, \Delta_6 \vdash \perp, F_8, \Delta_{10} \quad h_7 : F_5, \Delta_6 \vdash \perp, F_9, \Delta_{10}}{\bullet h_7 : \Delta_6, F_5 \vdash \perp, \Delta_{10}, F_8 \wedge F_9} \wedge_R \\
\hline
- : \Delta_6 \vdash \perp, \Delta_{10}, F_8 \wedge F_9 \\
\rightarrow \\
\frac{h_2 : \Delta_6 \vdash \perp, \Delta_{10}, F_5, F_8 \wedge F_9 \quad \text{ax/W} \quad \frac{h_7 : F_5, \Delta_6 \vdash \perp, F_8, \Delta_{10} \quad h_7 : F_5, \Delta_6 \vdash \perp, F_9, \Delta_{10}}{\bullet h_7 : \Delta_6, F_5 \vdash \perp, \Delta_{10}, F_8 \wedge F_9} \text{ax/W}}{- : \Delta_6 \vdash \perp, \Delta_{10}, F_8 \wedge F_9} \text{hCut}
\end{array}$$

- Case rule \vee_R

$$\begin{array}{c}
\frac{h_1 : \Delta_4 \vdash \Delta_6, F_7 \vee F_8}{\bullet h_1 : \Delta_4 \vdash (\Delta_6, F_7 \vee F_8), \perp} \perp_R \quad \frac{h_5 : \perp, \Delta_4 \vdash F_7, F_8, \Delta_6}{\bullet h_5 : \Delta_4, \perp \vdash \Delta_6, F_7 \vee F_8} \vee_R \\
\hline
- : \Delta_4 \vdash \Delta_6, F_7 \vee F_8 \\
\rightarrow \\
\frac{- : \Delta_4 \vdash \Delta_6, F_7 \vee F_8 \quad \text{ax/W}}{- : \Delta_4 \vdash \Delta_6, F_7 \vee F_8} \text{ax/W} \\
\hline
\frac{h_2 : \Delta_6 \vdash F_5, \Delta_{10}, F_8 \vee F_9}{\bullet h_2 : \Delta_6 \vdash (\perp, \Delta_{10}, F_8 \vee F_9), F_5} \perp_R \quad \frac{h_7 : F_5, \Delta_6 \vdash \perp, F_8, F_9, \Delta_{10}}{\bullet h_7 : \Delta_6, F_5 \vdash \perp, \Delta_{10}, F_8 \vee F_9} \vee_R \\
\hline
- : \Delta_6 \vdash \perp, \Delta_{10}, F_8 \vee F_9 \\
\rightarrow \\
\frac{h_2 : \Delta_6 \vdash \perp, \Delta_{10}, F_5, F_8 \vee F_9 \quad \text{ax/W} \quad \frac{h_7 : F_5, \Delta_6 \vdash \perp, F_8, F_9, \Delta_{10}}{\bullet h_7 : \Delta_6, F_5 \vdash \perp, \Delta_{10}, F_8 \vee F_9} \text{ax/W}}{- : \Delta_6 \vdash \perp, \Delta_{10}, F_8 \vee F_9} \text{hCut}
\end{array}$$

- Case rule \perp_R

$$\begin{array}{c}
\frac{h_1 : \Delta_4 \vdash \perp, \Delta_6}{\bullet h_1 : \Delta_4 \vdash (\perp, \Delta_6), \perp} \perp_R \quad \frac{h_5 : \perp, \Delta_4 \vdash \Delta_6}{\bullet h_5 : \Delta_4, \perp \vdash \perp, \Delta_6} \perp_R \\
\hline
- : \Delta_4 \vdash \perp, \Delta_6 \\
\rightarrow \\
\frac{- : \Delta_4 \vdash \perp, \Delta_6 \quad \text{ax/W}}{- : \Delta_4 \vdash \perp, \Delta_6} \text{ax/W}
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : \Delta_6 \vdash F_5, \Delta_8}{\bullet h_2 : \Delta_6 \vdash (\perp, \Delta_8), F_5} \perp_R \quad \frac{h_7 : F_5, \Delta_6 \vdash \Delta_8}{\bullet h_7 : \Delta_6, F_5 \vdash \perp, \Delta_8} \perp_R}{- : \Delta_6 \vdash \perp, \Delta_8} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_6 \vdash \perp, \Delta_8, F_5}{- : \Delta_6 \vdash \perp, \Delta_8} \text{ax/W} \quad \frac{\bullet h_7 : \Delta_6, F_5 \vdash \perp, \Delta_8}{- : \Delta_6 \vdash \perp, \Delta_8} \text{ax/W}}{- : \Delta_6 \vdash \perp, \Delta_8} \text{hCut}
\end{array}$$

- Case rule \top_R

$$\begin{array}{c}
\frac{h_1 : \Delta_4 \vdash \top, \Delta_6}{\bullet h_1 : \Delta_4 \vdash (\top, \Delta_6), \perp} \perp_R \quad \frac{}{\bullet h_5 : \Delta_4, \perp \vdash \top, \Delta_6} \top_R}{- : \Delta_4 \vdash \top, \Delta_6} \text{Cut} \\
\rightarrow \\
\frac{}{- : \Delta_4 \vdash \top, \Delta_6} \top_R \\
\frac{h_2 : \Delta_6 \vdash F_5, \top, \Delta_8}{\bullet h_2 : \Delta_6 \vdash (\perp, \top, \Delta_8), F_5} \perp_R \quad \frac{}{\bullet h_7 : \Delta_6, F_5 \vdash \perp, \top, \Delta_8} \top_R}{- : \Delta_6 \vdash \perp, \top, \Delta_8} \text{Cut} \\
\rightarrow \\
\frac{}{- : \Delta_6 \vdash \perp, \top, \Delta_8} \top_R
\end{array}$$

- Case rule K

$$\begin{array}{c}
\frac{h_1 : \Box \Gamma_5, \Delta_8 \vdash \Delta_6, []F_7}{\bullet h_1 : \Box \Gamma_5, \Delta_8 \vdash (\Delta_6, []F_7), \perp} \perp_R \quad \frac{h_4 : \text{unbox}(\Box \Gamma_5) \vdash F_7}{\bullet h_4 : (\Box \Gamma_5, \Delta_8), \perp \vdash \Delta_6, []F_7} K}{- : \Box \Gamma_5, \Delta_8 \vdash \Delta_6, []F_7} \text{Cut} \\
\rightarrow \\
\frac{}{- : \Delta_8, \Box \Gamma_5 \vdash \Delta_6, []F_7} \text{ax/W} \\
\frac{h_2 : \Box \Gamma_{10}, \Delta_7 \vdash \Box F_5, \Delta_9, []F_8}{\bullet h_2 : \Box \Gamma_{10}, \Delta_7 \vdash (\perp, \Delta_9, []F_8), \Box F_5} \perp_R \quad \frac{h_6 : \text{unbox}(\Box \Gamma_{10}), \text{unbox}(\Box F_5) \vdash F_8}{\bullet h_6 : (\Box \Gamma_{10}, \Delta_7), \Box F_5 \vdash \perp, \Delta_9, []F_8} K}{- : \Box \Gamma_{10}, \Delta_7 \vdash \perp, \Delta_9, []F_8} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_7, \Box \Gamma_{10} \vdash \perp, \Box F_5, \Delta_9, []F_8}{- : \Delta_7, \Box \Gamma_{10} \vdash \perp, \Delta_9, []F_8} \text{ax/W} \quad \frac{\bullet h_6 : \Box F_5, \Delta_7, \Box \Gamma_{10} \vdash \perp, \Delta_9, []F_8}{- : \Delta_7, \Box \Gamma_{10} \vdash \perp, \Delta_9, []F_8} \text{hCut}}{- : \Delta_7, \Box \Gamma_{10} \vdash \perp, \Delta_9, []F_8} \\
\frac{h_2 : \Box \Gamma_7, \Delta_{10} \vdash F_5, \Delta_9, []F_8}{\bullet h_2 : \Box \Gamma_7, \Delta_{10} \vdash (\perp, \Delta_9, []F_8), F_5} \perp_R \quad \frac{h_6 : \text{unbox}(\Box \Gamma_7) \vdash F_8}{\bullet h_6 : (\Box \Gamma_7, \Delta_{10}), F_5 \vdash \perp, \Delta_9, []F_8} K}{- : \Box \Gamma_7, \Delta_{10} \vdash \perp, \Delta_9, []F_8} \text{Cut} \\
\rightarrow \\
\frac{}{- : \text{unbox}(\Box \Gamma_7) \vdash F_8} \text{ax/W} \\
\frac{}{- : \Delta_{10}, \Box \Gamma_7 \vdash \perp, \Delta_9, []F_8} K
\end{array}$$

- Case rule $A45$

$$\begin{array}{c}
\frac{h_1 : \Box \Gamma_5, \Delta_9 \vdash \Box \Gamma_6, \Delta_7, []F_8}{\bullet h_1 : \Box \Gamma_5, \Delta_9 \vdash (\Box \Gamma_6, \Delta_7, []F_8), \perp} \perp_R \quad \frac{h_4 : \Box \Gamma_5 \vdash \Box \Gamma_6, F_8}{\bullet h_4 : (\Box \Gamma_5, \Delta_9), \perp \vdash \Box \Gamma_6, \Delta_7, []F_8} A45}{- : \Box \Gamma_5, \Delta_9 \vdash \Box \Gamma_6, \Delta_7, []F_8} \text{Cut} \\
\rightarrow \\
\frac{}{- : \Delta_9, \Box \Gamma_5 \vdash \Delta_7, \Box \Gamma_6, []F_8} \text{ax/W} \\
\frac{h_2 : \Box \Gamma_{11}, \Delta_7 \vdash \Box F_5, \Box \Gamma_8, \Delta_{10}, []F_9}{\bullet h_2 : \Box \Gamma_{11}, \Delta_7 \vdash (\perp, \Box \Gamma_8, \Delta_{10}, []F_9), \Box F_5} \perp_R \quad \frac{h_6 : \Box \Gamma_{11}, \Box F_5 \vdash \Box \Gamma_8, F_9}{\bullet h_6 : (\Box \Gamma_{11}, \Delta_7), \Box F_5 \vdash \perp, \Box \Gamma_8, \Delta_{10}, []F_9} A45}{- : \Box \Gamma_{11}, \Delta_7 \vdash \perp, \Box \Gamma_8, \Delta_{10}, []F_9} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_7, \Box \Gamma_{11} \vdash \perp, \Box F_5, \Delta_{10}, \Box \Gamma_8, []F_9}{- : \Delta_7, \Box \Gamma_{11} \vdash \perp, \Delta_{10}, \Box \Gamma_8, []F_9} \text{ax/W} \quad \frac{\bullet h_6 : \Box F_5, \Delta_7, \Box \Gamma_{11} \vdash \perp, \Delta_{10}, \Box \Gamma_8, []F_9}{- : \Delta_7, \Box \Gamma_{11} \vdash \perp, \Delta_{10}, \Box \Gamma_8, []F_9} \text{hCut}}{- : \Delta_7, \Box \Gamma_{11} \vdash \perp, \Delta_{10}, \Box \Gamma_8, []F_9}
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : \Box\Gamma_7, \Delta_{11} \vdash F_5, \Box\Gamma_8, \Delta_{10}, \Box F_9}{\bullet h_2 : \Box\Gamma_7, \Delta_{11} \vdash (\perp, \Box\Gamma_8, \Delta_{10}, \Box F_9), F_5} \perp_R \quad \frac{h_6 : \Box\Gamma_7 \vdash \Box\Gamma_8, F_9}{\bullet h_6 : (\Box\Gamma_7, \Delta_{11}), F_5 \vdash \perp, \Box\Gamma_8, \Delta_{10}, \Box F_9} A45 \\
\hline
- : \Box\Gamma_7, \Delta_{11} \vdash \perp, \Box\Gamma_8, \Delta_{10}, \Box F_9 \\
\rightarrow \\
\frac{}{- : \Box\Gamma_7 \vdash F_9, \Box\Gamma_8} \text{ax/W} \\
\hline
- : \Delta_{11}, \Box\Gamma_7 \vdash \perp, \Delta_{10}, \Box\Gamma_8, \Box F_9 \quad A45
\end{array}$$

- Case rule \rightarrow_L

$$\begin{array}{c}
\frac{h_1 : \Delta_8, F_5 \rightarrow F_6 \vdash \Delta_7}{\bullet h_1 : \Delta_8, F_5 \rightarrow F_6 \vdash \Delta_7, \perp} \perp_R \quad \frac{h_4 : \perp, \Delta_8 \vdash F_5, \Delta_7 \quad h_4 : \perp, F_6, \Delta_8 \vdash \Delta_7}{\bullet h_4 : (\Delta_8, F_5 \rightarrow F_6), \perp \vdash \Delta_7} \rightarrow_L \\
\hline
- : \Delta_8, F_5 \rightarrow F_6 \vdash \Delta_7 \\
\rightarrow \\
- : \Delta_8, F_5 \rightarrow F_6 \vdash \Delta_7 \quad \text{ax/W} \\
\hline
\frac{h_2 : \Delta_7 \vdash F_8 \rightarrow F_9, \Delta_5}{\bullet h_2 : \Delta_7 \vdash (\perp, \Delta_5), F_8 \rightarrow F_9} \perp_R \quad \frac{h_6 : \Delta_7 \vdash \perp, F_8, \Delta_5 \quad h_6 : F_9, \Delta_7 \vdash \perp, \Delta_5}{\bullet h_6 : \Delta_7, F_8 \rightarrow F_9 \vdash \perp, \Delta_5} \rightarrow_L \\
\hline
- : \Delta_7 \vdash \perp, \Delta_5 \\
\rightarrow \\
\frac{h_2 : \Delta_7 \vdash \perp, \Delta_5, F_8 \rightarrow F_9}{\bullet h_2 : \Delta_7 \vdash \perp, \Delta_5} \text{ax/W} \quad \frac{\bullet h_6 : \Delta_7, F_8 \rightarrow F_9 \vdash \perp, \Delta_5}{\bullet h_6 : \Delta_7, F_8 \rightarrow F_9 \vdash \perp, \Delta_5} \text{ax/W} \\
\hline
- : \Delta_7 \vdash \perp, \Delta_5 \quad \text{hCut} \\
\hline
\frac{h_2 : \Delta_{10}, F_8 \rightarrow F_9 \vdash F_5, \Delta_6}{\bullet h_2 : \Delta_{10}, F_8 \rightarrow F_9 \vdash (\perp, \Delta_6), F_5} \perp_R \quad \frac{h_7 : F_5, \Delta_{10} \vdash \perp, F_8, \Delta_6 \quad h_7 : F_5, F_9, \Delta_{10} \vdash \perp, \Delta_6}{\bullet h_7 : (\Delta_{10}, F_8 \rightarrow F_9), F_5 \vdash \perp, \Delta_6} \rightarrow_L \\
\hline
- : \Delta_{10}, F_8 \rightarrow F_9 \vdash \perp, \Delta_6 \\
\rightarrow \\
\frac{h_2 : \Delta_{10}, F_8 \rightarrow F_9 \vdash \perp, \Delta_6, F_5}{\bullet h_2 : \Delta_{10}, F_8 \rightarrow F_9 \vdash \perp, \Delta_6} \text{ax/W} \quad \frac{\bullet h_7 : \Delta_{10}, F_5, F_8 \rightarrow F_9 \vdash \perp, \Delta_6}{\bullet h_7 : \Delta_{10}, F_5, F_8 \rightarrow F_9 \vdash \perp, \Delta_6} \text{ax/W} \\
\hline
- : \Delta_{10}, F_8 \rightarrow F_9 \vdash \perp, \Delta_6 \quad \text{hCut}
\end{array}$$

- Case rule \wedge_L

$$\begin{array}{c}
\frac{h_1 : \Delta_8, F_5 \wedge F_6 \vdash \Delta_7}{\bullet h_1 : \Delta_8, F_5 \wedge F_6 \vdash \Delta_7, \perp} \perp_R \quad \frac{h_4 : \perp, F_5, F_6, \Delta_8 \vdash \Delta_7}{\bullet h_4 : (\Delta_8, F_5 \wedge F_6), \perp \vdash \Delta_7} \wedge_L \\
\hline
- : \Delta_8, F_5 \wedge F_6 \vdash \Delta_7 \\
\rightarrow \\
- : \Delta_8, F_5 \wedge F_6 \vdash \Delta_7 \quad \text{ax/W} \\
\hline
\frac{h_2 : \Delta_7 \vdash F_8 \wedge F_9, \Delta_5}{\bullet h_2 : \Delta_7 \vdash (\perp, \Delta_5), F_8 \wedge F_9} \perp_R \quad \frac{h_6 : F_8, F_9, \Delta_7 \vdash \perp, \Delta_5}{\bullet h_6 : \Delta_7, F_8 \wedge F_9 \vdash \perp, \Delta_5} \wedge_L \\
\hline
- : \Delta_7 \vdash \perp, \Delta_5 \\
\rightarrow \\
\frac{h_2 : \Delta_7 \vdash \perp, \Delta_5, F_8 \wedge F_9}{\bullet h_2 : \Delta_7 \vdash \perp, \Delta_5} \text{ax/W} \quad \frac{\bullet h_6 : \Delta_7, F_8 \wedge F_9 \vdash \perp, \Delta_5}{\bullet h_6 : \Delta_7, F_8 \wedge F_9 \vdash \perp, \Delta_5} \text{ax/W} \\
\hline
- : \Delta_7 \vdash \perp, \Delta_5 \quad \text{hCut} \\
\hline
\frac{h_2 : \Delta_{10}, F_8 \wedge F_9 \vdash F_5, \Delta_6}{\bullet h_2 : \Delta_{10}, F_8 \wedge F_9 \vdash (\perp, \Delta_6), F_5} \perp_R \quad \frac{h_7 : F_5, F_8, F_9, \Delta_{10} \vdash \perp, \Delta_6}{\bullet h_7 : (\Delta_{10}, F_8 \wedge F_9), F_5 \vdash \perp, \Delta_6} \wedge_L \\
\hline
- : \Delta_{10}, F_8 \wedge F_9 \vdash \perp, \Delta_6 \\
\rightarrow \\
\frac{h_2 : \Delta_{10}, F_8 \wedge F_9 \vdash \perp, \Delta_6, F_5}{\bullet h_2 : \Delta_{10}, F_8 \wedge F_9 \vdash \perp, \Delta_6} \text{ax/W} \quad \frac{\bullet h_7 : \Delta_{10}, F_5, F_8 \wedge F_9 \vdash \perp, \Delta_6}{\bullet h_7 : \Delta_{10}, F_5, F_8 \wedge F_9 \vdash \perp, \Delta_6} \text{ax/W} \\
\hline
- : \Delta_{10}, F_8 \wedge F_9 \vdash \perp, \Delta_6 \quad \text{hCut}
\end{array}$$

- Case rule \vee_L

$$\begin{array}{c}
\frac{h_1 : \Delta_8, F_5 \vee F_6 \vdash \Delta_7}{\bullet h_1 : \Delta_8, F_5 \vee F_6 \vdash \Delta_7, \perp} \perp_R \quad \frac{h_4 : \perp, F_5, \Delta_8 \vdash \Delta_7 \quad h_4 : \perp, F_6, \Delta_8 \vdash \Delta_7}{\bullet h_4 : (\Delta_8, F_5 \vee F_6), \perp \vdash \Delta_7} \vee_L \\
\hline
- : \Delta_8, F_5 \vee F_6 \vdash \Delta_7 \\
\rightarrow \\
- : \Delta_8, F_5 \vee F_6 \vdash \Delta_7 \quad \text{ax/W} \\
\hline$$

$$\begin{array}{c}
\frac{\frac{h_2 : \Delta_7 \vdash F_8 \vee F_9, \Delta_5}{\bullet h_2 : \Delta_7 \vdash (\perp, \Delta_5), F_8 \vee F_9} \perp_R \quad \frac{h_6 : F_8, \Delta_7 \vdash \perp, \Delta_5 \quad h_6 : F_9, \Delta_7 \vdash \perp, \Delta_5}{\bullet h_6 : \Delta_7, F_8 \vee F_9 \vdash \perp, \Delta_5} \vee_L}{- : \Delta_7 \vdash \perp, \Delta_5} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_7 \vdash \perp, \Delta_5, F_8 \vee F_9}{- : \Delta_7 \vdash \perp, \Delta_5} \text{ax/W} \quad \frac{\bullet h_6 : \Delta_7, F_8 \vee F_9 \vdash \perp, \Delta_5}{- : \Delta_7 \vdash \perp, \Delta_5} \text{ax/W}}{- : \Delta_7 \vdash \perp, \Delta_5} \text{hCut} \\
\frac{\frac{h_2 : \Delta_{10}, F_8 \vee F_9 \vdash F_5, \Delta_6}{\bullet h_2 : \Delta_{10}, F_8 \vee F_9 \vdash (\perp, \Delta_6), F_5} \perp_R \quad \frac{h_7 : F_5, F_8, \Delta_{10} \vdash \perp, \Delta_6 \quad h_7 : F_5, F_9, \Delta_{10} \vdash \perp, \Delta_6}{\bullet h_7 : (\Delta_{10}, F_8 \vee F_9), F_5 \vdash \perp, \Delta_6} \vee_L}{- : \Delta_{10}, F_8 \vee F_9 \vdash \perp, \Delta_6} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_{10}, F_8 \vee F_9 \vdash \perp, \Delta_6, F_5}{- : \Delta_{10}, F_8 \vee F_9 \vdash \perp, \Delta_6} \text{ax/W} \quad \frac{\bullet h_7 : \Delta_{10}, F_5, F_8 \vee F_9 \vdash \perp, \Delta_6}{- : \Delta_{10}, F_8 \vee F_9 \vdash \perp, \Delta_6} \text{ax/W}}{- : \Delta_{10}, F_8 \vee F_9 \vdash \perp, \Delta_6} \text{hCut}
\end{array}$$

- Case rule AT

$$\begin{array}{c}
\frac{\frac{h_1 : \Delta_7, []F_5 \vdash \Delta_6}{\bullet h_1 : \Delta_7, []F_5 \vdash \Delta_6, \perp} \perp_R \quad \frac{h_4 : \perp, F_5, \Delta_7, []F_5 \vdash \Delta_6}{\bullet h_4 : (\Delta_7, []F_5), \perp \vdash \Delta_6} AT}{- : \Delta_7, []F_5 \vdash \Delta_6} \text{Cut} \\
\rightarrow \\
\frac{- : \Delta_7, []F_5 \vdash \Delta_6}{- : \Delta_7, []F_5 \vdash \Delta_6} \text{ax/W} \\
\frac{\frac{h_2 : \Delta_7 \vdash []F_8, \Delta_5}{\bullet h_2 : \Delta_7 \vdash (\perp, \Delta_5), []F_8} \perp_R \quad \frac{h_6 : F_8, \Delta_7, []F_8 \vdash \perp, \Delta_5}{\bullet h_6 : \Delta_7, []F_8 \vdash \perp, \Delta_5} AT}{- : \Delta_7 \vdash \perp, \Delta_5} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_7 \vdash \perp, \Delta_5, []F_8}{- : \Delta_7 \vdash \perp, \Delta_5} \text{ax/W} \quad \frac{\bullet h_6 : \Delta_7, []F_8 \vdash \perp, \Delta_5}{- : \Delta_7 \vdash \perp, \Delta_5} \text{ax/W}}{- : \Delta_7 \vdash \perp, \Delta_5} \text{hCut} \\
\frac{\frac{h_2 : \Delta_9, []F_8 \vdash F_5, \Delta_6}{\bullet h_2 : \Delta_9, []F_8 \vdash (\perp, \Delta_6), F_5} \perp_R \quad \frac{h_7 : F_5, F_8, \Delta_9, []F_8 \vdash \perp, \Delta_6}{\bullet h_7 : (\Delta_9, []F_8), F_5 \vdash \perp, \Delta_6} AT}{- : \Delta_9, []F_8 \vdash \perp, \Delta_6} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_2 : \Delta_9, []F_8 \vdash \perp, \Delta_6, F_5}{- : \Delta_9, []F_8 \vdash \perp, \Delta_6} \text{ax/W} \quad \frac{\bullet h_7 : \Delta_9, F_5, []F_8 \vdash \perp, \Delta_6}{- : \Delta_9, []F_8 \vdash \perp, \Delta_6} \text{ax/W}}{- : \Delta_9, []F_8 \vdash \perp, \Delta_6} \text{hCut}
\end{array}$$

- Case rule \perp_L

$$\begin{array}{c}
\frac{\frac{h_1 : \Delta_5 \vdash \Delta_6}{\bullet h_1 : \Delta_5 \vdash \Delta_6, \perp} \perp_R \quad \frac{\bullet h_4 : \Delta_5, \perp \vdash \Delta_6}{\bullet h_4 : \Delta_5, \perp \vdash \Delta_6} \perp_L}{- : \Delta_5 \vdash \Delta_6} \text{Cut} \\
\rightarrow \\
\frac{- : \Delta_5 \vdash \Delta_6}{- : \Delta_5 \vdash \Delta_6} \text{ax/W} \\
\frac{\frac{h_2 : \Delta_7 \vdash \perp, \Delta_5}{\bullet h_2 : \Delta_7 \vdash (\perp, \Delta_5), \perp} \perp_R \quad \frac{\bullet h_6 : \Delta_7, \perp \vdash \perp, \Delta_5}{\bullet h_6 : \Delta_7, \perp \vdash \perp, \Delta_5} \perp_L}{- : \Delta_7 \vdash \perp, \Delta_5} \text{Cut} \\
\rightarrow \\
\frac{- : \Delta_7 \vdash \perp, \Delta_5}{- : \Delta_7 \vdash \perp, \Delta_5} \text{ax/W} \\
\frac{\frac{h_2 : \perp, \Delta_8 \vdash F_5, \Delta_6}{\bullet h_2 : \perp, \Delta_8 \vdash (\perp, \Delta_6), F_5} \perp_R \quad \frac{\bullet h_7 : (\perp, \Delta_8), F_5 \vdash \perp, \Delta_6}{\bullet h_7 : (\perp, \Delta_8), F_5 \vdash \perp, \Delta_6} \perp_L}{- : \perp, \Delta_8 \vdash \perp, \Delta_6} \text{Cut} \\
\rightarrow \\
\frac{- : \perp, \Delta_8 \vdash \perp, \Delta_6}{- : \perp, \Delta_8 \vdash \perp, \Delta_6} \perp_L
\end{array}$$

- Case rule I

$$\frac{\frac{h_1 : \Delta_7, P_5 \vdash \Delta_6, P_5}{\bullet h_1 : \Delta_7, P_5 \vdash (\Delta_6, P_5), \perp} \perp_R \quad \frac{\bullet h_4 : (\Delta_7, P_5), \perp \vdash \Delta_6, P_5}{\bullet h_4 : (\Delta_7, P_5), \perp \vdash \Delta_6, P_5} I}{- : \Delta_7, P_5 \vdash \Delta_6, P_5} \text{Cut} \\
\rightarrow \\
\frac{- : \Delta_7, P_5 \vdash \Delta_6, P_5}{- : \Delta_7, P_5 \vdash \Delta_6, P_5} I$$

$$\begin{array}{c}
\frac{h_2 : \Delta_6 \vdash p_7, \Delta_8, p_7}{\bullet h_2 : \Delta_6 \vdash (\perp, \Delta_8, p_7), p_7} \perp_R \quad \frac{}{\bullet h_5 : \Delta_6, p_7 \vdash \perp, \Delta_8, p_7} I \\
\hline
- : \Delta_6 \vdash \perp, \Delta_8, p_7 \quad \text{Cut} \\
\rightarrow \\
\frac{h_2 : \Delta_6 \vdash \perp, \Delta_8, p_7, p_7}{- : \Delta_6 \vdash \perp, \Delta_8, p_7} \text{ax/W} \quad \frac{\bullet h_5 : \Delta_6, p_7 \vdash \perp, \Delta_8, p_7}{- : \Delta_6 \vdash \perp, \Delta_8, p_7} I \\
\hline
- : \Delta_6 \vdash \perp, \Delta_8, p_7 \quad \text{hCut} \\
\rightarrow \\
\frac{h_2 : \Delta_9, p_7 \vdash F_5, \Delta_8, p_7}{\bullet h_2 : \Delta_9, p_7 \vdash (\perp, \Delta_8, p_7), F_5} \perp_R \quad \frac{}{\bullet h_6 : (\Delta_9, p_7), F_5 \vdash \perp, \Delta_8, p_7} I \\
\hline
- : \Delta_9, p_7 \vdash \perp, \Delta_8, p_7 \quad \text{Cut} \\
\rightarrow \\
- : \Delta_9, p_7 \vdash \perp, \Delta_8, p_7 \quad I
\end{array}$$

- Case rule \top_L

$$\begin{array}{c}
\frac{h_1 : \top, \Delta_6 \vdash \Delta_5}{\bullet h_1 : \top, \Delta_6 \vdash \Delta_5, \perp} \perp_R \quad \frac{h_4 : \perp, \Delta_6 \vdash \Delta_5}{\bullet h_4 : (\top, \Delta_6), \perp \vdash \Delta_5} \top_L \\
\hline
- : \top, \Delta_6 \vdash \Delta_5 \quad \text{Cut} \\
\rightarrow \\
- : \top, \Delta_6 \vdash \Delta_5 \quad \text{ax/W} \\
\rightarrow \\
\frac{h_2 : \Delta_7 \vdash \top, \Delta_5}{\bullet h_2 : \Delta_7 \vdash (\perp, \Delta_5), \top} \perp_R \quad \frac{h_6 : \Delta_7 \vdash \perp, \Delta_5}{\bullet h_6 : \Delta_7, \top \vdash \perp, \Delta_5} \top_L \\
\hline
- : \Delta_7 \vdash \perp, \Delta_5 \quad \text{Cut} \\
\rightarrow \\
- : \Delta_7 \vdash \perp, \Delta_5 \quad \text{ax/W} \\
\rightarrow \\
\frac{h_2 : \top, \Delta_8 \vdash F_5, \Delta_6}{\bullet h_2 : \top, \Delta_8 \vdash (\perp, \Delta_6), F_5} \perp_R \quad \frac{h_7 : F_5, \Delta_8 \vdash \perp, \Delta_6}{\bullet h_7 : (\top, \Delta_8), F_5 \vdash \perp, \Delta_6} \top_L \\
\hline
- : \top, \Delta_8 \vdash \perp, \Delta_6 \quad \text{Cut} \\
\rightarrow \\
\frac{h_2 : \top, \Delta_8 \vdash \perp, \Delta_6, F_5}{- : \top, \Delta_8 \vdash \perp, \Delta_6} \text{ax/W} \quad \frac{\bullet h_7 : \top, \Delta_8, F_5 \vdash \perp, \Delta_6}{- : \top, \Delta_8 \vdash \perp, \Delta_6} \text{ax/W} \\
\hline
- : \top, \Delta_8 \vdash \perp, \Delta_6 \quad \text{hCut}
\end{array}$$

6.5 Status of \top_R : OK

- Case rule \rightarrow_R

$$\begin{array}{c}
\frac{}{\bullet h_1 : \Delta_4 \vdash (\Delta_6, F_7 \rightarrow F_8), \top} \top_R \quad \frac{h_5 : \top, F_7, \Delta_4 \vdash F_8, \Delta_6}{\bullet h_5 : \Delta_4, \top \vdash \Delta_6, F_7 \rightarrow F_8} \rightarrow_R \\
\hline
- : \Delta_4 \vdash \Delta_6, F_7 \rightarrow F_8 \quad \text{Cut} \\
\rightarrow \\
\frac{\bullet h_1 : \Delta_4, F_7 \vdash \top, \Delta_6, F_8}{- : \Delta_4, F_7 \vdash \Delta_6, F_8} \top_R \quad \frac{h_5 : \top, \Delta_4, F_7 \vdash \Delta_6, F_8}{- : \Delta_4 \vdash \Delta_6, F_7 \rightarrow F_8} \text{ax/W} \\
\hline
- : \Delta_4, F_7 \vdash \Delta_6, F_8 \quad \text{hCut} \\
\rightarrow \\
- : \Delta_4 \vdash \Delta_6, F_7 \rightarrow F_8 \\
\rightarrow \\
\frac{}{\bullet h_2 : \Delta_6 \vdash (\top, \Delta_{10}, F_8 \rightarrow F_9), F_5} \top_R \quad \frac{h_7 : F_5, F_8, \Delta_6 \vdash \top, F_9, \Delta_{10}}{\bullet h_7 : \Delta_6, F_5 \vdash \top, \Delta_{10}, F_8 \rightarrow F_9} \rightarrow_R \\
\hline
- : \Delta_6 \vdash \top, \Delta_{10}, F_8 \rightarrow F_9 \quad \text{Cut} \\
\rightarrow \\
- : \Delta_6 \vdash \top, \Delta_{10}, F_8 \rightarrow F_9 \quad \top_R
\end{array}$$

- Case rule \wedge_R

$$\begin{array}{c}
\frac{}{\bullet h_1 : \Delta_4 \vdash (\Delta_6, F_7 \wedge F_8), \top} \top_R \quad \frac{h_5 : \top, \Delta_4 \vdash F_7, \Delta_6 \quad h_5 : \top, \Delta_4 \vdash F_8, \Delta_6}{\bullet h_5 : \Delta_4, \top \vdash \Delta_6, F_7 \wedge F_8} \wedge_R \\
\hline
- : \Delta_4 \vdash \Delta_6, F_7 \wedge F_8 \quad \text{Cut} \\
\rightarrow \\
\frac{\bullet h_1 : \Delta_4 \vdash \top, \Delta_6, F_7}{- : \Delta_4 \vdash \Delta_6, F_7} \top_R \quad \frac{h_5 : \top, \Delta_4 \vdash \Delta_6, F_7}{- : \Delta_4 \vdash \Delta_6, F_7} \text{ax/W} \\
\hline
- : \Delta_4 \vdash \Delta_6, F_7 \quad \text{hCut} \\
\rightarrow \\
\frac{\bullet h_1 : \Delta_4 \vdash \top, \Delta_6, F_8}{- : \Delta_4 \vdash \Delta_6, F_8} \top_R \quad \frac{h_5 : \top, \Delta_4 \vdash \Delta_6, F_8}{- : \Delta_4 \vdash \Delta_6, F_8} \text{ax/W} \\
\hline
- : \Delta_4 \vdash \Delta_6, F_8 \quad \text{hCut} \\
\rightarrow \\
- : \Delta_4 \vdash \Delta_6, F_7 \wedge F_8 \quad \wedge_R
\end{array}$$

$$\frac{\frac{\frac{}{\bullet h_2 : \Delta_6 \vdash (\top, \Delta_{10}, F_8 \wedge F_9), F_5} \top_R \quad \frac{h_7 : F_5, \Delta_6 \vdash \top, F_8, \Delta_{10} \quad h_7 : F_5, \Delta_6 \vdash \top, F_9, \Delta_{10}}{\bullet h_7 : \Delta_6, F_5 \vdash \top, \Delta_{10}, F_8 \wedge F_9} \wedge_R}{- : \Delta_6 \vdash \top, \Delta_{10}, F_8 \wedge F_9} \text{Cut}}{\rightarrow} \quad \frac{}{\bullet h_2 : \Delta_6 \vdash (\top, \Delta_{10}, F_8 \wedge F_9), F_5} \top_R}{- : \Delta_6 \vdash \top, \Delta_{10}, F_8 \wedge F_9} \top_R$$

- Case rule \vee_R

$$\frac{\frac{\frac{}{\bullet h_1 : \Delta_4 \vdash (\Delta_6, F_7 \vee F_8), \top} \top_R \quad \frac{h_5 : \top, \Delta_4 \vdash F_7, F_8, \Delta_6}{\bullet h_5 : \Delta_4, \top \vdash \Delta_6, F_7 \vee F_8} \vee_R}{- : \Delta_4 \vdash \Delta_6, F_7 \vee F_8} \text{Cut}}{\rightarrow} \quad \frac{\frac{}{\bullet h_1 : \Delta_4 \vdash (\Delta_6, F_7, F_8), \top} \top_R \quad \frac{h_5 : \top, \Delta_4 \vdash \Delta_6, F_7, F_8}{\bullet h_5 : \Delta_4, \top \vdash \Delta_6, F_7, F_8} \text{ax/W}}{- : \Delta_4 \vdash \Delta_6, F_7, F_8} \text{hCut}}{- : \Delta_4 \vdash \Delta_6, F_7 \vee F_8} \vee_R$$

$$\frac{\frac{\frac{}{\bullet h_2 : \Delta_6 \vdash (\top, \Delta_{10}, F_8 \vee F_9), F_5} \top_R \quad \frac{h_7 : F_5, \Delta_6 \vdash \top, F_8, F_9, \Delta_{10}}{\bullet h_7 : \Delta_6, F_5 \vdash \top, \Delta_{10}, F_8 \vee F_9} \vee_R}{- : \Delta_6 \vdash \top, \Delta_{10}, F_8 \vee F_9} \text{Cut}}{\rightarrow} \quad \frac{}{\bullet h_2 : \Delta_6 \vdash (\top, \Delta_{10}, F_8 \vee F_9), F_5} \top_R}{- : \Delta_6 \vdash \top, \Delta_{10}, F_8 \vee F_9} \top_R$$

- Case rule \perp_R

$$\frac{\frac{\frac{}{\bullet h_1 : \Delta_4 \vdash (\perp, \Delta_6), \top} \top_R \quad \frac{h_5 : \top, \Delta_4 \vdash \Delta_6}{\bullet h_5 : \Delta_4, \top \vdash \perp, \Delta_6} \perp_R}{- : \Delta_4 \vdash \perp, \Delta_6} \text{Cut}}{\rightarrow} \quad \frac{\frac{}{\bullet h_1 : \Delta_4 \vdash (\perp, \top, \Delta_6)} \text{ax/W} \quad \frac{h_5 : \top, \Delta_4 \vdash \perp, \Delta_6}{\bullet h_5 : \Delta_4, \top \vdash \perp, \Delta_6} \text{hCut}}{- : \Delta_4 \vdash \perp, \Delta_6} \perp_R$$

$$\frac{\frac{\frac{}{\bullet h_2 : \Delta_6 \vdash (\top, \perp, \Delta_8), F_5} \top_R \quad \frac{h_7 : F_5, \Delta_6 \vdash \top, \Delta_8}{\bullet h_7 : \Delta_6, F_5 \vdash \top, \perp, \Delta_8} \perp_R}{- : \Delta_6 \vdash \top, \perp, \Delta_8} \text{Cut}}{\rightarrow} \quad \frac{}{\bullet h_2 : \Delta_6 \vdash (\top, \perp, \Delta_8), F_5} \top_R}{- : \Delta_6 \vdash \perp, \top, \Delta_8} \top_R$$

- Case rule \top_R

$$\frac{\frac{\frac{}{\bullet h_1 : \Delta_4 \vdash (\top, \Delta_6), \top} \top_R \quad \frac{}{\bullet h_5 : \Delta_4, \top \vdash \top, \Delta_6} \top_R}{- : \Delta_4 \vdash \top, \Delta_6} \text{Cut}}{\rightarrow} \quad \frac{}{\bullet h_1 : \Delta_4 \vdash (\top, \Delta_6), \top} \top_R}{- : \Delta_4 \vdash \top, \Delta_6} \top_R$$

$$\frac{\frac{\frac{}{\bullet h_2 : \Delta_6 \vdash (\top, \Delta_8), F_5} \top_R \quad \frac{}{\bullet h_7 : \Delta_6, F_5 \vdash \top, \Delta_8} \top_R}{- : \Delta_6 \vdash \top, \Delta_8} \text{Cut}}{\rightarrow} \quad \frac{}{\bullet h_2 : \Delta_6 \vdash (\top, \Delta_8), F_5} \top_R}{- : \Delta_6 \vdash \top, \Delta_8} \top_R$$

- Case rule K

$$\frac{\frac{\frac{}{\bullet h_1 : \Box\Gamma_5, \Delta_8 \vdash (\Delta_6, \boxed{F_7}), \top} \top_R \quad \frac{h_4 : \text{unbox}(\Box\Gamma_5) \vdash F_7}{\bullet h_4 : (\Box\Gamma_5, \Delta_8), \top \vdash \Delta_6, \boxed{F_7}} K}{- : \Box\Gamma_5, \Delta_8 \vdash \Delta_6, \boxed{F_7}} \text{Cut}}{\rightarrow} \quad \frac{\frac{}{\bullet h_1 : \Box\Gamma_5, \Delta_8 \vdash (\Delta_6, \boxed{F_7}), \top} \top_R \quad \frac{h_4 : \text{unbox}(\Box\Gamma_5) \vdash F_7}{\bullet h_4 : (\Box\Gamma_5, \Delta_8), \top \vdash \Delta_6, \boxed{F_7}} K}{- : \text{unbox}(\Box\Gamma_5) \vdash F_7} \text{ax/W}}{- : \Delta_8, \Box\Gamma_5 \vdash \Delta_6, \boxed{F_7}} K$$

$$\begin{array}{c}
\frac{\frac{}{\bullet h_2 : \Box\Gamma_{10}, \Delta_7 \vdash (\top, \Delta_9, []F_8), \Box F_5} \top_R \quad \frac{h_6 : \text{unbox}(\Box\Gamma_{10}), \text{unbox}(\Box F_5) \vdash F_8}{\bullet h_6 : (\Box\Gamma_{10}, \Delta_7), \Box F_5 \vdash \top, \Delta_9, []F_8} K}{\vdash : \Box\Gamma_{10}, \Delta_7 \vdash \top, \Delta_9, []F_8} \text{Cut} \\
\rightarrow \\
\frac{}{\vdash : \Delta_7, \Box\Gamma_{10} \vdash \top, \Delta_9, []F_8} \top_R
\end{array}$$

$$\begin{array}{c}
\frac{\frac{}{\bullet h_2 : \Box\Gamma_7, \Delta_{10} \vdash (\top, \Delta_9, []F_8), F_5} \top_R \quad \frac{h_6 : \text{unbox}(\Box\Gamma_7) \vdash F_8}{\bullet h_6 : (\Box\Gamma_7, \Delta_{10}), F_5 \vdash \top, \Delta_9, []F_8} K}{\vdash : \Box\Gamma_7, \Delta_{10} \vdash \top, \Delta_9, []F_8} \text{Cut} \\
\rightarrow \\
\frac{}{\vdash : \Delta_{10}, \Box\Gamma_7 \vdash \top, \Delta_9, []F_8} \top_R
\end{array}$$

- Case rule $A45$

$$\begin{array}{c}
\frac{\frac{}{\bullet h_1 : \Box\Gamma_5, \Delta_9 \vdash (\Box\Gamma_6, \Delta_7, []F_8), \top} \top_R \quad \frac{h_4 : \Box\Gamma_5 \vdash \Box\Gamma_6, F_8}{\bullet h_4 : (\Box\Gamma_5, \Delta_9), \top \vdash \Box\Gamma_6, \Delta_7, []F_8} A45}{\vdash : \Box\Gamma_5, \Delta_9 \vdash \Box\Gamma_6, \Delta_7, []F_8} \text{Cut} \\
\rightarrow \\
\frac{\frac{}{\vdash : \Box\Gamma_5 \vdash F_8, \Box\Gamma_6} \text{ax/W}}{\vdash : \Delta_9, \Box\Gamma_5 \vdash \Delta_7, \Box\Gamma_6, []F_8} A45
\end{array}$$

$$\begin{array}{c}
\frac{\frac{}{\bullet h_2 : \Box\Gamma_{11}, \Delta_7 \vdash (\top, \Box\Gamma_8, \Delta_{10}, []F_9), \Box F_5} \top_R \quad \frac{h_6 : \Box\Gamma_{11}, \Box F_5 \vdash \Box\Gamma_8, F_9}{\bullet h_6 : (\Box\Gamma_{11}, \Delta_7), \Box F_5 \vdash \top, \Box\Gamma_8, \Delta_{10}, []F_9} A45}{\vdash : \Box\Gamma_{11}, \Delta_7 \vdash \top, \Box\Gamma_8, \Delta_{10}, []F_9} \text{Cut} \\
\rightarrow \\
\frac{}{\vdash : \Delta_7, \Box\Gamma_{11} \vdash \top, \Delta_{10}, \Box\Gamma_8, []F_9} \top_R
\end{array}$$

$$\begin{array}{c}
\frac{\frac{}{\bullet h_2 : \Box\Gamma_7, \Delta_{11} \vdash (\top, \Box\Gamma_8, \Delta_{10}, []F_9), F_5} \top_R \quad \frac{h_6 : \Box\Gamma_7 \vdash \Box\Gamma_8, F_9}{\bullet h_6 : (\Box\Gamma_7, \Delta_{11}), F_5 \vdash \top, \Box\Gamma_8, \Delta_{10}, []F_9} A45}{\vdash : \Box\Gamma_7, \Delta_{11} \vdash \top, \Box\Gamma_8, \Delta_{10}, []F_9} \text{Cut} \\
\rightarrow \\
\frac{}{\vdash : \Delta_{11}, \Box\Gamma_7 \vdash \top, \Delta_{10}, \Box\Gamma_8, []F_9} \top_R
\end{array}$$

- Case rule \rightarrow_L

$$\begin{array}{c}
\frac{\frac{}{\bullet h_1 : \Delta_8, F_5 \rightarrow F_6 \vdash \Delta_7, \top} \top_R \quad \frac{h_4 : \top, \Delta_8 \vdash F_5, \Delta_7 \quad h_4 : \top, F_6, \Delta_8 \vdash \Delta_7}{\bullet h_4 : (\Delta_8, F_5 \rightarrow F_6), \top \vdash \Delta_7} \rightarrow_L}{\vdash : \Delta_8, F_5 \rightarrow F_6 \vdash \Delta_7} \text{Cut} \\
\rightarrow \\
\frac{\frac{}{\bullet h_1 : \Delta_8 \vdash \top, \Delta_7, F_5} \top_R \quad \frac{h_4 : \top, \Delta_8 \vdash \Delta_7, F_5}{\text{hCut}} \text{ax/W} \quad \frac{\frac{}{\bullet h_1 : \Delta_8, F_6 \vdash \top, \Delta_7} \top_R \quad \frac{h_4 : \top, \Delta_8, F_6 \vdash \Delta_7}{\text{hCut}} \text{ax/W}}{\vdash : \Delta_8, F_5 \rightarrow F_6 \vdash \Delta_7} \rightarrow_L
\end{array}$$

$$\begin{array}{c}
\frac{\frac{}{\bullet h_2 : \Delta_7 \vdash (\top, \Delta_5), F_8 \rightarrow F_9} \top_R \quad \frac{h_6 : \Delta_7 \vdash \top, F_8, \Delta_5 \quad h_6 : F_9, \Delta_7 \vdash \top, \Delta_5}{\bullet h_6 : \Delta_7, F_8 \rightarrow F_9 \vdash \top, \Delta_5} \rightarrow_L}{\vdash : \Delta_7 \vdash \top, \Delta_5} \text{Cut} \\
\rightarrow \\
\frac{}{\vdash : \Delta_7 \vdash \top, \Delta_5} \top_R
\end{array}$$

$$\begin{array}{c}
\frac{\frac{}{\bullet h_2 : \Delta_{10}, F_8 \rightarrow F_9 \vdash (\top, \Delta_6), F_5} \top_R \quad \frac{h_7 : F_5, \Delta_{10} \vdash \top, F_8, \Delta_6 \quad h_7 : F_5, F_9, \Delta_{10} \vdash \top, \Delta_6}{\bullet h_7 : (\Delta_{10}, F_8 \rightarrow F_9), F_5 \vdash \top, \Delta_6} \rightarrow_L}{\vdash : \Delta_{10}, F_8 \rightarrow F_9 \vdash \top, \Delta_6} \text{Cut} \\
\rightarrow \\
\frac{}{\vdash : \Delta_{10}, F_8 \rightarrow F_9 \vdash \top, \Delta_6} \top_R
\end{array}$$

- Case rule \wedge_L

$$\begin{array}{c}
\frac{\frac{\bullet h_1 : \Delta_8, F_5 \wedge F_6 \vdash \Delta_7, \top}{- : \Delta_8, F_5 \wedge F_6 \vdash \Delta_7} \top_R \quad \frac{h_4 : \top, F_5, F_6, \Delta_8 \vdash \Delta_7}{\bullet h_4 : (\Delta_8, F_5 \wedge F_6), \top \vdash \Delta_7} \wedge_L}{- : \Delta_8, F_5 \wedge F_6 \vdash \Delta_7} \text{Cut} \\
\rightarrow \\
\frac{\frac{\bullet h_1 : \Delta_8, F_5, F_6 \vdash \top, \Delta_7}{- : \Delta_8, F_5, F_6 \vdash \Delta_7} \top_R \quad \frac{h_4 : \top, \Delta_8, F_5, F_6 \vdash \Delta_7}{\bullet h_4 : (\Delta_8, F_5 \wedge F_6), \top \vdash \Delta_7} \text{ax/W}}{- : \Delta_8, F_5 \wedge F_6 \vdash \Delta_7} \text{hCut} \\
\wedge_L
\end{array}$$

$$\begin{array}{c}
\frac{\frac{\bullet h_2 : \Delta_7 \vdash (\top, \Delta_5), F_8 \wedge F_9}{- : \Delta_7 \vdash \top, \Delta_5} \top_R \quad \frac{h_6 : F_8, F_9, \Delta_7 \vdash \top, \Delta_5}{\bullet h_6 : \Delta_7, F_8 \wedge F_9 \vdash \top, \Delta_5} \wedge_L}{- : \Delta_7 \vdash \top, \Delta_5} \text{Cut} \\
\rightarrow \\
\frac{- : \Delta_7 \vdash \top, \Delta_5}{- : \Delta_7 \vdash \top, \Delta_5} \top_R
\end{array}$$

$$\begin{array}{c}
\frac{\frac{\bullet h_2 : \Delta_{10}, F_8 \wedge F_9 \vdash (\top, \Delta_6), F_5}{- : \Delta_{10}, F_8 \wedge F_9 \vdash \top, \Delta_6} \top_R \quad \frac{h_7 : F_5, F_8, F_9, \Delta_{10} \vdash \top, \Delta_6}{\bullet h_7 : (\Delta_{10}, F_8 \wedge F_9), F_5 \vdash \top, \Delta_6} \wedge_L}{- : \Delta_{10}, F_8 \wedge F_9 \vdash \top, \Delta_6} \text{Cut} \\
\rightarrow \\
\frac{- : \Delta_{10}, F_8 \wedge F_9 \vdash \top, \Delta_6}{- : \Delta_{10}, F_8 \wedge F_9 \vdash \top, \Delta_6} \top_R
\end{array}$$

- Case rule \vee_L

$$\begin{array}{c}
\frac{\frac{\bullet h_1 : \Delta_8, F_5 \vee F_6 \vdash \Delta_7, \top}{- : \Delta_8, F_5 \vee F_6 \vdash \Delta_7} \top_R \quad \frac{h_4 : \top, F_5, \Delta_8 \vdash \Delta_7 \quad h_4 : \top, F_6, \Delta_8 \vdash \Delta_7}{\bullet h_4 : (\Delta_8, F_5 \vee F_6), \top \vdash \Delta_7} \vee_L}{- : \Delta_8, F_5 \vee F_6 \vdash \Delta_7} \text{Cut} \\
\rightarrow \\
\frac{\frac{\bullet h_1 : \Delta_8, F_5 \vdash \top, \Delta_7}{- : \Delta_8, F_5 \vdash \Delta_7} \top_R \quad \frac{h_4 : \top, \Delta_8, F_5 \vdash \Delta_7}{\bullet h_4 : (\Delta_8, F_5 \vee F_6), \top \vdash \Delta_7} \text{ax/W}}{- : \Delta_8, F_5 \vee F_6 \vdash \Delta_7} \text{hCut} \\
\vee_L
\end{array}$$

$$\begin{array}{c}
\frac{\frac{\bullet h_2 : \Delta_7 \vdash (\top, \Delta_5), F_8 \vee F_9}{- : \Delta_7 \vdash \top, \Delta_5} \top_R \quad \frac{h_6 : F_8, \Delta_7 \vdash \top, \Delta_5 \quad h_6 : F_9, \Delta_7 \vdash \top, \Delta_5}{\bullet h_6 : \Delta_7, F_8 \vee F_9 \vdash \top, \Delta_5} \vee_L}{- : \Delta_7 \vdash \top, \Delta_5} \text{Cut} \\
\rightarrow \\
\frac{- : \Delta_7 \vdash \top, \Delta_5}{- : \Delta_7 \vdash \top, \Delta_5} \top_R
\end{array}$$

$$\begin{array}{c}
\frac{\frac{\bullet h_2 : \Delta_{10}, F_8 \vee F_9 \vdash (\top, \Delta_6), F_5}{- : \Delta_{10}, F_8 \vee F_9 \vdash \top, \Delta_6} \top_R \quad \frac{h_7 : F_5, F_8, \Delta_{10} \vdash \top, \Delta_6 \quad h_7 : F_5, F_9, \Delta_{10} \vdash \top, \Delta_6}{\bullet h_7 : (\Delta_{10}, F_8 \vee F_9), F_5 \vdash \top, \Delta_6} \vee_L}{- : \Delta_{10}, F_8 \vee F_9 \vdash \top, \Delta_6} \text{Cut} \\
\rightarrow \\
\frac{- : \Delta_{10}, F_8 \vee F_9 \vdash \top, \Delta_6}{- : \Delta_{10}, F_8 \vee F_9 \vdash \top, \Delta_6} \top_R
\end{array}$$

- Case rule AT

$$\begin{array}{c}
\frac{\frac{\bullet h_1 : \Delta_7, \boxed{F_5} \vdash \Delta_6, \top}{- : \Delta_7, \boxed{F_5} \vdash \Delta_6} \top_R \quad \frac{h_4 : \top, F_5, \Delta_7, \boxed{F_5} \vdash \Delta_6}{\bullet h_4 : (\Delta_7, \boxed{F_5}), \top \vdash \Delta_6} AT}{- : \Delta_7, \boxed{F_5} \vdash \Delta_6} \text{Cut} \\
\rightarrow \\
\frac{\frac{\bullet h_1 : \Delta_7, F_5, \boxed{F_5} \vdash \top, \Delta_6}{- : \Delta_7, F_5, \boxed{F_5} \vdash \Delta_6} \top_R \quad \frac{h_4 : \top, \Delta_7, F_5, \boxed{F_5} \vdash \Delta_6}{\bullet h_4 : (\Delta_7, \boxed{F_5}), \top \vdash \Delta_6} \text{ax/W}}{- : \Delta_7, \boxed{F_5} \vdash \Delta_6} \text{hCut} \\
ATG
\end{array}$$

$$\begin{array}{c}
\frac{\frac{\bullet h_2 : \Delta_7 \vdash (\top, \Delta_5), \boxed{F_8}}{- : \Delta_7 \vdash \top, \Delta_5} \top_R \quad \frac{h_6 : F_8, \Delta_7, \boxed{F_8} \vdash \top, \Delta_5}{\bullet h_6 : \Delta_7, \boxed{F_8} \vdash \top, \Delta_5} AT}{- : \Delta_7 \vdash \top, \Delta_5} \text{Cut} \\
\rightarrow \\
\frac{- : \Delta_7 \vdash \top, \Delta_5}{- : \Delta_7 \vdash \top, \Delta_5} \top_R
\end{array}$$

$$\begin{array}{c}
\frac{\frac{\bullet h_2 : \Delta_9, \boxed{F_8} \vdash (\top, \Delta_6), F_5}{- : \Delta_9, \boxed{F_8} \vdash \top, \Delta_6} \top_R \quad \frac{h_7 : F_5, F_8, \Delta_9, \boxed{F_8} \vdash \top, \Delta_6}{\bullet h_7 : (\Delta_9, \boxed{F_8}), F_5 \vdash \top, \Delta_6} AT}{- : \Delta_9, \boxed{F_8} \vdash \top, \Delta_6} \text{Cut} \\
\rightarrow \\
\frac{- : \Delta_9, \boxed{F_8} \vdash \top, \Delta_6}{- : \Delta_9, \boxed{F_8} \vdash \top, \Delta_6} \top_R
\end{array}$$

- Case rule \perp_L

$$\begin{array}{c}
\frac{\frac{\bullet h_1 : \perp, \Delta_6 \vdash \Delta_5, \top}{- : \perp, \Delta_6 \vdash \Delta_5} \top_R \quad \frac{\bullet h_4 : (\perp, \Delta_6), \top \vdash \Delta_5}{\text{Cut}} \perp_L}{\rightarrow} \\
\frac{}{- : \perp, \Delta_6 \vdash \Delta_5} \perp_L
\end{array}$$

$$\begin{array}{c}
\frac{\frac{\bullet h_2 : \Delta_7 \vdash (\top, \Delta_5), \perp}{- : \Delta_7 \vdash \top, \Delta_5} \top_R \quad \frac{\bullet h_6 : \Delta_7, \perp \vdash \top, \Delta_5}{\text{Cut}} \perp_L}{\rightarrow} \\
\frac{}{- : \Delta_7 \vdash \top, \Delta_5} \top_R
\end{array}$$

$$\begin{array}{c}
\frac{\frac{\bullet h_2 : \perp, \Delta_8 \vdash (\top, \Delta_6), F_5}{- : \perp, \Delta_8 \vdash \top, \Delta_6} \top_R \quad \frac{\bullet h_7 : (\perp, \Delta_8), F_5 \vdash \top, \Delta_6}{\text{Cut}} \perp_L}{\rightarrow} \\
\frac{}{- : \perp, \Delta_8 \vdash \top, \Delta_6} \top_R
\end{array}$$

- Case rule I

$$\begin{array}{c}
\frac{\frac{\bullet h_1 : \Delta_7, p_5 \vdash (\Delta_6, p_5), \top}{- : \Delta_7, p_5 \vdash \Delta_6, p_5} \top_R \quad \frac{\bullet h_4 : (\Delta_7, p_5), \top \vdash \Delta_6, p_5}{\text{Cut}} I}{\rightarrow} \\
\frac{}{- : \Delta_7, p_5 \vdash \Delta_6, p_5} I
\end{array}$$

$$\begin{array}{c}
\frac{\frac{\bullet h_2 : \Delta_6 \vdash (\top, \Delta_8, p_7), p_7}{- : \Delta_6 \vdash \top, \Delta_8, p_7} \top_R \quad \frac{\bullet h_5 : \Delta_6, p_7 \vdash \top, \Delta_8, p_7}{\text{Cut}} I}{\rightarrow} \\
\frac{}{- : \Delta_6 \vdash \top, \Delta_8, p_7} \top_R
\end{array}$$

$$\begin{array}{c}
\frac{\frac{\bullet h_2 : \Delta_9, p_7 \vdash (\top, \Delta_8, p_7), F_5}{- : \Delta_9, p_7 \vdash \top, \Delta_8, p_7} \top_R \quad \frac{\bullet h_6 : (\Delta_9, p_7), F_5 \vdash \top, \Delta_8, p_7}{\text{Cut}} I}{\rightarrow} \\
\frac{}{- : \Delta_9, p_7 \vdash \top, \Delta_8, p_7} \top_R
\end{array}$$

- Case rule \top_L

$$\begin{array}{c}
\frac{\frac{\bullet h_1 : \Delta_5 \vdash \Delta_6, \top}{- : \Delta_5 \vdash \Delta_6} \top_R \quad \frac{h_4 : \Delta_5 \vdash \Delta_6}{\bullet h_4 : \Delta_5, \top \vdash \Delta_6} \top_L}{\rightarrow} \\
\frac{}{- : \Delta_5 \vdash \Delta_6} \text{ax/w}
\end{array}$$

$$\begin{array}{c}
\frac{\frac{\bullet h_2 : \Delta_7 \vdash (\top, \Delta_5), \top}{- : \Delta_7 \vdash \top, \Delta_5} \top_R \quad \frac{h_6 : \Delta_7 \vdash \top, \Delta_5}{\bullet h_6 : \Delta_7, \top \vdash \top, \Delta_5} \top_L}{\rightarrow} \\
\frac{}{- : \Delta_7 \vdash \top, \Delta_5} \top_R
\end{array}$$

$$\begin{array}{c}
\frac{\frac{\bullet h_2 : \top, \Delta_8 \vdash (\top, \Delta_6), F_5}{- : \top, \Delta_8 \vdash \top, \Delta_6} \top_R \quad \frac{h_7 : F_5, \Delta_8 \vdash \top, \Delta_6}{\bullet h_7 : (\top, \Delta_8), F_5 \vdash \top, \Delta_6} \top_L}{\rightarrow} \\
\frac{}{- : \top, \Delta_8 \vdash \top, \Delta_6} \top_R
\end{array}$$

6.6 Status of K : OK

- Case rule \rightarrow_R

$$\begin{array}{c}
\frac{h_1 : \text{unbox}(\Box\Gamma_6) \vdash F_8}{\bullet h_1 : \Box\Gamma_6, \Delta_7 \vdash (\Delta_{10}, F_{11} \rightarrow F_{12}), \Box F_8} K \quad \frac{h_9 : \Box\Gamma_6, F_{11}, \Delta_7, \Box F_8 \vdash F_{12}, \Delta_{10}}{\bullet h_9 : (\Box\Gamma_6, \Delta_7), \Box F_8 \vdash \Delta_{10}, F_{11} \rightarrow F_{12}} \rightarrow_R \\
\hline
- : \Box\Gamma_6, \Delta_7 \vdash \Delta_{10}, F_{11} \rightarrow F_{12} \quad \text{Cut} \\
\rightarrow \\
\frac{\frac{h_1 : \text{unbox}(\Box\Gamma_6) \vdash F_8}{\bullet h_1 : \Delta_7, F_{11}, \Box\Gamma_6 \vdash \Delta_{10}, F_{12}, \Box F_8} \text{ax/W} \quad \frac{h_9 : \Delta_7, F_{11}, \Box\Gamma_6, \Box F_8 \vdash \Delta_{10}, F_{12}}{\bullet h_9 : (\Box\Gamma_6, \Delta_7), \Box F_8 \vdash \Delta_{10}, F_{11} \rightarrow F_{12}} \text{ax/W}}{\frac{- : \Delta_7, F_{11}, \Box\Gamma_6 \vdash \Delta_{10}, F_{12}}{- : \Delta_7, \Box\Gamma_6 \vdash \Delta_{10}, F_{11} \rightarrow F_{12}} \rightarrow_R} \text{hCut} \\
\hline
\frac{h_2 : \text{unbox}(\Box\Gamma_7) \vdash F_{10}}{\bullet h_2 : \Box\Gamma_7, \Delta_9 \vdash ((\Delta_{14}, F_{12} \rightarrow F_{13}), \Box F_{10}), F_8} K \quad \frac{h_{11} : \Box\Gamma_7, F_8, F_{12}, \Delta_9 \vdash F_{13}, \Delta_{14}, \Box F_{10}}{\bullet h_{11} : (\Box\Gamma_7, \Delta_9), F_8 \vdash (\Delta_{14}, F_{12} \rightarrow F_{13}), \Box F_{10}} \rightarrow_R \\
\hline
- : \Box\Gamma_7, \Delta_9 \vdash (\Delta_{14}, F_{12} \rightarrow F_{13}), \Box F_{10} \quad \text{Cut} \\
\rightarrow \\
\frac{- : \text{unbox}(\Box\Gamma_7) \vdash F_{10}}{- : \Delta_9, \Box\Gamma_7 \vdash \Delta_{14}, \Box F_{10}, F_{12} \rightarrow F_{13}} \text{ax/W} \\
\hline
- : \Delta_9, \Box\Gamma_7 \vdash \Delta_{14}, \Box F_{10}, F_{12} \rightarrow F_{13} \quad K
\end{array}$$

• Case rule \wedge_R

$$\begin{array}{c}
\frac{h_1 : \text{unbox}(\Box\Gamma_6) \vdash F_8}{\bullet h_1 : \Box\Gamma_6, \Delta_7 \vdash (\Delta_{10}, F_{11} \wedge F_{12}), \Box F_8} K \quad \frac{h_9 : \Box\Gamma_6, \Delta_7, \Box F_8 \vdash F_{11}, \Delta_{10} \quad h_9 : \Box\Gamma_6, \Delta_7, \Box F_8 \vdash F_{12}, \Delta_{10}}{\bullet h_9 : (\Box\Gamma_6, \Delta_7), \Box F_8 \vdash \Delta_{10}, F_{11} \wedge F_{12}} \wedge_R \\
\hline
- : \Box\Gamma_6, \Delta_7 \vdash \Delta_{10}, F_{11} \wedge F_{12} \quad \text{Cut} \\
\rightarrow \\
\frac{\frac{h_1 : \text{unbox}(\Box\Gamma_6) \vdash F_8}{\bullet h_1 : \Delta_7, \Box\Gamma_6 \vdash \Delta_{10}, F_{11}, \Box F_8} \text{ax/W} \quad \frac{h_9 : \Delta_7, \Box\Gamma_6, \Box F_8 \vdash \Delta_{10}, F_{11}}{\bullet h_9 : (\Box\Gamma_6, \Delta_7), \Box F_8 \vdash \Delta_{10}, F_{11} \wedge F_{12}} \text{ax/W}}{\frac{- : \Delta_7, \Box\Gamma_6 \vdash \Delta_{10}, F_{11}}{- : \Delta_7, \Box\Gamma_6 \vdash \Delta_{10}, F_{11} \wedge F_{12}} \wedge_R} \text{hCut} \\
\hline
\frac{h_2 : \text{unbox}(\Box\Gamma_7) \vdash F_{10}}{\bullet h_2 : \Box\Gamma_7, \Delta_9 \vdash ((\Delta_{14}, F_{12} \wedge F_{13}), \Box F_{10}), F_8} K \quad \frac{h_{11} : \Box\Gamma_7, F_8, \Delta_9 \vdash F_{12}, \Delta_{14}, \Box F_{10} \quad h_{11} : \Box\Gamma_7, F_8, \Delta_9 \vdash F_{13}, \Delta_{14}, \Box F_{10}}{\bullet h_{11} : (\Box\Gamma_7, \Delta_9), F_8 \vdash (\Delta_{14}, F_{12} \wedge F_{13}), \Box F_{10}} \wedge_R \\
\hline
- : \Box\Gamma_7, \Delta_9 \vdash (\Delta_{14}, F_{12} \wedge F_{13}), \Box F_{10} \quad \text{Cut} \\
\rightarrow \\
\frac{- : \text{unbox}(\Box\Gamma_7) \vdash F_{10}}{- : \Delta_9, \Box\Gamma_7 \vdash \Delta_{14}, \Box F_{10}, F_{12} \wedge F_{13}} \text{ax/W} \\
\hline
- : \Delta_9, \Box\Gamma_7 \vdash \Delta_{14}, \Box F_{10}, F_{12} \wedge F_{13} \quad K
\end{array}$$

• Case rule \vee_R

$$\begin{array}{c}
\frac{h_1 : \text{unbox}(\Box\Gamma_6) \vdash F_8}{\bullet h_1 : \Box\Gamma_6, \Delta_7 \vdash (\Delta_{10}, F_{11} \vee F_{12}), \Box F_8} K \quad \frac{h_9 : \Box\Gamma_6, \Delta_7, \Box F_8 \vdash F_{11}, F_{12}, \Delta_{10}}{\bullet h_9 : (\Box\Gamma_6, \Delta_7), \Box F_8 \vdash \Delta_{10}, F_{11} \vee F_{12}} \vee_R \\
\hline
- : \Box\Gamma_6, \Delta_7 \vdash \Delta_{10}, F_{11} \vee F_{12} \quad \text{Cut} \\
\rightarrow \\
\frac{\frac{h_1 : \text{unbox}(\Box\Gamma_6) \vdash F_8}{\bullet h_1 : \Delta_7, \Box\Gamma_6 \vdash \Delta_{10}, F_{11}, F_{12}, \Box F_8} \text{ax/W} \quad \frac{h_9 : \Delta_7, \Box\Gamma_6, \Box F_8 \vdash \Delta_{10}, F_{11}, F_{12}}{\bullet h_9 : (\Box\Gamma_6, \Delta_7), \Box F_8 \vdash \Delta_{10}, F_{11} \vee F_{12}} \text{ax/W}}{\frac{- : \Delta_7, \Box\Gamma_6 \vdash \Delta_{10}, F_{11}, F_{12}}{- : \Delta_7, \Box\Gamma_6 \vdash \Delta_{10}, F_{11} \vee F_{12}} \vee_R} \text{hCut} \\
\hline
\frac{h_2 : \text{unbox}(\Box\Gamma_7) \vdash F_{10}}{\bullet h_2 : \Box\Gamma_7, \Delta_9 \vdash ((\Delta_{14}, F_{12} \vee F_{13}), \Box F_{10}), F_8} K \quad \frac{h_{11} : \Box\Gamma_7, F_8, \Delta_9 \vdash F_{12}, F_{13}, \Delta_{14}, \Box F_{10}}{\bullet h_{11} : (\Box\Gamma_7, \Delta_9), F_8 \vdash (\Delta_{14}, F_{12} \vee F_{13}), \Box F_{10}} \vee_R \\
\hline
- : \Box\Gamma_7, \Delta_9 \vdash (\Delta_{14}, F_{12} \vee F_{13}), \Box F_{10} \quad \text{Cut} \\
\rightarrow \\
\frac{- : \text{unbox}(\Box\Gamma_7) \vdash F_{10}}{- : \Delta_9, \Box\Gamma_7 \vdash \Delta_{14}, \Box F_{10}, F_{12} \vee F_{13}} \text{ax/W} \\
\hline
- : \Delta_9, \Box\Gamma_7 \vdash \Delta_{14}, \Box F_{10}, F_{12} \vee F_{13} \quad K
\end{array}$$

• Case rule \perp_R

$$\begin{array}{c}
\frac{h_1 : \text{unbox}(\Box\Gamma_6) \vdash F_8}{\bullet h_1 : \Box\Gamma_6, \Delta_7 \vdash (\perp, \Delta_{10}), \Box F_8} K \quad \frac{h_9 : \Box\Gamma_6, \Delta_7, \Box F_8 \vdash \Delta_{10}}{\bullet h_9 : (\Box\Gamma_6, \Delta_7), \Box F_8 \vdash \perp, \Delta_{10}} \perp_R \\
\hline
- : \Box\Gamma_6, \Delta_7 \vdash \perp, \Delta_{10} \quad \text{Cut} \\
\rightarrow \\
\frac{\frac{h_1 : \text{unbox}(\Box\Gamma_6) \vdash F_8}{\bullet h_1 : \Delta_7, \Box\Gamma_6 \vdash \perp, \Delta_{10}, \Box F_8} \text{ax/W} \quad \frac{h_9 : \Delta_7, \Box\Gamma_6, \Box F_8 \vdash \perp, \Delta_{10}}{\bullet h_9 : (\Box\Gamma_6, \Delta_7), \Box F_8 \vdash \perp, \Delta_{10}} \text{ax/W}}{- : \Delta_7, \Box\Gamma_6 \vdash \perp, \Delta_{10}} \text{hCut}
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : \text{unbox}(\Box\Gamma_{12}, \Box\Gamma_{14}) \vdash F_{11}}{\bullet h_2 : (\Box\Gamma_{12}, \Box\Gamma_{14}), \Box\Gamma_{13}, \Delta_{15} \vdash ((\Box\Gamma_9, \Delta_{10}), \Box F_{11}), F_7} K \quad \frac{h_8 : \Box\Gamma_{12}, \Box\Gamma_{13} \vdash \Box\Gamma_9, F_{11}}{\bullet h_8 : ((\Box\Gamma_{12}, \Box\Gamma_{14}), \Box\Gamma_{13}, \Delta_{15}), F_7 \vdash (\Box\Gamma_9, \Delta_{10}), \Box F_{11}} A45 \\
\frac{}{- : (\Box\Gamma_{12}, \Box\Gamma_{14}), \Box\Gamma_{13}, \Delta_{15} \vdash (\Box\Gamma_9, \Delta_{10}), \Box F_{11}} \text{Cut} \\
\rightarrow \\
\frac{\text{ax/W}}{- : \text{unbox}(\Box\Gamma_{12}), \text{unbox}(\Box\Gamma_{14}) \vdash F_{11}} K \\
\frac{}{- : \Delta_{15}, \Box\Gamma_{12}, \Box\Gamma_{13}, \Box\Gamma_{14} \vdash \Delta_{10}, \Box\Gamma_9, \Box F_{11}}
\end{array}$$

- Case rule \rightarrow_L

$$\begin{array}{c}
\frac{h_1 : \text{unbox}(\Box\Gamma_6) \vdash F_7}{\bullet h_1 : \Box\Gamma_6, \Delta_{12}, F_9 \rightarrow F_{10} \vdash \Delta_{11}, \Box F_7} K \quad \frac{h_8 : \Box\Gamma_6, \Delta_{12}, \Box F_7 \vdash F_9, \Delta_{11} \quad h_8 : \Box\Gamma_6, F_{10}, \Delta_{12}, \Box F_7 \vdash \Delta_{11}}{\bullet h_8 : (\Box\Gamma_6, \Delta_{12}, F_9 \rightarrow F_{10}), \Box F_7 \vdash \Delta_{11}} \text{Cut} \\
\frac{}{- : \Box\Gamma_6, \Delta_{12}, F_9 \rightarrow F_{10} \vdash \Delta_{11}} \text{Cut} \\
\rightarrow \\
\frac{\text{ax/W}}{h_1 : \text{unbox}(\Box\Gamma_6) \vdash F_7} K \quad \frac{\text{ax/W}}{h_8 : \Delta_{12}, \Box\Gamma_6, \Box F_7 \vdash \Delta_{11}, F_9} \text{hCut} \quad \frac{\text{ax/W}}{h_1 : \text{unbox}(\Box\Gamma_6) \vdash F_7} K \quad \frac{\text{ax/W}}{h_8 : \Delta_{12}, F_{10}, \Box\Gamma_6, \Box F_7 \vdash \Delta_{11}} \text{hCut} \\
\frac{}{- : \Delta_{12}, \Box\Gamma_6 \vdash \Delta_{11}, F_9} \quad \frac{}{- : \Delta_{12}, \Box\Gamma_6, F_9 \rightarrow F_{10} \vdash \Delta_{11}} \rightarrow_L
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : \text{unbox}(\Box\Gamma_7) \vdash F_{10}}{\bullet h_2 : \Box\Gamma_7, \Delta_8 \vdash (\Delta_9, \Box F_{10}), F_{12} \rightarrow F_{13}} K \quad \frac{h_{11} : \Box\Gamma_7, \Delta_8 \vdash F_{12}, \Delta_9, \Box F_{10} \quad h_{11} : \Box\Gamma_7, F_{13}, \Delta_8 \vdash \Delta_9, \Box F_{10}}{\bullet h_{11} : (\Box\Gamma_7, \Delta_8), F_{12} \rightarrow F_{13} \vdash \Delta_9, \Box F_{10}} \text{Cut} \\
\frac{}{- : \Box\Gamma_7, \Delta_8 \vdash \Delta_9, \Box F_{10}} \text{Cut} \\
\rightarrow \\
\frac{\text{ax/W}}{- : \text{unbox}(\Box\Gamma_7) \vdash F_{10}} K \\
\frac{}{- : \Delta_8, \Box\Gamma_7 \vdash \Delta_9, \Box F_{10}}
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : \text{unbox}(\Box\Gamma_7) \vdash F_{10}}{\bullet h_2 : \Box\Gamma_7, \Delta_{14}, F_{12} \rightarrow F_{13} \vdash (\Delta_9, \Box F_{10}), F_8} K \quad \frac{h_{11} : \Box\Gamma_7, F_8, \Delta_{14} \vdash F_{12}, \Delta_9, \Box F_{10} \quad h_{11} : \Box\Gamma_7, F_8, F_{13}, \Delta_{14} \vdash \Delta_9, \Box F_{10}}{\bullet h_{11} : (\Box\Gamma_7, \Delta_{14}, F_{12} \rightarrow F_{13}), F_8 \vdash \Delta_9, \Box F_{10}} \text{Cut} \\
\frac{}{- : \Box\Gamma_7, \Delta_{14}, F_{12} \rightarrow F_{13} \vdash \Delta_9, \Box F_{10}} \text{Cut} \\
\rightarrow \\
\frac{\text{ax/W}}{- : \text{unbox}(\Box\Gamma_7) \vdash F_{10}} K \\
\frac{}{- : \Delta_{14}, \Box\Gamma_7, F_{12} \rightarrow F_{13} \vdash \Delta_9, \Box F_{10}}
\end{array}$$

- Case rule \wedge_L

$$\begin{array}{c}
\frac{h_1 : \text{unbox}(\Box\Gamma_6) \vdash F_7}{\bullet h_1 : \Box\Gamma_6, \Delta_{12}, F_9 \wedge F_{10} \vdash \Delta_{11}, \Box F_7} K \quad \frac{h_8 : \Box\Gamma_6, F_9, F_{10}, \Delta_{12}, \Box F_7 \vdash \Delta_{11}}{\bullet h_8 : (\Box\Gamma_6, \Delta_{12}, F_9 \wedge F_{10}), \Box F_7 \vdash \Delta_{11}} \wedge_L \\
\frac{}{- : \Box\Gamma_6, \Delta_{12}, F_9 \wedge F_{10} \vdash \Delta_{11}} \text{Cut} \\
\rightarrow \\
\frac{\text{ax/W}}{h_1 : \text{unbox}(\Box\Gamma_6) \vdash F_7} K \quad \frac{\text{ax/W}}{h_8 : \Delta_{12}, F_{10}, F_9, \Box\Gamma_6, \Box F_7 \vdash \Delta_{11}} \text{hCut} \\
\frac{}{- : \Delta_{12}, F_{10}, F_9, \Box\Gamma_6 \vdash \Delta_{11}} \wedge_L \\
\frac{}{- : \Delta_{12}, \Box\Gamma_6, F_9 \wedge F_{10} \vdash \Delta_{11}}
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : \text{unbox}(\Box\Gamma_7) \vdash F_{10}}{\bullet h_2 : \Box\Gamma_7, \Delta_8 \vdash (\Delta_9, \Box F_{10}), F_{12} \wedge F_{13}} K \quad \frac{h_{11} : \Box\Gamma_7, F_{12}, F_{13}, \Delta_8 \vdash \Delta_9, \Box F_{10}}{\bullet h_{11} : (\Box\Gamma_7, \Delta_8), F_{12} \wedge F_{13} \vdash \Delta_9, \Box F_{10}} \wedge_L \\
\frac{}{- : \Box\Gamma_7, \Delta_8 \vdash \Delta_9, \Box F_{10}} \text{Cut} \\
\rightarrow \\
\frac{\text{ax/W}}{- : \text{unbox}(\Box\Gamma_7) \vdash F_{10}} K \\
\frac{}{- : \Delta_8, \Box\Gamma_7 \vdash \Delta_9, \Box F_{10}}
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : \text{unbox}(\Box\Gamma_7) \vdash F_{10}}{\bullet h_2 : \Box\Gamma_7, \Delta_{14}, F_{12} \wedge F_{13} \vdash (\Delta_9, \Box F_{10}), F_8} K \quad \frac{h_{11} : \Box\Gamma_7, F_8, F_{12}, F_{13}, \Delta_{14} \vdash \Delta_9, \Box F_{10}}{\bullet h_{11} : (\Box\Gamma_7, \Delta_{14}, F_{12} \wedge F_{13}), F_8 \vdash \Delta_9, \Box F_{10}} \wedge_L \\
\frac{}{- : \Box\Gamma_7, \Delta_{14}, F_{12} \wedge F_{13} \vdash \Delta_9, \Box F_{10}} \text{Cut} \\
\rightarrow \\
\frac{\text{ax/W}}{- : \text{unbox}(\Box\Gamma_7) \vdash F_{10}} K \\
\frac{}{- : \Delta_{14}, \Box\Gamma_7, F_{12} \wedge F_{13} \vdash \Delta_9, \Box F_{10}}
\end{array}$$

- Case rule \vee_L

$$\frac{\frac{h_1 : \text{unbox}(\Box\Gamma_6) \vdash F_7}{\bullet h_1 : \Box\Gamma_6, \Delta_{12}, F_9 \vee F_{10} \vdash \Delta_{11}, \Box F_7} K \quad \frac{h_8 : \Box\Gamma_6, F_9, \Delta_{12}, \Box F_7 \vdash \Delta_{11} \quad h_8 : \Box\Gamma_6, F_{10}, \Delta_{12}, \Box F_7 \vdash \Delta_{11}}{\bullet h_8 : (\Box\Gamma_6, \Delta_{12}, F_9 \vee F_{10}), \Box F_7 \vdash \Delta_{11}} \vee_L}{- : \Box\Gamma_6, \Delta_{12}, F_9 \vee F_{10} \vdash \Delta_{11}} \text{Cut}$$

$$\frac{\frac{\frac{h_1 : \text{unbox}(\Box\Gamma_6) \vdash F_7}{\bullet h_1 : \Delta_{12}, F_9, \Box\Gamma_6 \vdash \Delta_{11}, \Box F_7} K \quad \frac{h_8 : \Delta_{12}, F_9, \Box\Gamma_6, \Box F_7 \vdash \Delta_{11}}{- : \Delta_{12}, F_9, \Box\Gamma_6 \vdash \Delta_{11}} \text{ax/W}}{- : \Delta_{12}, F_9, \Box\Gamma_6 \vdash \Delta_{11}} \text{hCut} \quad \frac{\frac{h_1 : \text{unbox}(\Box\Gamma_6) \vdash F_7}{\bullet h_1 : \Delta_{12}, F_{10}, \Box\Gamma_6 \vdash \Delta_{11}, \Box F_7} K \quad \frac{h_8 : \Delta_{12}, F_{10}, \Box\Gamma_6, \Box F_7 \vdash \Delta_{11}}{- : \Delta_{12}, F_{10}, \Box\Gamma_6 \vdash \Delta_{11}} \text{ax/W}}{- : \Delta_{12}, F_{10}, \Box\Gamma_6 \vdash \Delta_{11}} \text{hCut}}{- : \Delta_{12}, \Box\Gamma_6, F_9 \vee F_{10} \vdash \Delta_{11}} \vee_L$$

$$\frac{\frac{h_2 : \text{unbox}(\Box\Gamma_7) \vdash F_{10}}{\bullet h_2 : \Box\Gamma_7, \Delta_8 \vdash (\Delta_9, \Box F_{10}), F_{12} \vee F_{13}} K \quad \frac{h_{11} : \Box\Gamma_7, F_{12}, \Delta_8 \vdash \Delta_9, \Box F_{10} \quad h_{11} : \Box\Gamma_7, F_{13}, \Delta_8 \vdash \Delta_9, \Box F_{10}}{\bullet h_{11} : (\Box\Gamma_7, \Delta_8), F_{12} \vee F_{13} \vdash \Delta_9, \Box F_{10}} \vee_L}{- : \Box\Gamma_7, \Delta_8 \vdash \Delta_9, \Box F_{10}} \text{Cut}$$

$$\frac{- : \text{unbox}(\Box\Gamma_7) \vdash F_{10}}{- : \Delta_8, \Box\Gamma_7 \vdash \Delta_9, \Box F_{10}} \text{ax/W} \quad K$$

$$\frac{\frac{h_2 : \text{unbox}(\Box\Gamma_7) \vdash F_{10}}{\bullet h_2 : \Box\Gamma_7, \Delta_{14}, F_{12} \vee F_{13} \vdash (\Delta_9, \Box F_{10}), F_8} K \quad \frac{h_{11} : \Box\Gamma_7, F_8, F_{12}, \Delta_{14} \vdash \Delta_9, \Box F_{10} \quad h_{11} : \Box\Gamma_7, F_8, F_{13}, \Delta_{14} \vdash \Delta_9, \Box F_{10}}{\bullet h_{11} : (\Box\Gamma_7, \Delta_{14}, F_{12} \vee F_{13}), F_8 \vdash \Delta_9, \Box F_{10}} \vee_L}{- : \Box\Gamma_7, \Delta_{14}, F_{12} \vee F_{13} \vdash \Delta_9, \Box F_{10}} \text{Cut}$$

$$\frac{- : \text{unbox}(\Box\Gamma_7) \vdash F_{10}}{- : \Delta_{14}, \Box\Gamma_7, F_{12} \vee F_{13} \vdash \Delta_9, \Box F_{10}} \text{ax/W} \quad K$$

• Case rule *AT*

$$\frac{\frac{h_1 : \text{unbox}(\Box\Gamma_{11}, \Box F_9) \vdash F_7}{\bullet h_1 : (\Box\Gamma_{11}, \Box F_9), \Delta_6 \vdash \Delta_{10}, \Box F_7} K \quad \frac{h_8 : \Box\Gamma_{11}, F_9, \Delta_6, \Box F_7, \Box F_9 \vdash \Delta_{10}}{\bullet h_8 : ((\Box\Gamma_{11}, \Box F_9), \Delta_6), \Box F_7 \vdash \Delta_{10}} AT}{- : (\Box\Gamma_{11}, \Box F_9), \Delta_6 \vdash \Delta_{10}} \text{Cut}$$

$$\frac{\frac{\frac{h_1 : \Delta_6, F_9, \Box\Gamma_{11}, \Box F_9 \vdash \Delta_{10}, \Box F_7}{\bullet h_1 : \Delta_6, F_9, \Box\Gamma_{11}, \Box F_9 \vdash \Delta_{10}, \Box F_7} \text{ax/W}}{- : \Delta_6, F_9, \Box\Gamma_{11}, \Box F_9 \vdash \Delta_{10}} AT \quad \frac{h_8 : \Delta_6, F_9, \Box\Gamma_{11}, \Box F_7, \Box F_9 \vdash \Delta_{10}}{\bullet h_8 : ((\Box\Gamma_{11}, \Box F_9), \Delta_6), \Box F_7 \vdash \Delta_{10}} \text{hCut}}{- : \Delta_6, \Box\Gamma_{11}, \Box F_9 \vdash \Delta_{10}} \text{AT}$$

$$\frac{\frac{h_1 : \text{unbox}(\Box\Gamma_6) \vdash F_7}{\bullet h_1 : \Box\Gamma_6, \Delta_{11}, \Box F_9 \vdash \Delta_{10}, \Box F_7} K \quad \frac{h_8 : \Box\Gamma_6, F_9, \Delta_{11}, \Box F_7, \Box F_9 \vdash \Delta_{10}}{\bullet h_8 : (\Box\Gamma_6, \Delta_{11}, \Box F_9), \Box F_7 \vdash \Delta_{10}} AT}{- : \Box\Gamma_6, \Delta_{11}, \Box F_9 \vdash \Delta_{10}} \text{Cut}$$

$$\frac{\frac{\frac{h_1 : \Delta_{11}, F_9, \Box\Gamma_6, \Box F_9 \vdash \Delta_{10}, \Box F_7}{\bullet h_1 : \Delta_{11}, F_9, \Box\Gamma_6, \Box F_9 \vdash \Delta_{10}, \Box F_7} \text{ax/W}}{- : \Delta_{11}, F_9, \Box\Gamma_6, \Box F_9 \vdash \Delta_{10}} ATG \quad \frac{h_8 : \Delta_{11}, F_9, \Box\Gamma_6, \Box F_7, \Box F_9 \vdash \Delta_{10}}{\bullet h_8 : (\Box\Gamma_6, \Delta_{11}, \Box F_9), \Box F_7 \vdash \Delta_{10}} \text{hCut}}{- : \Delta_{11}, \Box\Gamma_6, \Box F_9 \vdash \Delta_{10}} \text{ATG}$$

$$\frac{\frac{h_1 : \text{unbox}(\Box\Gamma_6) \vdash F_9}{\bullet h_1 : \Box\Gamma_6, \Delta_7 \vdash \Delta_{10}, \Box F_9} K \quad \frac{h_8 : \Box\Gamma_6, F_9, \Delta_7, \Box F_9 \vdash \Delta_{10}}{\bullet h_8 : (\Box\Gamma_6, \Delta_7), \Box F_9 \vdash \Delta_{10}} AT}{- : \Box\Gamma_6, \Delta_7 \vdash \Delta_{10}} \text{Cut}$$

$$\frac{- : \Delta_7, \Box\Gamma_6, \text{unbox}(\Box\Gamma_6) \vdash \Delta_{10}, F_9}{- : \Delta_7, \Box\Gamma_6 \vdash \Delta_{10}, F_9} \text{ax/W} \quad \frac{\frac{\frac{h_1 : \Delta_7, F_9, \Box\Gamma_6 \vdash \Delta_{10}, \Box F_9}{\bullet h_1 : \Delta_7, F_9, \Box\Gamma_6 \vdash \Delta_{10}, \Box F_9} \text{ax/W}}{- : \Delta_7, F_9, \Box\Gamma_6 \vdash \Delta_{10}} \text{ATG} \quad \frac{h_8 : \Delta_7, F_9, \Box\Gamma_6, \Box F_9 \vdash \Delta_{10}}{\bullet h_8 : (\Delta_7, F_9, \Box\Gamma_6), \Box F_9 \vdash \Delta_{10}} \text{hCut}}{- : \Delta_7, F_9, \Box\Gamma_6 \vdash \Delta_{10}} \text{sCut}$$

$$\frac{\frac{h_2 : \text{unbox}(\Box\Gamma_{13}, \Box F_{12}) \vdash F_{10}}{\bullet h_2 : (\Box\Gamma_{13}, \Box F_{12}), \Delta_8 \vdash (\Delta_9, \Box F_{10}), F_7} K \quad \frac{h_{11} : \Box\Gamma_{13}, F_7, F_{12}, \Delta_8, \Box F_{12} \vdash \Delta_9, \Box F_{10}}{\bullet h_{11} : ((\Box\Gamma_{13}, \Box F_{12}), \Delta_8), F_7 \vdash \Delta_9, \Box F_{10}} AT}{- : (\Box\Gamma_{13}, \Box F_{12}), \Delta_8 \vdash \Delta_9, \Box F_{10}} \text{Cut}$$

$$\frac{- : F_{12}, \text{unbox}(\Box\Gamma_{13}) \vdash F_{10}}{- : \Delta_8, \Box\Gamma_{13}, \Box F_{12} \vdash \Delta_9, \Box F_{10}} \text{ax/W} \quad K$$

$$\frac{\frac{h_2 : \text{unbox}(\Box\Gamma_7) \vdash F_{10}}{\bullet h_2 : \Box\Gamma_7, \Delta_8 \vdash (\Delta_9, \Box F_{10}), \Box F_{12}} K \quad \frac{h_{11} : \Box\Gamma_7, F_{12}, \Delta_8, \Box F_{12} \vdash \Delta_9, \Box F_{10}}{\bullet h_{11} : (\Box\Gamma_7, \Delta_8), \Box F_{12} \vdash \Delta_9, \Box F_{10}} AT}{- : \Box\Gamma_7, \Delta_8 \vdash \Delta_9, \Box F_{10}} \text{Cut}$$

$$\frac{- : \text{unbox}(\Box\Gamma_7) \vdash F_{10}}{- : \Delta_8, \Box\Gamma_7 \vdash \Delta_9, \Box F_{10}} \text{ax/W} \quad K$$

$$\begin{array}{c}
\frac{h_2 : \text{unbox}(\Box\Gamma_7) \vdash F_{10}}{\bullet h_2 : \Box\Gamma_7, \Delta_{13}, \llbracket F_{12} \vdash (\Delta_9, \llbracket F_{10}), F_8 \rrbracket} \quad K \quad \frac{h_{11} : \Box\Gamma_7, F_8, F_{12}, \Delta_{13}, \llbracket F_{12} \vdash \Delta_9, \llbracket F_{10} \rrbracket}{\bullet h_{11} : (\Box\Gamma_7, \Delta_{13}, \llbracket F_{12} \rrbracket), F_8 \vdash \Delta_9, \llbracket F_{10} \rrbracket} \quad AT \\
\hline
- : \Box\Gamma_7, \Delta_{13}, \llbracket F_{12} \vdash \Delta_9, \llbracket F_{10} \rrbracket} \quad \text{Cut} \\
\rightarrow \\
\frac{\text{ax/W}}{- : \text{unbox}(\Box\Gamma_7) \vdash F_{10}} \quad K \\
\hline
- : \Delta_{13}, \Box\Gamma_7, \llbracket F_{12} \vdash \Delta_9, \llbracket F_{10} \rrbracket}
\end{array}$$

- Case rule \perp_L

$$\begin{array}{c}
\frac{h_1 : \text{unbox}(\Box\Gamma_6) \vdash F_7}{\bullet h_1 : \Box\Gamma_6, \perp, \Delta_{10} \vdash \Delta_9, \llbracket F_7 \rrbracket} \quad K \quad \frac{}{\bullet h_8 : (\Box\Gamma_6, \perp, \Delta_{10}), \llbracket F_7 \vdash \Delta_9 \rrbracket} \quad \perp_L \\
\hline
- : \Box\Gamma_6, \perp, \Delta_{10} \vdash \Delta_9 \quad \text{Cut} \\
\rightarrow \\
\frac{}{- : \perp, \Delta_{10}, \Box\Gamma_6 \vdash \Delta_9} \quad \perp_L \\
\hline
\frac{h_2 : \text{unbox}(\Box\Gamma_7) \vdash F_{10}}{\bullet h_2 : \Box\Gamma_7, \Delta_8 \vdash (\Delta_9, \llbracket F_{10} \rrbracket), \perp} \quad K \quad \frac{}{\bullet h_{11} : (\Box\Gamma_7, \Delta_8), \perp \vdash \Delta_9, \llbracket F_{10} \rrbracket} \quad \perp_L \\
\hline
- : \Box\Gamma_7, \Delta_8 \vdash \Delta_9, \llbracket F_{10} \rrbracket} \quad \text{Cut} \\
\rightarrow \\
\frac{\text{ax/W}}{- : \text{unbox}(\Box\Gamma_7) \vdash F_{10}} \quad K \\
\hline
- : \Delta_8, \Box\Gamma_7 \vdash \Delta_9, \llbracket F_{10} \rrbracket} \\
\hline
\frac{h_2 : \text{unbox}(\Box\Gamma_7) \vdash F_{10}}{\bullet h_2 : \Box\Gamma_7, \perp, \Delta_{12} \vdash (\Delta_9, \llbracket F_{10} \rrbracket), F_8} \quad K \quad \frac{}{\bullet h_{11} : (\Box\Gamma_7, \perp, \Delta_{12}), F_8 \vdash \Delta_9, \llbracket F_{10} \rrbracket} \quad \perp_L \\
\hline
- : \Box\Gamma_7, \perp, \Delta_{12} \vdash \Delta_9, \llbracket F_{10} \rrbracket} \quad \text{Cut} \\
\rightarrow \\
\frac{}{- : \perp, \Delta_{12}, \Box\Gamma_7 \vdash \Delta_9, \llbracket F_{10} \rrbracket} \quad \perp_L
\end{array}$$

- Case rule I

$$\begin{array}{c}
\frac{h_1 : \text{unbox}(\Box\Gamma_6) \vdash F_7}{\bullet h_1 : \Box\Gamma_6, \Delta_{11}, p_9 \vdash (\Delta_{10}, p_9), \llbracket F_7 \rrbracket} \quad K \quad \frac{}{\bullet h_8 : (\Box\Gamma_6, \Delta_{11}, p_9), \llbracket F_7 \vdash \Delta_{10}, p_9 \rrbracket} \quad I \\
\hline
- : \Box\Gamma_6, \Delta_{11}, p_9 \vdash \Delta_{10}, p_9 \quad \text{Cut} \\
\rightarrow \\
\frac{}{- : \Delta_{11}, \Box\Gamma_6, p_9 \vdash \Delta_{10}, p_9} \quad I \\
\hline
\frac{h_2 : \text{unbox}(\Box\Gamma_7) \vdash F_9}{\bullet h_2 : \Box\Gamma_7, \Delta_8 \vdash ((\Delta_{12}, p_{11}), \llbracket F_9 \rrbracket), p_{11}} \quad K \quad \frac{}{\bullet h_{10} : (\Box\Gamma_7, \Delta_8), p_{11} \vdash (\Delta_{12}, p_{11}), \llbracket F_9 \rrbracket} \quad I \\
\hline
- : \Box\Gamma_7, \Delta_8 \vdash (\Delta_{12}, p_{11}), \llbracket F_9 \rrbracket} \quad \text{Cut} \\
\rightarrow \\
\frac{\text{ax/W}}{- : \text{unbox}(\Box\Gamma_7) \vdash F_9} \quad K \\
\hline
- : \Delta_8, \Box\Gamma_7 \vdash \Delta_{12}, p_{11}, \llbracket F_9 \rrbracket} \\
\hline
\frac{h_2 : \text{unbox}(\Box\Gamma_7) \vdash F_9}{\bullet h_2 : \Box\Gamma_7, \Delta_{13}, p_{11} \vdash ((\Delta_{12}, p_{11}), \llbracket F_9 \rrbracket), F_8} \quad K \quad \frac{}{\bullet h_{10} : (\Box\Gamma_7, \Delta_{13}, p_{11}), F_8 \vdash (\Delta_{12}, p_{11}), \llbracket F_9 \rrbracket} \quad I \\
\hline
- : \Box\Gamma_7, \Delta_{13}, p_{11} \vdash (\Delta_{12}, p_{11}), \llbracket F_9 \rrbracket} \quad \text{Cut} \\
\rightarrow \\
\frac{}{- : \Delta_{13}, \Box\Gamma_7, p_{11} \vdash \Delta_{12}, p_{11}, \llbracket F_9 \rrbracket} \quad I
\end{array}$$

- Case rule \top_L

$$\begin{array}{c}
\frac{h_1 : \text{unbox}(\Box\Gamma_6) \vdash F_7}{\bullet h_1 : \Box\Gamma_6, \top, \Delta_{10} \vdash \Delta_9, \llbracket F_7 \rrbracket} \quad K \quad \frac{h_8 : \Box\Gamma_6, \Delta_{10}, \llbracket F_7 \vdash \Delta_9 \rrbracket}{\bullet h_8 : (\Box\Gamma_6, \top, \Delta_{10}), \llbracket F_7 \vdash \Delta_9 \rrbracket} \quad \top_L \\
\hline
- : \Box\Gamma_6, \top, \Delta_{10} \vdash \Delta_9 \quad \text{Cut} \\
\rightarrow \\
\frac{\text{ax/W}}{\bullet h_1 : \top, \Delta_{10}, \Box\Gamma_6 \vdash \Delta_9, \llbracket F_7 \rrbracket} \quad \text{ax/W} \quad \frac{h_8 : \top, \Delta_{10}, \Box\Gamma_6, \llbracket F_7 \vdash \Delta_9 \rrbracket}{h_8 : \top, \Delta_{10}, \Box\Gamma_6 \vdash \Delta_9} \quad \text{hCut} \\
\hline
- : \top, \Delta_{10}, \Box\Gamma_6 \vdash \Delta_9
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : \text{unbox}(\Box\Gamma_7) \vdash F_{10}}{\bullet h_2 : \Box\Gamma_7, \Delta_8 \vdash (\Delta_9, \Box F_{10}), \top} K \quad \frac{h_{11} : \Box\Gamma_7, \Delta_8 \vdash \Delta_9, \Box F_{10}}{\bullet h_{11} : (\Box\Gamma_7, \Delta_8), \top \vdash \Delta_9, \Box F_{10}} \top_L}{\vdash : \Box\Gamma_7, \Delta_8 \vdash \Delta_9, \Box F_{10}} \text{Cut} \\
\rightarrow \\
\frac{}{\vdash : \Delta_8, \Box\Gamma_7 \vdash \Delta_9, \Box F_{10}} \text{ax/W} \\
\\
\frac{h_2 : \text{unbox}(\Box\Gamma_7) \vdash F_{10}}{\bullet h_2 : \Box\Gamma_7, \top, \Delta_{12} \vdash (\Delta_9, \Box F_{10}), F_8} K \quad \frac{h_{11} : \Box\Gamma_7, F_8, \Delta_{12} \vdash \Delta_9, \Box F_{10}}{\bullet h_{11} : (\Box\Gamma_7, \top, \Delta_{12}), F_8 \vdash \Delta_9, \Box F_{10}} \top_L}{\vdash : \Box\Gamma_7, \top, \Delta_{12} \vdash \Delta_9, \Box F_{10}} \text{Cut} \\
\rightarrow \\
\frac{}{\vdash : \text{unbox}(\Box\Gamma_7) \vdash F_{10}} \text{ax/W} \\
\frac{}{\vdash : \top, \Delta_{12}, \Box\Gamma_7 \vdash \Delta_9, \Box F_{10}} K
\end{array}$$

6.7 Status of A45: fail

- Case rule \rightarrow_R

$$\begin{array}{c}
\frac{h_1 : \Box\Gamma_7 \vdash \Box\Gamma_{10}, F_9}{\bullet h_1 : \Box\Gamma_7, \Delta_8 \vdash (\Box\Gamma_{10}, \Delta_{14}, F_{12} \rightarrow F_{13}), \Box F_9} A45 \quad \frac{h_{11} : \Box\Gamma_7, F_{12}, \Delta_8, \Box F_9 \vdash \Box\Gamma_{10}, F_{13}, \Delta_{14}}{\bullet h_{11} : (\Box\Gamma_7, \Delta_8), \Box F_9 \vdash \Box\Gamma_{10}, \Delta_{14}, F_{12} \rightarrow F_{13}} \rightarrow_R}{\vdash : \Box\Gamma_7, \Delta_8 \vdash \Box\Gamma_{10}, \Delta_{14}, F_{12} \rightarrow F_{13}} \text{Cut} \\
\rightarrow \\
\frac{}{\vdash : \Box\Gamma_7 \vdash F_9, \Box\Gamma_{10}} \text{ax/W} \\
\frac{}{\vdash : \Delta_8, F_{12}, \Box\Gamma_7 \vdash \Delta_{14}, F_{13}, \Box\Gamma_{10}, \Box F_9} A45 \quad \frac{}{\vdash : \Delta_8, F_{12}, \Box\Gamma_7, \Box F_9 \vdash \Delta_{14}, F_{13}, \Box\Gamma_{10}} \text{ax/W}}{\vdash : \Delta_8, \Box\Gamma_7 \vdash \Delta_{14}, \Box\Gamma_{10}, \Box F_9 \rightarrow F_{13}} \text{hCut} \\
\rightarrow_R \\
\\
\frac{h_2 : \Box\Gamma_8 \vdash \Box\Gamma_{11}, F_{12}, \Box F_{10}}{\bullet h_2 : \Box\Gamma_8, \Delta_9 \vdash (\Box\Gamma_{11}, (\Delta_{16}, F_{14} \rightarrow F_{15}), \Box F_{12}), \Box F_{10}} A45 \quad \frac{h_{13} : \Box\Gamma_8, F_{14}, \Delta_9, \Box F_{10} \vdash \Box\Gamma_{11}, F_{15}, \Delta_{16}, \Box F_{12}}{\bullet h_{13} : (\Box\Gamma_8, \Delta_9), \Box F_{10} \vdash \Box\Gamma_{11}, (\Delta_{16}, F_{14} \rightarrow F_{15}), \Box F_{12}} \rightarrow_R}{\vdash : \Box\Gamma_8, \Delta_9 \vdash \Box\Gamma_{11}, (\Delta_{16}, F_{14} \rightarrow F_{15}), \Box F_{12}} \text{Cut} \\
\rightarrow \\
\frac{}{\vdash : \Box\Gamma_8 \vdash \Box F_{10}, F_{12}, \Box\Gamma_{11}} \text{ax/W} \\
\frac{}{\vdash : \Delta_9, F_{14}, \Box\Gamma_8 \vdash \Box F_{10}, \Delta_{16}, F_{15}, \Box\Gamma_{11}, \Box F_{12}} A45 \quad \frac{}{\vdash : \Box F_{10}, \Delta_9, F_{14}, \Box\Gamma_8 \vdash \Delta_{16}, F_{15}, \Box\Gamma_{11}, \Box F_{12}} \text{ax/W}}{\vdash : \Delta_9, \Box\Gamma_8 \vdash \Delta_{16}, F_{15}, \Box\Gamma_{11}, \Box F_{12}} \text{hCut} \\
\rightarrow_R \\
\rightarrow \\
\frac{}{\vdash : \Delta_9, \Box\Gamma_8 \vdash \Delta_{16}, \Box\Gamma_{11}, \Box F_{12}, F_{14} \rightarrow F_{15}} \rightarrow_R \\
\\
\frac{h_2 : \Box\Gamma_8 \vdash \Box\Gamma_{11}, F_{12}}{\bullet h_2 : \Box\Gamma_8, \Delta_{10} \vdash (\Box\Gamma_{11}, (\Delta_{16}, F_{14} \rightarrow F_{15}), \Box F_{12}), F_9} A45 \quad \frac{h_{13} : \Box\Gamma_8, F_9, F_{14}, \Delta_{10} \vdash \Box\Gamma_{11}, F_{15}, \Delta_{16}, \Box F_{12}}{\bullet h_{13} : (\Box\Gamma_8, \Delta_{10}), F_9 \vdash \Box\Gamma_{11}, (\Delta_{16}, F_{14} \rightarrow F_{15}), \Box F_{12}} \rightarrow_R}{\vdash : \Box\Gamma_8, \Delta_{10} \vdash \Box\Gamma_{11}, (\Delta_{16}, F_{14} \rightarrow F_{15}), \Box F_{12}} \text{Cut} \\
\rightarrow \\
\frac{}{\vdash : \Box\Gamma_8 \vdash F_{12}, \Box\Gamma_{11}} \text{ax/W} \\
\frac{}{\vdash : \Delta_{10}, \Box\Gamma_8 \vdash \Delta_{16}, \Box\Gamma_{11}, \Box F_{12}, F_{14} \rightarrow F_{15}} A45
\end{array}$$

- Case rule \wedge_R

$$\begin{array}{c}
\frac{h_1 : \Box\Gamma_7 \vdash \Box\Gamma_{10}, F_9}{\bullet h_1 : \Box\Gamma_7, \Delta_8 \vdash (\Box\Gamma_{10}, \Delta_{14}, F_{12} \wedge F_{13}), \Box F_9} A45 \quad \frac{h_{11} : \Box\Gamma_7, \Delta_8, \Box F_9 \vdash \Box\Gamma_{10}, F_{12}, \Delta_{14} \quad h_{11} : \Box\Gamma_7, \Delta_8, \Box F_9 \vdash \Box\Gamma_{10}, F_{13}, \Delta_{14}}{\bullet h_{11} : (\Box\Gamma_7, \Delta_8), \Box F_9 \vdash \Box\Gamma_{10}, \Delta_{14}, F_{12} \wedge F_{13}} \text{Cut}}{\vdash : \Box\Gamma_7, \Delta_8 \vdash \Box\Gamma_{10}, \Delta_{14}, F_{12} \wedge F_{13}} \rightarrow \\
\rightarrow \\
\frac{}{\vdash : \Box\Gamma_7 \vdash F_9, \Box\Gamma_{10}} \text{ax/W} \\
\frac{}{\vdash : \Delta_8, \Box\Gamma_7 \vdash \Delta_{14}, F_{12}, \Box\Gamma_{10}, \Box F_9} A45 \quad \frac{}{\vdash : \Delta_8, \Box\Gamma_7, \Box F_9 \vdash \Delta_{14}, F_{12}, \Box\Gamma_{10}} \text{ax/W}}{\vdash : \Delta_8, \Box\Gamma_7 \vdash \Delta_{14}, F_{12}, \Box\Gamma_{10}} \text{hCut} \\
\frac{}{\vdash : \Delta_8, \Box\Gamma_7 \vdash \Delta_{14}, F_{13}, \Box\Gamma_{10}, \Box F_9} A45 \quad \frac{}{\vdash : \Delta_8, \Box\Gamma_7 \vdash \Delta_{14}, F_{13}, \Box\Gamma_{10}} \text{ax/W}}{\vdash : \Delta_8, \Box\Gamma_7 \vdash \Delta_{14}, F_{13}, \Box\Gamma_{10}} \text{hCut} \\
\frac{}{\vdash : \Delta_8, \Box\Gamma_7 \vdash \Delta_{14}, F_{12}, \Box\Gamma_{10}, \Box F_9 \wedge F_{13}} \wedge_R
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : \Box\Gamma_8 \vdash \Box\Gamma_{11}, F_{12}}{\bullet h_2 : \Box\Gamma_8, \Delta_{10} \vdash (\Box\Gamma_{11}, (\perp, \Delta_{14}), \Box F_{12}), F_9} \text{A45} \quad \frac{h_{13} : \Box\Gamma_8, F_9, \Delta_{10} \vdash \Box\Gamma_{11}, \Delta_{14}, \Box F_{12}}{\bullet h_{13} : (\Box\Gamma_8, \Delta_{10}), F_9 \vdash \Box\Gamma_{11}, (\perp, \Delta_{14}), \Box F_{12}} \text{Cut} \\
\hline
- : \Box\Gamma_8, \Delta_{10} \vdash \Box\Gamma_{11}, (\perp, \Delta_{14}), \Box F_{12} \\
\rightarrow \\
\frac{\frac{- : \Box\Gamma_8 \vdash F_{12}, \Box\Gamma_{11}}{- : \Delta_{10}, \Box\Gamma_8 \vdash \perp, \Delta_{14}, \Box\Gamma_{11}, \Box F_{12}} \text{ax/W}}{- : \Delta_{10}, \Box\Gamma_8 \vdash \perp, \Delta_{14}, \Box\Gamma_{11}, \Box F_{12}} \text{A45}
\end{array}$$

- Case rule \top_R

$$\begin{array}{c}
\frac{h_1 : \Box\Gamma_7 \vdash \Box\Gamma_{10}, F_9}{\bullet h_1 : \Box\Gamma_7, \Delta_8 \vdash (\Box\Gamma_{10}, \top, \Delta_{12}), \Box F_9} \text{A45} \quad \frac{\bullet h_{11} : (\Box\Gamma_7, \Delta_8), \Box F_9 \vdash \Box\Gamma_{10}, \top, \Delta_{12}}{\bullet h_{11} : (\Box\Gamma_7, \Delta_8), \Box F_9 \vdash \Box\Gamma_{10}, \top, \Delta_{12}} \text{Cut} \\
\hline
- : \Box\Gamma_7, \Delta_8 \vdash \Box\Gamma_{10}, \top, \Delta_{12} \\
\rightarrow \\
\frac{- : \Delta_8, \Box\Gamma_7 \vdash \top, \Delta_{12}, \Box\Gamma_{10}}{- : \Delta_8, \Box\Gamma_7 \vdash \top, \Delta_{12}, \Box\Gamma_{10}} \top_R \\
\hline
\frac{h_2 : \Box\Gamma_8 \vdash \Box\Gamma_{11}, F_{12}, \Box F_{10}}{\bullet h_2 : \Box\Gamma_8, \Delta_9 \vdash (\Box\Gamma_{11}, (\top, \Delta_{14}), \Box F_{12}), \Box F_{10}} \text{A45} \quad \frac{\bullet h_{13} : (\Box\Gamma_8, \Delta_9), \Box F_{10} \vdash \Box\Gamma_{11}, (\top, \Delta_{14}), \Box F_{12}}{\bullet h_{13} : (\Box\Gamma_8, \Delta_9), \Box F_{10} \vdash \Box\Gamma_{11}, (\top, \Delta_{14}), \Box F_{12}} \text{Cut} \\
\hline
- : \Box\Gamma_8, \Delta_9 \vdash \Box\Gamma_{11}, (\top, \Delta_{14}), \Box F_{12} \\
\rightarrow \\
\frac{- : \Delta_9, \Box\Gamma_8 \vdash \top, \Delta_{14}, \Box\Gamma_{11}, \Box F_{12}}{- : \Delta_9, \Box\Gamma_8 \vdash \top, \Delta_{14}, \Box\Gamma_{11}, \Box F_{12}} \top_R \\
\hline
\frac{h_2 : \Box\Gamma_8 \vdash \Box\Gamma_{11}, F_{12}}{\bullet h_2 : \Box\Gamma_8, \Delta_{10} \vdash (\Box\Gamma_{11}, (\top, \Delta_{14}), \Box F_{12}), F_9} \text{A45} \quad \frac{\bullet h_{13} : (\Box\Gamma_8, \Delta_{10}), F_9 \vdash \Box\Gamma_{11}, (\top, \Delta_{14}), \Box F_{12}}{\bullet h_{13} : (\Box\Gamma_8, \Delta_{10}), F_9 \vdash \Box\Gamma_{11}, (\top, \Delta_{14}), \Box F_{12}} \text{Cut} \\
\hline
- : \Box\Gamma_8, \Delta_{10} \vdash \Box\Gamma_{11}, (\top, \Delta_{14}), \Box F_{12} \\
\rightarrow \\
\frac{- : \Delta_{10}, \Box\Gamma_8 \vdash \top, \Delta_{14}, \Box\Gamma_{11}, \Box F_{12}}{- : \Delta_{10}, \Box\Gamma_8 \vdash \top, \Delta_{14}, \Box\Gamma_{11}, \Box F_{12}} \top_R
\end{array}$$

- Case rule K

$$\frac{\frac{h_1 : \Box\Gamma_{12}, \Box\Gamma_{14} \vdash (\Box\Gamma_{11}, \Box F_{10}), F_7}{\bullet h_1 : (\Box\Gamma_{12}, \Box\Gamma_{14}), \Box\Gamma_{13}, \Delta_{15} \vdash ((\Box\Gamma_{11}, \Box F_{10}), \Delta_8), \Box F_7} \text{A45} \quad \frac{h_9 : F_7, \text{unbox}(\Box\Gamma_{12}), \text{unbox}(\Box\Gamma_{13}) \vdash F_{10}}{\bullet h_9 : ((\Box\Gamma_{12}, \Box\Gamma_{14}), \Box\Gamma_{13}, \Delta_{15}), \Box F_7 \vdash (\Box\Gamma_{11}, \Box F_{10}), \Delta_8} \text{Cut}}{\frac{- : (\Box\Gamma_{12}, \Box\Gamma_{14}), \Box\Gamma_{13}, \Delta_{15} \vdash (\Box\Gamma_{11}, \Box F_{10}), \Delta_8}{- : (\Box\Gamma_{12}, \Box\Gamma_{14}), \Box\Gamma_{13}, \Delta_{15} \vdash (\Box\Gamma_{11}, \Box F_{10}), \Delta_8} \text{K}} \rightarrow \frac{- : (\Box\Gamma_{12}, \Box\Gamma_{14}), \Box\Gamma_{13}, \Delta_{15}}{- : (\Box\Gamma_{12}, \Box\Gamma_{14}), \Box\Gamma_{13}, \Delta_{15}}$$

Axioms assumed:

```

inf : C:MSFormula |-- True ; C':MSFormula
inf : False ; C:MSFormula |-- C':MSFormula
inf : P:Prop ; C:MSFormula |-- P:Prop ; C':MSFormula
suc(hx:FNat) : C:MSFormula |-- True ; C':MSFormula
suc(hx:FNat) : False ; C:MSFormula |-- C':MSFormula
suc(hx:FNat) : P:Prop ; C:MSFormula |-- P:Prop ; C':MSFormula

```

$$\begin{array}{c}
\frac{h_1 : \Box\Gamma_{12}, \Box\Gamma_{14} \vdash \Box\Gamma_8, F_7}{\bullet h_1 : (\Box\Gamma_{12}, \Box\Gamma_{14}), \Box\Gamma_{13}, \Delta_{15} \vdash (\Box\Gamma_8, \Delta_{11}), \Box F_7} \text{A45} \quad \frac{h_9 : F_7, \text{unbox}(\Box\Gamma_{12}), \text{unbox}(\Box\Gamma_{13}) \vdash F_{10}}{\bullet h_9 : ((\Box\Gamma_{12}, \Box\Gamma_{14}), \Box\Gamma_{13}, \Delta_{15}), \Box F_7 \vdash \Box\Gamma_8, \Delta_{11}, \Box F_{10}} \text{Cut} \\
\hline
- : (\Box\Gamma_{12}, \Box\Gamma_{14}), \Box\Gamma_{13}, \Delta_{15} \vdash \Box\Gamma_8, \Delta_{11}, \Box F_{10} \\
\rightarrow \\
\frac{\frac{- : F_7, \Box\Gamma_{12}, \Box\Gamma_{13}, \Box\Gamma_{14}, \text{unbox}(\Box\Gamma_{12}), \text{unbox}(\Box\Gamma_{13}) \vdash F_{10}, \Box\Gamma_8}{- : F_7, \Box\Gamma_{12}, \Box\Gamma_{13}, \Box\Gamma_{14} \vdash F_{10}, \Box\Gamma_8} \text{ax/W}}{\frac{- : \Box\Gamma_{12}, \Box\Gamma_{13}, \Box\Gamma_{14} \vdash F_{10}, \Box\Gamma_8}{- : \Delta_{15}, \Box\Gamma_{12}, \Box\Gamma_{13}, \Box\Gamma_{14} \vdash \Delta_{11}, \Box\Gamma_8, \Box F_{10}} \text{sCut}} \text{ATG} \\
\hline
\frac{- : \Delta_{15}, \Box\Gamma_{12}, \Box\Gamma_{13}, \Box\Gamma_{14} \vdash \Delta_{11}, \Box\Gamma_8, \Box F_{10}}{- : \Delta_{15}, \Box\Gamma_{12}, \Box\Gamma_{13}, \Box\Gamma_{14} \vdash \Delta_{11}, \Box\Gamma_8, \Box F_{10}} \text{A45} \\
\hline
\frac{h_1 : \Box\Gamma_{12}, \Box\Gamma_{14} \vdash (\Box\Gamma_{11}, \Box F_{10}), F_7}{\bullet h_1 : (\Box\Gamma_{12}, \Box\Gamma_{14}), \Box\Gamma_{13}, \Delta_{15} \vdash ((\Box\Gamma_{11}, \Box F_{10}), \Delta_8), \Box F_7} \text{A45} \quad \frac{h_9 : \text{unbox}(\Box\Gamma_{12}), \text{unbox}(\Box\Gamma_{13}) \vdash F_{10}}{\bullet h_9 : ((\Box\Gamma_{12}, \Box\Gamma_{14}), \Box\Gamma_{13}, \Delta_{15}), \Box F_7 \vdash (\Box\Gamma_{11}, \Box F_{10}), \Delta_8} \text{Cut} \\
\hline
- : (\Box\Gamma_{12}, \Box\Gamma_{14}), \Box\Gamma_{13}, \Delta_{15} \vdash (\Box\Gamma_{11}, \Box F_{10}), \Delta_8 \\
\rightarrow \\
\frac{- : \text{unbox}(\Box\Gamma_{12}), \text{unbox}(\Box\Gamma_{13}) \vdash F_{10}}{- : \Delta_{15}, \Box\Gamma_{12}, \Box\Gamma_{13}, \Box\Gamma_{14} \vdash \Delta_8, \Box\Gamma_{11}, \Box F_{10}} \text{ax/W} \\
\hline
\frac{- : \Delta_{15}, \Box\Gamma_{12}, \Box\Gamma_{13}, \Box\Gamma_{14} \vdash \Delta_8, \Box\Gamma_{11}, \Box F_{10}}{- : \Delta_{15}, \Box\Gamma_{12}, \Box\Gamma_{13}, \Box\Gamma_{14} \vdash \Delta_8, \Box\Gamma_{11}, \Box F_{10}} \text{K}
\end{array}$$


```

inf : C:MSFormula |-- True ; C':MSFormula
inf : False ; C:MSFormula |-- C':MSFormula
inf : P:Prop ; C:MSFormula |-- P:Prop ; C':MSFormula
suc(hx:FNat) : C:MSFormula |-- True ; C':MSFormula
suc(hx:FNat) : False ; C:MSFormula |-- C':MSFormula
suc(hx:FNat) : P:Prop ; C:MSFormula |-- P:Prop ; C':MSFormula

```

$$\begin{array}{c}
\frac{h_1 : \Box\Gamma_{14}, \Box\Gamma_{16} \vdash (\Box\Gamma_{10}, \Box\Gamma_{12}), F_7}{\bullet h_1 : (\Box\Gamma_{14}, \Box\Gamma_{16}), \Box\Gamma_{15}, \Delta_{17} \vdash ((\Box\Gamma_{10}, \Box\Gamma_{12}), \Box\Gamma_{11}, \Delta_{13}, [F_9]), [F_7]} \text{A45} \quad \frac{h_8 : \Box\Gamma_{14}, \Box\Gamma_{15}, [F_7] \vdash \Box\Gamma_{10}, \Box\Gamma_{11}, F_9}{\bullet h_8 : ((\Box\Gamma_{14}, \Box\Gamma_{16}), \Box\Gamma_{15}, \Delta_{17}), [F_7] \vdash (\Box\Gamma_{10}, \Box\Gamma_{12}), \Box\Gamma_{11}, \Delta_{13}, [F_9]} \\
\hline
- : (\Box\Gamma_{14}, \Box\Gamma_{16}), \Box\Gamma_{15}, \Delta_{17} \vdash (\Box\Gamma_{10}, \Box\Gamma_{12}), \Box\Gamma_{11}, \Delta_{13}, [F_9] \\
\rightarrow \\
\frac{\frac{h_1 : \Box\Gamma_{14}, \Box\Gamma_{16} \vdash F_7, \Box\Gamma_{10}, \Box\Gamma_{12}}{\bullet h_1 : \Box\Gamma_{14}, \Box\Gamma_{15}, \Box\Gamma_{16} \vdash F_9, \Box\Gamma_{10}, \Box\Gamma_{11}, \Box\Gamma_{12}, [F_7]} \text{ax/W} \quad \frac{h_8 : \Box\Gamma_{14}, \Box\Gamma_{15}, \Box\Gamma_{16}, [F_7] \vdash F_9, \Box\Gamma_{10}, \Box\Gamma_{11}, \Box\Gamma_{12}}{\bullet h_8 : ((\Box\Gamma_{14}, \Box\Gamma_{16}), \Box\Gamma_{15}, \Delta_{17}), [F_7] \vdash (\Box\Gamma_{10}, \Box\Gamma_{12}), \Box\Gamma_{11}, \Delta_{13}, [F_9]} \text{ax/W}}{\frac{- : \Box\Gamma_{14}, \Box\Gamma_{15}, \Box\Gamma_{16} \vdash F_9, \Box\Gamma_{10}, \Box\Gamma_{11}, \Box\Gamma_{12}}{- : \Delta_{17}, \Box\Gamma_{14}, \Box\Gamma_{15}, \Box\Gamma_{16} \vdash \Delta_{13}, \Box\Gamma_{10}, \Box\Gamma_{11}, \Box\Gamma_{12}, [F_9]} \text{A45}} \text{hCut} \\
\hline
\frac{h_1 : \Box\Gamma_{14}, \Box\Gamma_{16} \vdash (\Box\Gamma_{10}, \Box\Gamma_{12}, [F_9]), F_7}{\bullet h_1 : (\Box\Gamma_{14}, \Box\Gamma_{16}), \Box\Gamma_{15}, \Delta_{17} \vdash ((\Box\Gamma_{10}, \Box\Gamma_{12}, [F_9]), \Box\Gamma_{11}, \Delta_{13}), [F_7]} \text{A45} \quad \frac{h_8 : \Box\Gamma_{14}, \Box\Gamma_{15} \vdash \Box\Gamma_{10}, \Box\Gamma_{11}, F_9}{\bullet h_8 : ((\Box\Gamma_{14}, \Box\Gamma_{16}), \Box\Gamma_{15}, \Delta_{17}), [F_7] \vdash (\Box\Gamma_{10}, \Box\Gamma_{12}, [F_9]), \Box\Gamma_{11}, \Delta_{13}} \\
\hline
- : (\Box\Gamma_{14}, \Box\Gamma_{16}), \Box\Gamma_{15}, \Delta_{17} \vdash (\Box\Gamma_{10}, \Box\Gamma_{12}, [F_9]), \Box\Gamma_{11}, \Delta_{13} \\
\rightarrow \\
\frac{- : \Box\Gamma_{14}, \Box\Gamma_{15} \vdash F_9, \Box\Gamma_{10}, \Box\Gamma_{11}}{- : \Delta_{17}, \Box\Gamma_{14}, \Box\Gamma_{15}, \Box\Gamma_{16} \vdash \Delta_{13}, \Box\Gamma_{10}, \Box\Gamma_{11}, \Box\Gamma_{12}, [F_9]} \text{A45} \\
\hline
\frac{h_1 : \Box\Gamma_{14}, \Box\Gamma_{16} \vdash (\Box\Gamma_{10}, \Box\Gamma_{12}), F_7}{\bullet h_1 : (\Box\Gamma_{14}, \Box\Gamma_{16}), \Box\Gamma_{15}, \Delta_{17} \vdash ((\Box\Gamma_{10}, \Box\Gamma_{12}), \Box\Gamma_{11}, \Delta_{13}, [F_9]), [F_7]} \text{A45} \quad \frac{h_8 : \Box\Gamma_{14}, \Box\Gamma_{15} \vdash \Box\Gamma_{10}, \Box\Gamma_{11}, F_9}{\bullet h_8 : ((\Box\Gamma_{14}, \Box\Gamma_{16}), \Box\Gamma_{15}, \Delta_{17}), [F_7] \vdash (\Box\Gamma_{10}, \Box\Gamma_{12}), \Box\Gamma_{11}, \Delta_{13}, [F_9]} \\
\hline
- : (\Box\Gamma_{14}, \Box\Gamma_{16}), \Box\Gamma_{15}, \Delta_{17} \vdash (\Box\Gamma_{10}, \Box\Gamma_{12}), \Box\Gamma_{11}, \Delta_{13}, [F_9] \\
\rightarrow \\
\frac{- : \Box\Gamma_{14}, \Box\Gamma_{15} \vdash F_9, \Box\Gamma_{10}, \Box\Gamma_{11}}{- : \Delta_{17}, \Box\Gamma_{14}, \Box\Gamma_{15}, \Box\Gamma_{16} \vdash \Delta_{13}, \Box\Gamma_{10}, \Box\Gamma_{11}, \Box\Gamma_{12}, [F_9]} \text{A45}
\end{array}$$

$$\frac{h_2 : \Box\Gamma_{16}, \Box\Gamma_{18} \vdash (\Box\Gamma_{12}, \Box\Gamma_{14}, [F_{11}], F_9, \Box F_8)}{\bullet h_2 : (\Box\Gamma_{16}, \Box\Gamma_{18}), \Box\Gamma_{17}, \Delta_{19} \vdash ((\Box\Gamma_{12}, \Box\Gamma_{14}, [F_{11}]), (\Box\Gamma_{13}, \Delta_{15}), [F_9]), \Box F_8} \text{A45} \quad \frac{h_{10} : \Box\Gamma_{16}, \Box\Gamma_{17}, \Box F_8 \vdash \Box\Gamma_{12}, \Box\Gamma_{13}, F_{11}, [F_9]}{\bullet h_{10} : ((\Box\Gamma_{16}, \Box\Gamma_{18}), \Box\Gamma_{17}, \Delta_{19}), \Box F_8 \vdash (\Box\Gamma_{12}, \Box\Gamma_{14}, [F_{11}]), (\Box\Gamma_{13}, \Delta_{15}), [F_9]} \\
\hline
- : (\Box\Gamma_{16}, \Box\Gamma_{18}), \Box\Gamma_{17}, \Delta_{19} \vdash (\Box\Gamma_{12}, \Box\Gamma_{14}, [F_{11}]), (\Box\Gamma_{13}, \Delta_{15}), [F_9]$$

Axioms assumed:

```

inf : C:MSFormula |-- True ; C':MSFormula
inf : False ; C:MSFormula |-- C':MSFormula
inf : P:Prop ; C:MSFormula |-- P:Prop ; C':MSFormula
suc(hx:FNat) : C:MSFormula |-- True ; C':MSFormula
suc(hx:FNat) : False ; C:MSFormula |-- C':MSFormula
suc(hx:FNat) : P:Prop ; C:MSFormula |-- P:Prop ; C':MSFormula

```

$$\frac{h_2 : \Box\Gamma_{16}, \Box\Gamma_{18} \vdash (\Box\Gamma_{12}, \Box\Gamma_{14}, [F_{11}], F_9, \Box F_8)}{\bullet h_2 : (\Box\Gamma_{16}, \Box\Gamma_{18}), \Box\Gamma_{17}, \Delta_{19} \vdash ((\Box\Gamma_{12}, \Box\Gamma_{14}, [F_{11}]), (\Box\Gamma_{13}, \Delta_{15}), [F_9]), \Box F_8} \text{A45} \quad \frac{h_{10} : \Box\Gamma_{16}, \Box\Gamma_{17}, \Box F_8 \vdash \Box\Gamma_{12}, \Box\Gamma_{13}, F_{11}}{\bullet h_{10} : ((\Box\Gamma_{16}, \Box\Gamma_{18}), \Box\Gamma_{17}, \Delta_{19}), \Box F_8 \vdash (\Box\Gamma_{12}, \Box\Gamma_{14}, [F_{11}]), (\Box\Gamma_{13}, \Delta_{15}), [F_9]} \\
\hline
- : (\Box\Gamma_{16}, \Box\Gamma_{18}), \Box\Gamma_{17}, \Delta_{19} \vdash (\Box\Gamma_{12}, \Box\Gamma_{14}, [F_{11}]), (\Box\Gamma_{13}, \Delta_{15}), [F_9] \\
\rightarrow \\
\frac{\frac{h_2 : \Box\Gamma_{16}, \Box\Gamma_{17}, \Box\Gamma_{18} \vdash \Box F_8, F_9, \Box\Gamma_{12}, \Box\Gamma_{13}, \Box\Gamma_{14}, [F_{11}]}{\bullet h_2 : \Box\Gamma_{16}, \Box\Gamma_{17}, \Box\Gamma_{18} \vdash F_9, \Box\Gamma_{12}, \Box\Gamma_{13}, \Box\Gamma_{14}, [F_{11}]} \text{ax/W} \quad \frac{h_{10} : \Box F_8, \Box\Gamma_{16}, \Box\Gamma_{17} \vdash F_{11}, \Box\Gamma_{12}, \Box\Gamma_{13}}{\bullet h_{10} : \Box F_8, \Box\Gamma_{16}, \Box\Gamma_{17}, \Box\Gamma_{18} \vdash F_9, \Box\Gamma_{12}, \Box\Gamma_{13}, \Box\Gamma_{14}, [F_{11}]} \text{ax/W}}{\frac{- : \Box\Gamma_{16}, \Box\Gamma_{17}, \Box\Gamma_{18} \vdash F_9, \Box\Gamma_{12}, \Box\Gamma_{13}, \Box\Gamma_{14}, [F_{11}]}{- : \Delta_{19}, \Box\Gamma_{16}, \Box\Gamma_{17}, \Box\Gamma_{18} \vdash \Delta_{15}, \Box\Gamma_{12}, \Box\Gamma_{13}, \Box\Gamma_{14}, [F_{11}], [F_9]} \text{A45}} \text{hCut}$$

$$\begin{array}{c}
\frac{h_2 : \Box\Gamma_{15}, \Box\Gamma_{17} \vdash (\Box\Gamma_{11}, \Box\Gamma_{13}), F_{10}}{\bullet h_2 : (\Box\Gamma_{15}, \Box\Gamma_{17}), \Box\Gamma_{16}, \Delta_{18} \vdash ((\Box\Gamma_{11}, \Box\Gamma_{13}), (\Box\Gamma_{12}, \Delta_{14}), \Box F_{10}), F_8} \quad A45 \quad \frac{h_9 : \Box\Gamma_{15}, \Box\Gamma_{16} \vdash \Box\Gamma_{11}, \Box\Gamma_{12}, F_{10}}{\bullet h_9 : ((\Box\Gamma_{15}, \Box\Gamma_{17}), \Box\Gamma_{16}, \Delta_{18}), F_8 \vdash (\Box\Gamma_{11}, \Box\Gamma_{13}), (\Box\Gamma_{12}, \Delta_{14}), \Box F_{10}} \\
\frac{}{- : (\Box\Gamma_{15}, \Box\Gamma_{17}), \Box\Gamma_{16}, \Delta_{18} \vdash (\Box\Gamma_{11}, \Box\Gamma_{13}), (\Box\Gamma_{12}, \Delta_{14}), \Box F_{10}} \quad \rightarrow \\
\frac{}{- : \Box\Gamma_{15}, \Box\Gamma_{16} \vdash F_{10}, \Box\Gamma_{11}, \Box\Gamma_{12}} \quad \text{ax/w} \\
\frac{}{- : \Delta_{18}, \Box\Gamma_{15}, \Box\Gamma_{16}, \Box\Gamma_{17} \vdash \Delta_{14}, \Box\Gamma_{11}, \Box\Gamma_{12}, \Box\Gamma_{13}, \Box F_{10}} \quad A45
\end{array}$$

• Case rule \rightarrow_L

$$\begin{array}{c}
\frac{h_1 : \Box\Gamma_7 \vdash \Box\Gamma_9, F_8}{\bullet h_1 : \Box\Gamma_7, \Delta_{14}, F_{12} \rightarrow F_{13} \vdash (\Box\Gamma_9, \Delta_{10}), \Box F_8} \quad A45 \quad \frac{h_{11} : \Box\Gamma_7, \Delta_{14}, \Box F_8 \vdash \Box\Gamma_9, F_{12}, \Delta_{10} \quad h_{11} : \Box\Gamma_7, F_{13}, \Delta_{14}, \Box F_8 \vdash \Box\Gamma_9, \Delta_{10}}{\bullet h_{11} : (\Box\Gamma_7, \Delta_{14}, F_{12} \rightarrow F_{13}), \Box F_8 \vdash \Box\Gamma_9, \Delta_{10}} \quad \text{Cut} \\
\frac{}{- : \Box\Gamma_7, \Delta_{14}, F_{12} \rightarrow F_{13} \vdash \Box\Gamma_9, \Delta_{10}} \quad \rightarrow \\
\frac{}{h_1 : \Box\Gamma_7 \vdash F_8, \Box\Gamma_9} \quad \text{ax/w} \\
\frac{}{\bullet h_1 : \Delta_{14}, \Box\Gamma_7 \vdash \Delta_{10}, F_{12}, \Box\Gamma_9, \Box F_8} \quad A45 \quad \frac{}{h_{11} : \Delta_{14}, \Box\Gamma_7, \Box F_8 \vdash \Delta_{10}, F_{12}, \Box\Gamma_9} \quad \text{ax/w} \\
\frac{}{- : \Delta_{14}, \Box\Gamma_7 \vdash \Delta_{10}, F_{12}, \Box\Gamma_9} \quad \text{hCut} \quad \frac{}{\bullet h_1 : \Delta_{14}, F_{13}, \Box\Gamma_7 \vdash \Delta_{10}, \Box\Gamma_9, \Box F_8} \quad A45 \quad \frac{}{h_{11} : \Delta_{14}, F_{13}, \Box\Gamma_7 \vdash \Delta_{10}, \Box\Gamma_9} \quad \text{ax/w} \\
\frac{}{- : \Delta_{14}, F_{13}, \Box\Gamma_7 \vdash \Delta_{10}, \Box\Gamma_9} \quad \rightarrow_L \\
\frac{}{- : \Delta_{14}, \Box\Gamma_7, F_{12} \rightarrow F_{13} \vdash \Delta_{10}, \Box\Gamma_9} \\
\frac{h_2 : \Box\Gamma_8 \vdash \Box\Gamma_{10}, F_{12}, \Box F_9}{\bullet h_2 : \Box\Gamma_8, \Delta_{16}, F_{14} \rightarrow F_{15} \vdash (\Box\Gamma_{10}, \Delta_{11}), \Box F_9} \quad A45 \quad \frac{h_{13} : \Box\Gamma_8, \Delta_{16}, \Box F_9 \vdash \Box\Gamma_{10}, F_{14}, \Delta_{11}, \Box F_{12} \quad h_{13} : \Box\Gamma_8, F_{15}, \Delta_{16}}{\bullet h_{13} : (\Box\Gamma_8, \Delta_{16}, F_{14} \rightarrow F_{15}), \Box F_9 \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}} \\
\frac{}{- : \Box\Gamma_8, \Delta_{16}, F_{14} \rightarrow F_{15} \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}} \quad \rightarrow \\
\frac{}{h_2 : \Box\Gamma_8 \vdash \Box F_9, F_{12}, \Box\Gamma_{10}} \quad \text{ax/w} \\
\frac{}{\bullet h_2 : \Delta_{16}, \Box\Gamma_8 \vdash \Box F_9, \Delta_{11}, F_{14}, \Box\Gamma_{10}, \Box F_{12}} \quad A45 \quad \frac{}{h_{13} : \Box F_9, \Delta_{16}, \Box\Gamma_8 \vdash \Delta_{11}, F_{14}, \Box\Gamma_{10}, \Box F_{12}} \quad \text{ax/w} \\
\frac{}{- : \Delta_{16}, \Box\Gamma_8 \vdash \Delta_{11}, F_{14}, \Box\Gamma_{10}, \Box F_{12}} \quad \text{hCut} \quad \frac{}{\bullet h_2 : \Delta_{16}, F_{15}, \Box\Gamma_8 \vdash \Box F_9, \Delta_{11}, \Box\Gamma_{10}, \Box F_{12}} \quad \text{ax/w} \\
\frac{}{- : \Delta_{16}, F_{15}, \Box\Gamma_8 \vdash \Delta_{11}, \Box\Gamma_{10}, \Box F_{12}} \\
\frac{}{- : \Delta_{16}, \Box\Gamma_8, F_{14} \rightarrow F_{15} \vdash \Delta_{11}, \Box\Gamma_{10}, \Box F_{12}} \\
\frac{h_2 : \Box\Gamma_8 \vdash \Box\Gamma_{10}, F_{12}}{\bullet h_2 : \Box\Gamma_8, \Delta_9 \vdash (\Box\Gamma_{10}, \Delta_{11}, \Box F_{12}), F_{14} \rightarrow F_{15}} \quad A45 \quad \frac{h_{13} : \Box\Gamma_8, \Delta_9 \vdash \Box\Gamma_{10}, F_{14}, \Delta_{11}, \Box F_{12} \quad h_{13} : \Box\Gamma_8, F_{15}, \Delta_9 \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}}{\bullet h_{13} : (\Box\Gamma_8, \Delta_9), F_{14} \rightarrow F_{15} \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}} \quad \text{Cut} \\
\frac{}{- : \Box\Gamma_8, \Delta_9 \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}} \quad \rightarrow_L \\
\frac{}{- : \Box\Gamma_8 \vdash F_{12}, \Box\Gamma_{10}} \quad \text{ax/w} \\
\frac{}{- : \Delta_9, \Box\Gamma_8 \vdash \Delta_{11}, \Box\Gamma_{10}, \Box F_{12}} \quad A45 \\
\frac{h_2 : \Box\Gamma_8 \vdash \Box\Gamma_{10}, F_{12}}{\bullet h_2 : \Box\Gamma_8, \Delta_{16}, F_{14} \rightarrow F_{15} \vdash (\Box\Gamma_{10}, \Delta_{11}, \Box F_{12}), F_9} \quad A45 \quad \frac{h_{13} : \Box\Gamma_8, F_9, \Delta_{16} \vdash \Box\Gamma_{10}, F_{14}, \Delta_{11}, \Box F_{12} \quad h_{13} : \Box\Gamma_8, F_9, F_{15}, \Delta_{16} \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}}{\bullet h_{13} : (\Box\Gamma_8, \Delta_{16}, F_{14} \rightarrow F_{15}), F_9 \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}} \quad \text{Cut} \\
\frac{}{- : \Box\Gamma_8, \Delta_{16}, F_{14} \rightarrow F_{15} \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}} \quad \rightarrow \\
\frac{}{- : \Box\Gamma_8 \vdash F_{12}, \Box\Gamma_{10}} \quad \text{ax/w} \\
\frac{}{- : \Delta_{16}, \Box\Gamma_8, F_{14} \rightarrow F_{15} \vdash \Delta_{11}, \Box\Gamma_{10}, \Box F_{12}} \quad A45
\end{array}$$

• Case rule \wedge_L

$$\begin{array}{c}
\frac{h_1 : \Box\Gamma_7 \vdash \Box\Gamma_9, F_8}{\bullet h_1 : \Box\Gamma_7, \Delta_{14}, F_{12} \wedge F_{13} \vdash (\Box\Gamma_9, \Delta_{10}), \Box F_8} \quad A45 \quad \frac{h_{11} : \Box\Gamma_7, F_{12}, F_{13}, \Delta_{14}, \Box F_8 \vdash \Box\Gamma_9, \Delta_{10}}{\bullet h_{11} : (\Box\Gamma_7, \Delta_{14}, F_{12} \wedge F_{13}), \Box F_8 \vdash \Box\Gamma_9, \Delta_{10}} \quad \wedge_L \\
\frac{}{- : \Box\Gamma_7, \Delta_{14}, F_{12} \wedge F_{13} \vdash \Box\Gamma_9, \Delta_{10}} \quad \text{Cut} \\
\frac{}{- : \Box\Gamma_7, \Delta_{14}, F_{12} \wedge F_{13} \vdash \Box\Gamma_9, \Delta_{10}} \quad \rightarrow \\
\frac{}{h_1 : \Box\Gamma_7 \vdash F_8, \Box\Gamma_9} \quad \text{ax/w} \\
\frac{}{\bullet h_1 : \Delta_{14}, F_{12}, F_{13}, \Box\Gamma_7 \vdash \Delta_{10}, \Box\Gamma_9, \Box F_8} \quad A45 \quad \frac{}{h_{11} : \Delta_{14}, F_{12}, F_{13}, \Box\Gamma_7, \Box F_8 \vdash \Delta_{10}, \Box\Gamma_9} \quad \text{ax/w} \\
\frac{}{- : \Delta_{14}, F_{12}, F_{13}, \Box\Gamma_7 \vdash \Delta_{10}, \Box\Gamma_9} \quad \text{hCut} \\
\frac{}{- : \Delta_{14}, \Box\Gamma_7, F_{12} \wedge F_{13} \vdash \Delta_{10}, \Box\Gamma_9} \quad \wedge_L
\end{array}$$

$$\begin{array}{c}
\frac{h_1 : \Box\Gamma_{13}, []F_{12} \vdash \Box\Gamma_9, F_8}{\bullet h_1 : (\Box\Gamma_{13}, []F_{12}), \Delta_7 \vdash (\Box\Gamma_9, \Delta_{10}), []F_8} \text{A45} \quad \frac{h_{11} : \Box\Gamma_{13}, F_{12}, \Delta_7, []F_8, []F_{12} \vdash \Box\Gamma_9, \Delta_{10}}{\bullet h_{11} : ((\Box\Gamma_{13}, []F_{12}), \Delta_7), []F_8 \vdash \Box\Gamma_9, \Delta_{10}} \text{AT} \\
\hline
- : (\Box\Gamma_{13}, []F_{12}), \Delta_7 \vdash \Box\Gamma_9, \Delta_{10} \quad \text{Cut} \\
\rightarrow \\
\frac{\bullet h_1 : \Delta_7, F_{12}, \Box\Gamma_{13}, []F_{12} \vdash \Delta_{10}, \Box\Gamma_9, []F_8}{- : \Delta_7, F_{12}, \Box\Gamma_{13}, []F_{12} \vdash \Delta_{10}, \Box\Gamma_9} \text{ax/W} \quad \frac{h_{11} : \Delta_7, F_{12}, \Box\Gamma_{13}, []F_{12}, []F_8 \vdash \Delta_{10}, \Box\Gamma_9}{- : \Delta_7, \Box\Gamma_{13}, []F_{12} \vdash \Delta_{10}, \Box\Gamma_9} \text{hCut} \\
\hline
\frac{h_1 : \Box\Gamma_7 \vdash \Box\Gamma_9, F_8}{\bullet h_1 : \Box\Gamma_7, \Delta_{13}, []F_{12} \vdash (\Box\Gamma_9, \Delta_{10}), []F_8} \text{A45} \quad \frac{h_{11} : \Box\Gamma_7, F_{12}, \Delta_{13}, []F_8, []F_{12} \vdash \Box\Gamma_9, \Delta_{10}}{\bullet h_{11} : (\Box\Gamma_7, \Delta_{13}, []F_{12}), []F_8 \vdash \Box\Gamma_9, \Delta_{10}} \text{AT} \\
\hline
- : \Box\Gamma_7, \Delta_{13}, []F_{12} \vdash \Box\Gamma_9, \Delta_{10} \quad \text{Cut} \\
\rightarrow \\
\frac{\bullet h_1 : \Delta_{13}, F_{12}, \Box\Gamma_7, []F_{12} \vdash \Delta_{10}, \Box\Gamma_9, []F_8}{- : \Delta_{13}, F_{12}, \Box\Gamma_7, []F_{12} \vdash \Delta_{10}, \Box\Gamma_9} \text{ax/W} \quad \frac{h_{11} : \Delta_{13}, F_{12}, \Box\Gamma_7, []F_{12}, []F_8 \vdash \Delta_{10}, \Box\Gamma_9}{- : \Delta_{13}, \Box\Gamma_7, []F_{12} \vdash \Delta_{10}, \Box\Gamma_9} \text{hCut} \\
\hline
\frac{h_1 : \Box\Gamma_7 \vdash \Box\Gamma_9, F_{12}}{\bullet h_1 : \Box\Gamma_7, \Delta_8 \vdash (\Box\Gamma_9, \Delta_{10}), []F_{12}} \text{A45} \quad \frac{h_{11} : \Box\Gamma_7, F_{12}, \Delta_8, []F_{12} \vdash \Box\Gamma_9, \Delta_{10}}{\bullet h_{11} : (\Box\Gamma_7, \Delta_8), []F_{12} \vdash \Box\Gamma_9, \Delta_{10}} \text{AT} \\
\hline
- : \Box\Gamma_7, \Delta_8 \vdash \Box\Gamma_9, \Delta_{10} \quad \text{Cut} \\
\rightarrow \\
\frac{- : \Delta_8, \Box\Gamma_7 \vdash \Delta_{10}, F_{12}, \Box\Gamma_9}{\bullet h_1 : \Delta_8, F_{12}, \Box\Gamma_7 \vdash \Delta_{10}, \Box\Gamma_9, []F_{12}} \text{ax/W} \quad \frac{h_{11} : \Delta_8, F_{12}, \Box\Gamma_7, []F_{12} \vdash \Delta_{10}, \Box\Gamma_9}{- : \Delta_8, F_{12}, \Box\Gamma_7 \vdash \Delta_{10}, \Box\Gamma_9} \text{ax/W} \\
\hline
- : \Delta_8, \Box\Gamma_7 \vdash \Delta_{10}, \Box\Gamma_9 \quad \text{sCut} \\
\hline
\frac{h_2 : \Box\Gamma_{15}, []F_{14} \vdash \Box\Gamma_{10}, F_{12}, \Box F_9}{\bullet h_2 : (\Box\Gamma_{15}, []F_{14}), \Delta_8 \vdash (\Box\Gamma_{10}, \Delta_{11}), []F_{12}, \Box F_9} \text{A45} \quad \frac{h_{13} : \Box\Gamma_{15}, F_{14}, \Delta_8, \Box F_9, []F_{14} \vdash \Box\Gamma_{10}, \Delta_{11}, []F_{12}}{\bullet h_{13} : ((\Box\Gamma_{15}, []F_{14}), \Delta_8), \Box F_9 \vdash \Box\Gamma_{10}, \Delta_{11}, []F_{12}} \text{AT} \\
\hline
- : (\Box\Gamma_{15}, []F_{14}), \Delta_8 \vdash \Box\Gamma_{10}, \Delta_{11}, []F_{12} \quad \text{Cut} \\
\rightarrow \\
\frac{\bullet h_2 : \Delta_8, F_{14}, \Box\Gamma_{15}, []F_{14} \vdash \Box F_9, \Delta_{11}, \Box\Gamma_{10}, []F_{12}}{- : \Delta_8, F_{14}, \Box\Gamma_{15}, []F_{14} \vdash \Delta_{11}, \Box\Gamma_{10}, []F_{12}} \text{ax/W} \quad \frac{h_{13} : \Box F_9, \Delta_8, F_{14}, \Box\Gamma_{15}, []F_{14} \vdash \Delta_{11}, \Box\Gamma_{10}, []F_{12}}{- : \Delta_8, \Box\Gamma_{15}, []F_{14} \vdash \Delta_{11}, \Box\Gamma_{10}, []F_{12}} \text{hCut} \\
\hline
\frac{h_2 : \Box\Gamma_8 \vdash \Box\Gamma_{10}, F_{12}, \Box F_9}{\bullet h_2 : \Box\Gamma_8, \Delta_{15}, []F_{14} \vdash (\Box\Gamma_{10}, \Delta_{11}), []F_{12}, \Box F_9} \text{A45} \quad \frac{h_{13} : \Box\Gamma_8, F_{14}, \Delta_{15}, \Box F_9, []F_{14} \vdash \Box\Gamma_{10}, \Delta_{11}, []F_{12}}{\bullet h_{13} : (\Box\Gamma_8, \Delta_{15}, []F_{14}), \Box F_9 \vdash \Box\Gamma_{10}, \Delta_{11}, []F_{12}} \text{AT} \\
\hline
- : \Box\Gamma_8, \Delta_{15}, []F_{14} \vdash \Box\Gamma_{10}, \Delta_{11}, []F_{12} \quad \text{Cut} \\
\rightarrow \\
\frac{\bullet h_2 : \Delta_{15}, F_{14}, \Box\Gamma_8, []F_{14} \vdash \Box F_9, \Delta_{11}, \Box\Gamma_{10}, []F_{12}}{- : \Delta_{15}, F_{14}, \Box\Gamma_8, []F_{14} \vdash \Delta_{11}, \Box\Gamma_{10}, []F_{12}} \text{ax/W} \quad \frac{h_{13} : \Box F_9, \Delta_{15}, F_{14}, \Box\Gamma_8, []F_{14} \vdash \Delta_{11}, \Box\Gamma_{10}, []F_{12}}{- : \Delta_{15}, \Box\Gamma_8, []F_{14} \vdash \Delta_{11}, \Box\Gamma_{10}, []F_{12}} \text{hCut} \\
\hline
- : \Delta_{15}, \Box\Gamma_8, []F_{14} \vdash \Delta_{11}, \Box\Gamma_{10}, []F_{12} \quad \text{ATG} \\
\hline
\frac{h_2 : \Box\Gamma_8 \vdash \Box\Gamma_{10}, F_{12}, []F_{14}}{\bullet h_2 : \Box\Gamma_8, \Delta_9 \vdash (\Box\Gamma_{10}, \Delta_{11}), []F_{12}, []F_{14}} \text{A45} \quad \frac{h_{13} : \Box\Gamma_8, F_{14}, \Delta_9, []F_{14} \vdash \Box\Gamma_{10}, \Delta_{11}, []F_{12}}{\bullet h_{13} : (\Box\Gamma_8, \Delta_9), []F_{14} \vdash \Box\Gamma_{10}, \Delta_{11}, []F_{12}} \text{AT} \\
\hline
- : \Box\Gamma_8, \Delta_9 \vdash \Box\Gamma_{10}, \Delta_{11}, []F_{12} \quad \text{Cut} \quad \rightarrow \quad - : \Box\Gamma_8, \Delta_9 \vdash \Box\Gamma_{10}, \Delta_{11}, []F_{12} \quad \text{fail}
\end{array}$$

Axioms assumed:

```

inf : C:MSFormula |-- True ; C':MSFormula
inf : False ; C:MSFormula |-- C':MSFormula
inf : P:Prop ; C:MSFormula |-- P:Prop ; C':MSFormula
suc(hx:FNat) : C:MSFormula |-- True ; C':MSFormula
suc(hx:FNat) : False ; C:MSFormula |-- C':MSFormula
suc(hx:FNat) : P:Prop ; C:MSFormula |-- P:Prop ; C':MSFormula

```

$$\frac{h_2 : \Box\Gamma_{15}, []F_{14} \vdash \Box\Gamma_{10}, F_{12}}{\bullet h_2 : (\Box\Gamma_{15}, []F_{14}), \Delta_9 \vdash (\Box\Gamma_{10}, \Delta_{11}), []F_{12}, F_8} \text{A45} \quad \frac{h_{13} : \Box\Gamma_{15}, F_8, F_{14}, \Delta_9, []F_{14} \vdash \Box\Gamma_{10}, \Delta_{11}, []F_{12}}{\bullet h_{13} : ((\Box\Gamma_{15}, []F_{14}), \Delta_9), F_8 \vdash \Box\Gamma_{10}, \Delta_{11}, []F_{12}} \text{AT} \\
\hline
- : (\Box\Gamma_{15}, []F_{14}), \Delta_9 \vdash \Box\Gamma_{10}, \Delta_{11}, []F_{12} \quad \text{Cut} \\
\rightarrow \\
\frac{- : \Box\Gamma_{15}, []F_{14} \vdash F_{12}, \Box\Gamma_{10}}{- : \Delta_9, \Box\Gamma_{15}, []F_{14} \vdash \Delta_{11}, \Box\Gamma_{10}, []F_{12}} \text{ax/W} \quad \text{A45}$$

$$\begin{array}{c}
\frac{h_2 : \Box\Gamma_8 \vdash \Box\Gamma_{10}, F_{12}}{\bullet h_2 : \Box\Gamma_8, \Delta_9 \vdash (\Box\Gamma_{10}, \Delta_{11}, \Box F_{12}), \Box F_{14}} \quad A45 \quad \frac{h_{13} : \Box\Gamma_8, F_{14}, \Delta_9, \Box F_{14} \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}}{\bullet h_{13} : (\Box\Gamma_8, \Delta_9), \Box F_{14} \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}} \quad AT \\
\hline
- : \Box\Gamma_8, \Delta_9 \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12} \\
\rightarrow \\
\frac{- : \Box\Gamma_8 \vdash F_{12}, \Box\Gamma_{10}}{- : \Delta_9, \Box\Gamma_8 \vdash \Delta_{11}, \Box\Gamma_{10}, \Box F_{12}} \quad ax/W \quad A45 \\
\hline
\frac{h_2 : \Box\Gamma_8 \vdash \Box\Gamma_{10}, F_{12}}{\bullet h_2 : \Box\Gamma_8, \Delta_{15}, \Box F_{14} \vdash (\Box\Gamma_{10}, \Delta_{11}, \Box F_{12}), F_9} \quad A45 \quad \frac{h_{13} : \Box\Gamma_8, F_9, F_{14}, \Delta_{15}, \Box F_{14} \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}}{\bullet h_{13} : (\Box\Gamma_8, \Delta_{15}, \Box F_{14}), F_9 \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}} \quad AT \\
\hline
- : \Box\Gamma_8, \Delta_{15}, \Box F_{14} \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12} \\
\rightarrow \\
\frac{- : \Box\Gamma_8 \vdash F_{12}, \Box\Gamma_{10}}{- : \Delta_{15}, \Box\Gamma_8, \Box F_{14} \vdash \Delta_{11}, \Box\Gamma_{10}, \Box F_{12}} \quad ax/W \quad A45 \\
\hline
\end{array}$$

- Case rule \perp_L

$$\begin{array}{c}
\frac{h_1 : \Box\Gamma_7 \vdash \Box\Gamma_9, F_8}{\bullet h_1 : \Box\Gamma_7, \perp, \Delta_{12} \vdash (\Box\Gamma_9, \Delta_{10}), \Box F_8} \quad A45 \quad \frac{}{\bullet h_{11} : (\Box\Gamma_7, \perp, \Delta_{12}), \Box F_8 \vdash \Box\Gamma_9, \Delta_{10}} \quad \perp_L \\
\hline
- : \Box\Gamma_7, \perp, \Delta_{12} \vdash \Box\Gamma_9, \Delta_{10} \\
\rightarrow \\
\frac{}{- : \perp, \Delta_{12}, \Box\Gamma_7 \vdash \Delta_{10}, \Box\Gamma_9} \quad \perp_L \\
\hline
\frac{h_2 : \Box\Gamma_8 \vdash \Box\Gamma_{10}, F_{12}, \Box F_9}{\bullet h_2 : \Box\Gamma_8, \perp, \Delta_{14} \vdash (\Box\Gamma_{10}, \Delta_{11}, \Box F_{12}), \Box F_9} \quad A45 \quad \frac{}{\bullet h_{13} : (\Box\Gamma_8, \perp, \Delta_{14}), \Box F_9 \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}} \quad \perp_L \\
\hline
- : \Box\Gamma_8, \perp, \Delta_{14} \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12} \\
\rightarrow \\
\frac{}{- : \perp, \Delta_{14}, \Box\Gamma_8 \vdash \Delta_{11}, \Box\Gamma_{10}, \Box F_{12}} \quad \perp_L \\
\hline
\frac{h_2 : \Box\Gamma_8 \vdash \Box\Gamma_{10}, F_{12}}{\bullet h_2 : \Box\Gamma_8, \Delta_9 \vdash (\Box\Gamma_{10}, \Delta_{11}, \Box F_{12}), \perp} \quad A45 \quad \frac{}{\bullet h_{13} : (\Box\Gamma_8, \Delta_9), \perp \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}} \quad \perp_L \\
\hline
- : \Box\Gamma_8, \Delta_9 \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12} \\
\rightarrow \\
\frac{- : \Box\Gamma_8 \vdash F_{12}, \Box\Gamma_{10}}{- : \Delta_9, \Box\Gamma_8 \vdash \Delta_{11}, \Box\Gamma_{10}, \Box F_{12}} \quad ax/W \quad A45 \\
\hline
\frac{h_2 : \Box\Gamma_8 \vdash \Box\Gamma_{10}, F_{12}}{\bullet h_2 : \Box\Gamma_8, \perp, \Delta_{14} \vdash (\Box\Gamma_{10}, \Delta_{11}, \Box F_{12}), F_9} \quad A45 \quad \frac{}{\bullet h_{13} : (\Box\Gamma_8, \perp, \Delta_{14}), F_9 \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}} \quad \perp_L \\
\hline
- : \Box\Gamma_8, \perp, \Delta_{14} \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12} \\
\rightarrow \\
\frac{}{- : \perp, \Delta_{14}, \Box\Gamma_8 \vdash \Delta_{11}, \Box\Gamma_{10}, \Box F_{12}} \quad \perp_L \\
\hline
\end{array}$$

- Case rule I

$$\begin{array}{c}
\frac{h_1 : \Box\Gamma_7 \vdash \Box\Gamma_9, F_8}{\bullet h_1 : \Box\Gamma_7, \Delta_{13}, P_{11} \vdash (\Box\Gamma_9, \Delta_{12}, P_{11}), \Box F_8} \quad A45 \quad \frac{}{\bullet h_{10} : (\Box\Gamma_7, \Delta_{13}, P_{11}), \Box F_8 \vdash \Box\Gamma_9, \Delta_{12}, P_{11}} \quad I \\
\hline
- : \Box\Gamma_7, \Delta_{13}, P_{11} \vdash \Box\Gamma_9, \Delta_{12}, P_{11} \\
\rightarrow \\
\frac{}{- : \Delta_{13}, \Box\Gamma_7, P_{11} \vdash \Delta_{12}, \Box\Gamma_9, P_{11}} \quad I \\
\hline
\frac{h_2 : \Box\Gamma_8 \vdash \Box\Gamma_{10}, F_{11}, \Box F_9}{\bullet h_2 : \Box\Gamma_8, \Delta_{15}, P_{13} \vdash (\Box\Gamma_{10}, (\Delta_{14}, P_{13}), \Box F_{11}), \Box F_9} \quad A45 \quad \frac{}{\bullet h_{12} : (\Box\Gamma_8, \Delta_{15}, P_{13}), \Box F_9 \vdash \Box\Gamma_{10}, (\Delta_{14}, P_{13}), \Box F_{11}} \quad I \\
\hline
- : \Box\Gamma_8, \Delta_{15}, P_{13} \vdash \Box\Gamma_{10}, (\Delta_{14}, P_{13}), \Box F_{11} \\
\rightarrow \\
\frac{}{- : \Delta_{15}, \Box\Gamma_8, P_{13} \vdash \Delta_{14}, \Box\Gamma_{10}, P_{13}, \Box F_{11}} \quad I \\
\hline
\frac{h_2 : \Box\Gamma_8 \vdash \Box\Gamma_{10}, F_{11}}{\bullet h_2 : \Box\Gamma_8, \Delta_9 \vdash (\Box\Gamma_{10}, (\Delta_{14}, P_{13}), \Box F_{11}), P_{13}} \quad A45 \quad \frac{}{\bullet h_{12} : (\Box\Gamma_8, \Delta_9), P_{13} \vdash \Box\Gamma_{10}, (\Delta_{14}, P_{13}), \Box F_{11}} \quad I \\
\hline
- : \Box\Gamma_8, \Delta_9 \vdash \Box\Gamma_{10}, (\Delta_{14}, P_{13}), \Box F_{11} \\
\rightarrow \\
\frac{- : \Box\Gamma_8 \vdash F_{11}, \Box\Gamma_{10}}{- : \Delta_9, \Box\Gamma_8 \vdash \Delta_{14}, \Box\Gamma_{10}, P_{13}, \Box F_{11}} \quad ax/W \quad A45 \\
\hline
\end{array}$$

$$\begin{array}{c}
\frac{h_2 : \Box\Gamma_8 \vdash \Box\Gamma_{10}, F_{11}}{\bullet h_2 : \Box\Gamma_8, \Delta_{15}, P_{13} \vdash (\Box\Gamma_{10}, (\Delta_{14}, P_{13}), \Box F_{11}), F_9} \text{A45} \quad \frac{\bullet h_{12} : (\Box\Gamma_8, \Delta_{15}, P_{13}), F_9 \vdash \Box\Gamma_{10}, (\Delta_{14}, P_{13}), \Box F_{11}}{\bullet h_{12} : (\Box\Gamma_8, \Delta_{15}, P_{13}), F_9 \vdash \Box\Gamma_{10}, (\Delta_{14}, P_{13}), \Box F_{11}} \text{I} \\
\frac{}{- : \Box\Gamma_8, \Delta_{15}, P_{13} \vdash \Box\Gamma_{10}, (\Delta_{14}, P_{13}), \Box F_{11}}{\rightarrow} \text{Cut} \\
\frac{}{- : \Delta_{15}, \Box\Gamma_8, P_{13} \vdash \Delta_{14}, \Box\Gamma_{10}, P_{13}, \Box F_{11}}{\rightarrow} \text{I}
\end{array}$$

- Case rule \top_L

$$\begin{array}{c}
\frac{h_1 : \Box\Gamma_7 \vdash \Box\Gamma_9, F_8}{\bullet h_1 : \Box\Gamma_7, \top, \Delta_{12} \vdash (\Box\Gamma_9, \Delta_{10}), \Box F_8} \text{A45} \quad \frac{h_{11} : \Box\Gamma_7, \Delta_{12}, \Box F_8 \vdash \Box\Gamma_9, \Delta_{10}}{\bullet h_{11} : (\Box\Gamma_7, \top, \Delta_{12}), \Box F_8 \vdash \Box\Gamma_9, \Delta_{10}} \top_L \\
\frac{}{- : \Box\Gamma_7, \top, \Delta_{12} \vdash \Box\Gamma_9, \Delta_{10}}{\rightarrow} \text{Cut} \\
\frac{\bullet h_1 : \top, \Delta_{12}, \Box\Gamma_7 \vdash \Delta_{10}, \Box\Gamma_9, \Box F_8}{- : \top, \Delta_{12}, \Box\Gamma_7 \vdash \Delta_{10}, \Box\Gamma_9} \text{ax/W} \quad \frac{h_{11} : \top, \Delta_{12}, \Box\Gamma_7, \Box F_8 \vdash \Delta_{10}, \Box\Gamma_9}{- : \top, \Delta_{12}, \Box\Gamma_7 \vdash \Delta_{10}, \Box\Gamma_9} \text{hCut} \\
\frac{h_2 : \Box\Gamma_8 \vdash \Box\Gamma_{10}, F_{12}, \Box F_9}{\bullet h_2 : \Box\Gamma_8, \top, \Delta_{14} \vdash (\Box\Gamma_{10}, \Delta_{11}, \Box F_{12}), \Box F_9} \text{A45} \quad \frac{h_{13} : \Box\Gamma_8, \Delta_{14}, \Box F_9 \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}}{\bullet h_{13} : (\Box\Gamma_8, \top, \Delta_{14}), \Box F_9 \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}} \top_L \\
\frac{}{- : \Box\Gamma_8, \top, \Delta_{14} \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}}{\rightarrow} \text{Cut} \\
\frac{\bullet h_2 : \top, \Delta_{14}, \Box\Gamma_8 \vdash \Box F_9, \Delta_{11}, \Box\Gamma_{10}, \Box F_{12}}{- : \top, \Delta_{14}, \Box\Gamma_8 \vdash \Delta_{11}, \Box\Gamma_{10}, \Box F_{12}} \text{ax/W} \quad \frac{h_{13} : \top, \Box F_9, \Delta_{14}, \Box\Gamma_8 \vdash \Delta_{11}, \Box\Gamma_{10}, \Box F_{12}}{- : \top, \Delta_{14}, \Box\Gamma_8 \vdash \Delta_{11}, \Box\Gamma_{10}, \Box F_{12}} \text{hCut} \\
\frac{h_2 : \Box\Gamma_8 \vdash \Box\Gamma_{10}, F_{12}}{\bullet h_2 : \Box\Gamma_8, \Delta_9 \vdash (\Box\Gamma_{10}, \Delta_{11}, \Box F_{12}), \top} \text{A45} \quad \frac{h_{13} : \Box\Gamma_8, \Delta_9 \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}}{\bullet h_{13} : (\Box\Gamma_8, \Delta_9), \top \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}} \top_L \\
\frac{}{- : \Box\Gamma_8, \Delta_9 \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}}{\rightarrow} \text{Cut} \\
\frac{}{- : \Delta_9, \Box\Gamma_8 \vdash \Delta_{11}, \Box\Gamma_{10}, \Box F_{12}}{\rightarrow} \text{ax/W} \\
\frac{h_2 : \Box\Gamma_8 \vdash \Box\Gamma_{10}, F_{12}}{\bullet h_2 : \Box\Gamma_8, \top, \Delta_{14} \vdash (\Box\Gamma_{10}, \Delta_{11}, \Box F_{12}), F_9} \text{A45} \quad \frac{h_{13} : \Box\Gamma_8, F_9, \Delta_{14} \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}}{\bullet h_{13} : (\Box\Gamma_8, \top, \Delta_{14}), F_9 \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}} \top_L \\
\frac{}{- : \Box\Gamma_8, \top, \Delta_{14} \vdash \Box\Gamma_{10}, \Delta_{11}, \Box F_{12}}{\rightarrow} \text{Cut} \\
\frac{}{- : \Box\Gamma_8 \vdash F_{12}, \Box\Gamma_{10}}{\rightarrow} \text{ax/W} \\
\frac{}{- : \top, \Delta_{14}, \Box\Gamma_8 \vdash \Delta_{11}, \Box\Gamma_{10}, \Box F_{12}}{\rightarrow} \text{A45}
\end{array}$$

6.8 Status of \rightarrow_L : OK

- Case rule \rightarrow_R

$$\begin{array}{c}
\frac{h_3 : \Delta_8 \vdash F_7, F_9, \Delta_{12}, F_{13} \rightarrow F_{14} \quad h_3 : F_{10}, \Delta_8 \vdash F_7, \Delta_{12}, F_{13} \rightarrow F_{14}}{\bullet h_3 : \Delta_8, F_9 \rightarrow F_{10} \vdash (\Delta_{12}, F_{13} \rightarrow F_{14}), F_7} \rightarrow_L \quad \frac{h_{11} : F_7, F_{13}, \Delta_8, F_9 \rightarrow F_{10} \vdash F_{14}, \Delta_{12}}{\bullet h_{11} : (\Delta_8, F_9 \rightarrow F_{10}), F_7 \vdash \Delta_{12}, F_{13} \rightarrow F_{14}} \rightarrow_R \\
\frac{}{- : \Delta_8, F_9 \rightarrow F_{10} \vdash \Delta_{12}, F_{13} \rightarrow F_{14}}{\rightarrow} \text{Cut} \\
\frac{h_3 : \Delta_8, F_{13} \vdash \Delta_{12}, F_{14}, F_7, F_9}{\bullet h_3 : \Delta_8, F_{13}, F_9 \rightarrow F_{10} \vdash \Delta_{12}, F_{14}, F_7} \text{inv-th/ax} \quad \frac{h_3 : \Delta_8, F_{10}, F_{13} \vdash \Delta_{12}, F_{14}, F_7}{\bullet h_3 : \Delta_8, F_{13}, F_9 \rightarrow F_{10} \vdash \Delta_{12}, F_{14}, F_7} \text{inv-th/ax} \\
\frac{}{- : \Delta_8, F_{13}, F_9 \rightarrow F_{10} \vdash \Delta_{12}, F_{14}}{\rightarrow} \text{ax/W} \quad \frac{h_{11} : \Delta_8, F_{13}, F_7, F_9 \rightarrow F_{10} \vdash \Delta_{12}, F_{14}}{\bullet h_{11} : \Delta_8, F_{13}, F_7, F_9 \rightarrow F_{10} \vdash \Delta_{12}, F_{14}} \text{hCut} \\
\frac{}{- : \Delta_8, F_9 \rightarrow F_{10} \vdash \Delta_{12}, F_{13} \rightarrow F_{14}}{\rightarrow} \rightarrow_R
\end{array}$$

- Case rule \wedge_R

$$\begin{array}{c}
\frac{h_3 : \Delta_8 \vdash F_7, F_9, \Delta_{12}, F_{13} \wedge F_{14} \quad h_3 : F_{10}, \Delta_8 \vdash F_7, \Delta_{12}, F_{13} \wedge F_{14}}{\bullet h_3 : \Delta_8, F_9 \rightarrow F_{10} \vdash (\Delta_{12}, F_{13} \wedge F_{14}), F_7} \rightarrow_L \quad \frac{h_{11} : F_7, \Delta_8, F_9 \rightarrow F_{10} \vdash F_{13}, \Delta_{12}}{\bullet h_{11} : (\Delta_8, F_9 \rightarrow F_{10}) \vdash \Delta_{12}, F_{13} \wedge F_{14}} \rightarrow_R \\
\frac{}{- : \Delta_8, F_9 \rightarrow F_{10} \vdash \Delta_{12}, F_{13} \wedge F_{14}}{\rightarrow} \text{Cut} \\
\frac{h_3 : \Delta_8 \vdash \Delta_{12}, F_{13}, F_7, F_9}{\bullet h_3 : \Delta_8, F_9 \rightarrow F_{10} \vdash \Delta_{12}, F_{13}, F_7} \text{inv-th/ax} \quad \frac{h_3 : \Delta_8, F_{10} \vdash \Delta_{12}, F_{13}, F_7}{\bullet h_3 : \Delta_8, F_9 \rightarrow F_{10} \vdash \Delta_{12}, F_{13}, F_7} \text{inv-th/ax} \\
\frac{}{- : \Delta_8, F_7, F_9 \rightarrow F_{10} \vdash \Delta_{12}, F_{13}}{\rightarrow} \text{ax/W} \quad \frac{h_{11} : \Delta_8, F_7, F_9 \rightarrow F_{10} \vdash \Delta_{12}, F_{13}}{\bullet h_{11} : \Delta_8, F_9 \rightarrow F_{10} \vdash \Delta_{12}, F_{13} \wedge F_{14}} \text{hCut} \\
\frac{}{- : \Delta_8, F_9 \rightarrow F_{10} \vdash \Delta_{12}, F_{13}}{\rightarrow} \rightarrow_R \\
\frac{}{- : \Delta_8, F_9 \rightarrow F_{10} \vdash \Delta_{12}, F_{13} \wedge F_{14}}{\rightarrow} \rightarrow_R
\end{array}$$

- Case rule \vee_R

$$\begin{array}{c}
\frac{h_3 : \Delta_8 \vdash F_7, F_9, \Delta_{12}, F_{13} \vee F_{14} \quad h_3 : F_{10}, \Delta_8 \vdash F_7, \Delta_{12}, F_{13} \vee F_{14} \quad \rightarrow_L \quad \frac{h_{11} : F_7, \Delta_8, F_9 \rightarrow F_{10} \vdash F_{13}, F_{14}, \Delta_{12}}{\bullet h_{11} : (\Delta_8, F_9 \rightarrow F_{10}), F_7 \vdash \Delta_{12}, F_{13} \vee F_{14}} \vee_R}{\frac{\bullet h_3 : \Delta_8, F_9 \rightarrow F_{10} \vdash (\Delta_{12}, F_{13} \vee F_{14}), F_7}{- : \Delta_8, F_9 \rightarrow F_{10} \vdash \Delta_{12}, F_{13} \vee F_{14}} \rightarrow} \text{Cut}} \\
\frac{\frac{h_3 : \Delta_8 \vdash \Delta_{12}, F_{13}, F_{14}, F_7, F_9 \quad \text{inv-th/ax} \quad \frac{h_3 : \Delta_8, F_{10} \vdash \Delta_{12}, F_{13}, F_{14}, F_7}{\bullet h_3 : \Delta_8, F_9 \rightarrow F_{10} \vdash \Delta_{12}, F_{13}, F_{14}, F_7} \rightarrow_L \quad \frac{h_{11} : \Delta_8, F_7, F_9 \rightarrow F_{10} \vdash \Delta_{12}, F_{13}, F_{14}}{\bullet h_{11} : (\Delta_8, F_9 \rightarrow F_{10}), F_7 \vdash \Delta_{12}, F_{13}, F_{14}} \text{ax/W}}{\frac{\bullet h_3 : \Delta_8, F_9 \rightarrow F_{10} \vdash \Delta_{12}, F_{13}, F_{14}, F_7}{- : \Delta_8, F_9 \rightarrow F_{10} \vdash \Delta_{12}, F_{13}, F_{14}} \rightarrow} \text{hCut}} \vee_R}{- : \Delta_8, F_9 \rightarrow F_{10} \vdash \Delta_{12}, F_{13} \vee F_{14}} \text{hCut}}
\end{array}$$

- Case rule \perp_R

$$\begin{array}{c}
\frac{h_3 : \Delta_8 \vdash F_7, F_9, \perp, \Delta_{12} \quad h_3 : F_{10}, \Delta_8 \vdash F_7, \perp, \Delta_{12} \quad \rightarrow_L \quad \frac{h_{11} : F_7, \Delta_8, F_9 \rightarrow F_{10} \vdash \Delta_{12}}{\bullet h_{11} : (\Delta_8, F_9 \rightarrow F_{10}), F_7 \vdash \perp, \Delta_{12}} \perp_R}{\frac{\bullet h_3 : \Delta_8, F_9 \rightarrow F_{10} \vdash (\perp, \Delta_{12}), F_7}{- : \Delta_8, F_9 \rightarrow F_{10} \vdash \perp, \Delta_{12}} \rightarrow} \text{Cut}} \\
\frac{\frac{\bullet h_3 : \Delta_8, F_9 \rightarrow F_{10} \vdash \perp, \Delta_{12}, F_7 \quad \text{ax/W} \quad \frac{h_{11} : \Delta_8, F_7, F_9 \rightarrow F_{10} \vdash \perp, \Delta_{12}}{\bullet h_{11} : (\Delta_8, F_9 \rightarrow F_{10}), F_7 \vdash \perp, \Delta_{12}} \text{ax/W}}{\frac{\bullet h_3 : \Delta_8, F_9 \rightarrow F_{10} \vdash \perp, \Delta_{12}, F_7}{- : \Delta_8, F_9 \rightarrow F_{10} \vdash \perp, \Delta_{12}} \rightarrow} \text{hCut}}
\end{array}$$

- Case rule \top_R

$$\begin{array}{c}
\frac{h_3 : \Delta_8 \vdash F_7, F_9, \top, \Delta_{12} \quad h_3 : F_{10}, \Delta_8 \vdash F_7, \top, \Delta_{12} \quad \rightarrow_L \quad \frac{h_{11} : (\Delta_8, F_9 \rightarrow F_{10}), F_7 \vdash \top, \Delta_{12}}{\bullet h_{11} : (\Delta_8, F_9 \rightarrow F_{10}), F_7 \vdash \top, \Delta_{12}} \top_R}{\frac{\bullet h_3 : \Delta_8, F_9 \rightarrow F_{10} \vdash (\top, \Delta_{12}), F_7}{- : \Delta_8, F_9 \rightarrow F_{10} \vdash \top, \Delta_{12}} \rightarrow} \text{Cut}} \\
\frac{\frac{\bullet h_3 : \Delta_8, F_9 \rightarrow F_{10} \vdash \top, \Delta_{12}, F_7}{- : \Delta_8, F_9 \rightarrow F_{10} \vdash \top, \Delta_{12}} \rightarrow} \top_R
\end{array}$$

- Case rule K

$$\begin{array}{c}
\frac{h_3 : \Box\Gamma_{13}, \Delta_{14} \vdash \Box F_7, F_8, \Delta_{11}, \Box F_{12} \quad h_3 : F_9, \Box\Gamma_{13}, \Delta_{14} \vdash \Box F_7, \Delta_{11}, \Box F_{12} \quad \rightarrow_L \quad \frac{h_{10} : \text{unbox}(\Box\Gamma_{13}), \text{unbox}(\Box F_7) \vdash F_{12}}{\bullet h_{10} : ((\Box\Gamma_{13}, \Delta_{14}), F_8 \rightarrow F_9), \Box F_7 \vdash \Delta_{11}, \Box F_{12}} \text{K}}{\frac{\bullet h_3 : (\Box\Gamma_{13}, \Delta_{14}), F_8 \rightarrow F_9 \vdash (\Delta_{11}, \Box F_{12}), \Box F_7}{- : (\Box\Gamma_{13}, \Delta_{14}), F_8 \rightarrow F_9 \vdash \Delta_{11}, \Box F_{12}} \rightarrow} \text{Cut}} \\
\frac{\frac{h_3 : \Delta_{14}, \Box\Gamma_{13} \vdash \Box F_7, \Delta_{11}, F_8, \Box F_{12} \quad \text{ax/W} \quad \frac{h_{10} : \text{unbox}(\Box F_7), \text{unbox}(\Box\Gamma_{13}) \vdash F_{12}}{\bullet h_{10} : (\Box F_7, \Delta_{14}, \Box\Gamma_{13} \vdash \Delta_{11}, F_8, \Box F_{12})} \text{K}}{\frac{\bullet h_3 : \Delta_{14}, \Box\Gamma_{13} \vdash \Delta_{11}, F_8, \Box F_{12}}{- : \Delta_{14}, \Box\Gamma_{13} \vdash \Delta_{11}, F_8, \Box F_{12}} \text{ax/W}} \text{hCut}} \text{ax/W} \quad \frac{h_{10} : \text{unbox}(\Box F_7), \text{unbox}(\Box\Gamma_{13}) \vdash F_{12}}{\bullet h_{10} : (\Box F_7, \Delta_{14}, \Box\Gamma_{13} \vdash \Delta_{11}, F_8, \Box F_{12})} \text{K}}{\frac{\bullet h_3 : \Delta_{14}, \Box\Gamma_{13} \vdash \Delta_{11}, F_8, \Box F_{12}}{- : \Delta_{14}, \Box\Gamma_{13} \vdash \Delta_{11}, F_8, \Box F_{12}} \text{ax/W}} \text{hCut}} \\
\frac{h_3 : \Box\Gamma_{11}, \Delta_{14} \vdash F_7, F_8, \Delta_{12}, \Box F_{13} \quad h_3 : F_9, \Box\Gamma_{11}, \Delta_{14} \vdash F_7, \Delta_{12}, \Box F_{13} \quad \rightarrow_L \quad \frac{h_{10} : \text{unbox}(\Box\Gamma_{11}) \vdash F_{13}}{\bullet h_{10} : ((\Box\Gamma_{11}, \Delta_{14}), F_8 \rightarrow F_9), F_7 \vdash \Delta_{12}, \Box F_{13}} \text{K}}{\frac{\bullet h_3 : (\Box\Gamma_{11}, \Delta_{14}), F_8 \rightarrow F_9 \vdash (\Delta_{12}, \Box F_{13}), F_7}{- : (\Box\Gamma_{11}, \Delta_{14}), F_8 \rightarrow F_9 \vdash \Delta_{12}, \Box F_{13}} \rightarrow} \text{Cut}} \\
\frac{\frac{\bullet h_3 : (\Box\Gamma_{11}, \Delta_{14}), F_8 \rightarrow F_9 \vdash (\Delta_{12}, \Box F_{13}), F_7}{- : \Delta_{14}, \Box\Gamma_{11}, F_8 \rightarrow F_9 \vdash \Delta_{12}, \Box F_{13}} \text{ax/W}}{\frac{\bullet h_3 : (\Box\Gamma_{11}, \Delta_{14}), F_8 \rightarrow F_9 \vdash (\Delta_{12}, \Box F_{13}), F_7}{- : \Delta_{14}, \Box\Gamma_{11}, F_8 \rightarrow F_9 \vdash \Delta_{12}, \Box F_{13}} \text{ax/W}} \text{K}}
\end{array}$$

- Case rule $A45$

$$\begin{array}{c}
\frac{h_3 : \Box\Gamma_{14}, \Delta_{15} \vdash \Box F_7, F_8, \Box\Gamma_{11}, \Delta_{12}, \Box F_{13} \quad h_3 : F_9, \Box\Gamma_{14}, \Delta_{15} \vdash \Box F_7, \Box\Gamma_{11}, \Delta_{12}, \Box F_{13} \quad \rightarrow_L \quad \frac{h_{10} : \Box\Gamma_{14}, \Box F_7 \vdash F_{13}}{\bullet h_{10} : ((\Box\Gamma_{14}, \Delta_{15}), F_8 \rightarrow F_9), \Box F_7 \vdash \Box\Gamma_{11}, \Delta_{12}, \Box F_{13}} \text{A45}}{\frac{\bullet h_3 : (\Box\Gamma_{14}, \Delta_{15}), F_8 \rightarrow F_9 \vdash (\Box\Gamma_{11}, \Delta_{12}, \Box F_{13}), \Box F_7}{- : (\Box\Gamma_{14}, \Delta_{15}), F_8 \rightarrow F_9 \vdash \Box\Gamma_{11}, \Delta_{12}, \Box F_{13}} \rightarrow} \text{Cut}} \\
\frac{\frac{h_3 : \Delta_{15}, \Box\Gamma_{14} \vdash \Box F_7, \Delta_{12}, F_8, \Box\Gamma_{11}, \Box F_{13} \quad \text{ax/W} \quad \frac{h_{10} : \Box F_7, \Box\Gamma_{14} \vdash F_{13}, \Box\Gamma_{11}}{\bullet h_{10} : (\Box F_7, \Delta_{15}, \Box\Gamma_{14} \vdash \Delta_{12}, F_8, \Box\Gamma_{11}, \Box F_{13})} \text{A45}}{\frac{\bullet h_3 : \Delta_{15}, \Box\Gamma_{14} \vdash \Delta_{12}, F_8, \Box\Gamma_{11}, \Box F_{13}}{- : \Delta_{15}, \Box\Gamma_{14} \vdash \Delta_{12}, F_8, \Box\Gamma_{11}, \Box F_{13}} \text{ax/W}} \text{hCut}} \text{ax/W} \quad \frac{h_{10} : \Box F_7, \Box\Gamma_{14} \vdash F_{13}, \Box\Gamma_{11}}{\bullet h_{10} : (\Box F_7, \Delta_{15}, \Box\Gamma_{14} \vdash \Delta_{12}, F_8, \Box\Gamma_{11}, \Box F_{13})} \text{A45}}{\frac{\bullet h_3 : \Delta_{15}, \Box\Gamma_{14} \vdash \Delta_{12}, F_8, \Box\Gamma_{11}, \Box F_{13}}{- : \Delta_{15}, \Box\Gamma_{14} \vdash \Delta_{12}, F_8, \Box\Gamma_{11}, \Box F_{13}} \text{ax/W}} \text{hCut}} \\
\frac{\frac{\bullet h_3 : \Delta_{15}, \Box\Gamma_{14} \vdash \Delta_{12}, F_8, \Box\Gamma_{11}, \Box F_{13}}{- : \Delta_{15}, \Box\Gamma_{14} \vdash \Delta_{12}, F_8, \Box\Gamma_{11}, \Box F_{13}} \text{ax/W}}{\frac{\bullet h_3 : \Delta_{15}, \Box\Gamma_{14} \vdash \Delta_{12}, F_8, \Box\Gamma_{11}, \Box F_{13}}{- : \Delta_{15}, \Box\Gamma_{14} \vdash \Delta_{12}, F_8, \Box\Gamma_{11}, \Box F_{13}} \text{ax/W}} \text{hCut}}
\end{array}$$

$$\begin{array}{c}
\frac{h_3 : \Box\Gamma_{11}, \Delta_{15} \vdash F_7, F_8, \Box\Gamma_{12}, \Delta_{13}, \Box F_{14} \quad h_3 : F_9, \Box\Gamma_{11}, \Delta_{15} \vdash F_7, \Box\Gamma_{12}, \Delta_{13}, \Box F_{14}}{\bullet h_3 : (\Box\Gamma_{11}, \Delta_{15}), F_8 \rightarrow F_9 \vdash (\Box\Gamma_{12}, \Delta_{13}, \Box F_{14}), F_7} \rightarrow_L \quad \frac{h_{10} : \Box\Gamma_{11} \vdash \Box\Gamma_{12}, F_{14}}{\bullet h_{10} : ((\Box\Gamma_{11}, \Delta_{15}), F_8 \rightarrow F_9), F_7 \vdash \Box\Gamma_{12}, \Delta_{13}, \Box F_{14}} \text{A45} \\
\frac{}{- : (\Box\Gamma_{11}, \Delta_{15}), F_8 \rightarrow F_9 \vdash \Box\Gamma_{12}, \Delta_{13}, \Box F_{14}} \rightarrow \\
\frac{}{- : \Box\Gamma_{11} \vdash F_{14}, \Box\Gamma_{12}} \text{ax/W} \\
\frac{}{- : \Delta_{15}, \Box\Gamma_{11}, F_8 \rightarrow F_9 \vdash \Delta_{13}, \Box\Gamma_{12}, \Box F_{14}} \text{A45}
\end{array}$$

- Case rule \rightarrow_L

$$\begin{array}{c}
\frac{h_3 : \Delta_7 \vdash F_{11} \rightarrow F_{12}, F_8, \Delta_{13} \quad h_3 : F_9, \Delta_7 \vdash F_{11} \rightarrow F_{12}, \Delta_{13}}{\bullet h_3 : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{13}, F_{11} \rightarrow F_{12}} \rightarrow_L \quad \frac{h_{10} : \Delta_7, F_8 \rightarrow F_9 \vdash F_9 \vdash F_{11}, \Delta_{13} \quad h_{10} : F_{12}, \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{13}}{\bullet h_{10} : (\Delta_7, F_8 \rightarrow F_9), F_{11} \rightarrow F_{12} \vdash \Delta_{13}} \text{Cut} \\
\frac{}{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{13}} \rightarrow \\
\frac{}{- : \Delta_7, F_{11} \vdash \Delta_{13}, F_{12}, F_8} \text{inv-th/ax} \quad \frac{}{- : \Delta_7, F_{11}, F_9 \vdash \Delta_{13}, F_{12}} \text{inv-th/ax} \\
\frac{}{- : \Delta_7, F_{11}, F_8 \rightarrow F_9 \vdash \Delta_{13}, F_{12}} \rightarrow_L \quad \frac{}{- : \Delta_7, F_{11}, F_{12}, F_8 \rightarrow F_9 \vdash \Delta_{13}} \text{ax/sCut} \\
\frac{}{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{13}, F_{11}} \text{ax/W} \quad \frac{}{- : \Delta_7, F_{11}, F_8 \rightarrow F_9 \vdash \Delta_{13}} \text{sCut} \\
\frac{}{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{13}} \\
\frac{h_3 : \Delta_{14}, F_{11} \rightarrow F_{12} \vdash F_7, F_8, \Delta_{13} \quad h_3 : F_9, \Delta_{14}, F_{11} \rightarrow F_{12} \vdash F_7, \Delta_{13}}{\bullet h_3 : (\Delta_{14}, F_{11} \rightarrow F_{12}), F_8 \rightarrow F_9 \vdash \Delta_{13}, F_7} \rightarrow_L \quad \frac{h_{10} : F_7, \Delta_{14}, F_8 \rightarrow F_9 \vdash F_{11}, \Delta_{13}}{\bullet h_{10} : ((\Delta_{14}, F_{11} \rightarrow F_{12}), F_8 \rightarrow F_9) \vdash \Delta_{13}} \text{Cut} \\
\frac{}{- : (\Delta_{14}, F_{11} \rightarrow F_{12}), F_8 \rightarrow F_9 \vdash \Delta_{13}} \rightarrow \\
\frac{h_3 : \Delta_{14} \vdash \Delta_{13}, F_{11}, F_7, F_8} \text{inv-th/ax} \quad \frac{h_3 : \Delta_{14}, F_9 \vdash \Delta_{13}, F_{11}, F_7} \text{inv-th/ax} \\
\bullet h_3 : \Delta_{14}, F_8 \rightarrow F_9 \vdash \Delta_{13}, F_{11}, F_7 \quad \frac{h_{10} : \Delta_{14}, F_7, F_8 \rightarrow F_9 \vdash \Delta_{13}, F_{11}}{\bullet h_{10} : (\Delta_{14}, F_{11} \rightarrow F_{12}), F_8 \rightarrow F_9 \vdash \Delta_{13}} \text{ax/W} \quad \frac{h_3 : \Delta_{14}, F_{12} \vdash \Delta_{13}, F_7, F_8} \text{inv-th/ax} \\
\frac{}{- : \Delta_{14}, F_8 \rightarrow F_9 \vdash \Delta_{13}, F_{11}} \rightarrow_L \quad \frac{}{- : \Delta_{14}, F_{11}, F_8 \rightarrow F_9 \vdash \Delta_{13}} \text{hCut} \quad \frac{}{- : \Delta_{14}, F_{11} \rightarrow F_{12}, F_8 \rightarrow F_9 \vdash \Delta_{13}} \text{hCut} \\
\frac{}{- : \Delta_{14}, F_{11} \rightarrow F_{12}, F_8 \rightarrow F_9 \vdash \Delta_{13}} \\
\frac{h_3 : \Delta_8 \vdash F_7, F_{10}, \Delta_{12} \quad h_3 : F_{11}, \Delta_8 \vdash F_7, \Delta_{12}}{\bullet h_3 : \Delta_8, F_{10} \rightarrow F_{11} \vdash \Delta_{12}, F_7} \rightarrow_L \quad \frac{h_9 : F_7, \Delta_8 \vdash F_{10}, \Delta_{12} \quad h_9 : F_7, F_{11}, \Delta_8 \vdash \Delta_{12}}{\bullet h_9 : (\Delta_8, F_{10} \rightarrow F_{11}), F_7 \vdash \Delta_{12}} \text{Cut} \\
\frac{}{- : \Delta_8, F_{10} \rightarrow F_{11} \vdash \Delta_{12}} \rightarrow \\
\frac{}{- : \Delta_8, F_{10} \rightarrow F_{11} \vdash \Delta_{12}} \text{ax/W} \quad \frac{}{- : \Delta_8, F_{10} \rightarrow F_{11} \vdash \Delta_{12}} \text{ax/W} \\
\frac{h_3 : \Delta_8 \vdash \Delta_{12}, F_{10}, F_7} \text{ax/W} \quad \frac{h_9 : \Delta_8, F_7 \vdash \Delta_{12}, F_{10}}{\bullet h_9 : \Delta_8, F_7 \vdash \Delta_{12}, F_{10}} \text{H} \quad \frac{h_3 : \Delta_8, F_{11} \vdash \Delta_{12}, F_7} \text{ax/W} \quad \frac{h_9 : \Delta_8, F_{11}, F_7 \vdash \Delta_{12}}{\bullet h_9 : \Delta_8, F_{11}, F_7 \vdash \Delta_{12}} \text{H} \\
\frac{}{- : \Delta_8 \vdash \Delta_{12}, F_{10}} \text{hCut} \quad \frac{}{- : \Delta_8, F_{11} \vdash \Delta_{12}} \text{hCut} \\
\frac{}{- : \Delta_8, F_{10} \rightarrow F_{11} \vdash \Delta_{12}} \rightarrow_L
\end{array}$$

- Case rule \wedge_L

$$\begin{array}{c}
\frac{h_3 : \Delta_7 \vdash F_{11} \wedge F_{12}, F_8, \Delta_{13} \quad h_3 : F_9, \Delta_7 \vdash F_{11} \wedge F_{12}, \Delta_{13}}{\bullet h_3 : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{13}, F_{11} \wedge F_{12}} \rightarrow_L \quad \frac{h_{10} : F_{11}, F_{12}, \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{13}}{\bullet h_{10} : (\Delta_7, F_8 \rightarrow F_9), F_{11} \wedge F_{12} \vdash \Delta_{13}} \wedge_L \\
\frac{}{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{13}} \rightarrow \\
\frac{}{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{13}} \text{Cut} \\
\frac{h_3 : \Delta_7 \vdash \Delta_{13}, F_8, F_{11} \wedge F_{12}} \text{ax/W} \quad \frac{h_{10} : \Delta_7, F_{11}, F_{12} \vdash \Delta_{13}, F_8} \text{inv-th/ax} \\
\bullet h_{10} : \Delta_7, F_{11} \wedge F_{12} \vdash \Delta_{13}, F_8 \quad \wedge_L \quad \frac{h_3 : \Delta_7, F_9 \vdash \Delta_{13}, F_{11} \wedge F_{12}} \text{ax/W} \quad \frac{h_{10} : \Delta_7, F_{11}, F_{12}, F_9 \vdash \Delta_{13}}{\bullet h_{10} : \Delta_7, F_9, F_{11} \wedge F_{12} \vdash \Delta_{13}} \wedge_L \\
\frac{}{- : \Delta_7 \vdash \Delta_{13}, F_8} \text{hCut} \quad \frac{}{- : \Delta_7, F_9 \vdash \Delta_{13}} \rightarrow_L \quad \frac{}{- : \Delta_7, F_9 \vdash \Delta_{13}} \text{hCut} \\
\frac{}{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{13}} \\
\frac{h_3 : \Delta_{14}, F_{11} \wedge F_{12} \vdash F_7, F_8, \Delta_{13} \quad h_3 : F_9, \Delta_{14}, F_{11} \wedge F_{12} \vdash F_7, \Delta_{13}}{\bullet h_3 : (\Delta_{14}, F_{11} \wedge F_{12}), F_8 \rightarrow F_9 \vdash \Delta_{13}, F_7} \rightarrow_L \quad \frac{h_{10} : F_7, F_{11}, F_{12}, \Delta_{14}, F_8 \rightarrow F_9 \vdash \Delta_{13}}{\bullet h_{10} : ((\Delta_{14}, F_{11} \wedge F_{12}), F_8 \rightarrow F_9), F_7 \vdash \Delta_{13}} \wedge_L \\
\frac{}{- : (\Delta_{14}, F_{11} \wedge F_{12}), F_8 \rightarrow F_9 \vdash \Delta_{13}} \rightarrow \\
\frac{}{- : (\Delta_{14}, F_{11} \wedge F_{12}), F_8 \rightarrow F_9 \vdash \Delta_{13}} \text{Cut} \\
\frac{h_3 : \Delta_{14}, F_{11}, F_{12} \vdash \Delta_{13}, F_7, F_8} \text{inv-th/ax} \quad \frac{h_3 : \Delta_{14}, F_{11}, F_{12}, F_9 \vdash \Delta_{13}, F_7} \text{inv-th/ax} \\
\bullet h_3 : \Delta_{14}, F_{11}, F_{12}, F_8 \rightarrow F_9 \vdash \Delta_{13}, F_7 \quad \frac{h_{10} : \Delta_{14}, F_{11}, F_{12}, F_7, F_8 \rightarrow F_9 \vdash \Delta_{13}}{\bullet h_{10} : (\Delta_{14}, F_{11}, F_{12}, F_7, F_8 \rightarrow F_9) \vdash \Delta_{13}} \text{ax/W} \\
\frac{}{- : \Delta_{14}, F_{11}, F_{12}, F_8 \rightarrow F_9 \vdash \Delta_{13}} \rightarrow_L \quad \frac{}{- : \Delta_{14}, F_{11}, F_{12}, F_7, F_8 \rightarrow F_9 \vdash \Delta_{13}} \text{hCut} \\
\frac{}{- : \Delta_{14}, F_{11}, F_{12}, F_8 \rightarrow F_9 \vdash \Delta_{13}} \wedge_L \\
\frac{}{- : \Delta_{14}, F_8 \rightarrow F_9, F_{11} \wedge F_{12} \vdash \Delta_{13}}
\end{array}$$

- Case rule \vee_L

$$\begin{array}{c}
\frac{h_3 : \Delta_7 \vdash F_{11} \vee F_{12}, F_8, \Delta_{13} \quad h_3 : F_9, \Delta_7 \vdash F_{11} \vee F_{12}, \Delta_{13} \rightarrow_L \quad \frac{h_{10} : F_{11}, \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{13} \quad h_{10} : F_{12}, \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{13}}{\bullet h_{10} : (\Delta_7, F_8 \rightarrow F_9), F_{11} \vee F_{12} \vdash \Delta_{13}} \vee_L}{\bullet h_3 : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{13}, F_{11} \vee F_{12}} \text{Cut} \\
\rightarrow \\
\frac{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{13}}{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{13}} \\
\frac{- : \Delta_7 \vdash \Delta_{13}, F_{11}, F_{12}, F_8 \quad \text{inv-th/ax} \quad - : \Delta_7, F_9 \vdash \Delta_{13}, F_{11}, F_{12} \quad \text{inv-th/ax}}{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{13}, F_{11}, F_{12}} \rightarrow_L \\
\frac{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{13}, F_{11} \quad \text{ax/W} \quad - : \Delta_7, F_{12}, F_8 \rightarrow F_9 \vdash \Delta_{13}, F_{11}}{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{13}, F_{11}} \text{sCut} \\
\frac{- : \Delta_7, F_{11}, F_8 \rightarrow F_9 \vdash \Delta_{13} \quad \text{ax}}{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{13}} \text{sCut} \\
\frac{h_3 : \Delta_{14}, F_{11} \vee F_{12} \vdash F_7, F_8, \Delta_{13} \quad h_3 : F_9, \Delta_{14}, F_{11} \vee F_{12} \vdash F_7, \Delta_{13} \rightarrow_L \quad \frac{h_{10} : F_7, F_{11}, \Delta_{14}, F_8 \rightarrow F_9 \vdash \Delta_{13}}{\bullet h_{10} : ((\Delta_{14}, F_{11} \vee F_{12}), F_8 \rightarrow F_9) \vdash \Delta_{13}} \text{Cut}}{\bullet h_3 : (\Delta_{14}, F_{11} \vee F_{12}), F_8 \rightarrow F_9 \vdash \Delta_{13}, F_7} \text{Cut} \\
\rightarrow \\
\frac{- : (\Delta_{14}, F_{11} \vee F_{12}), F_8 \rightarrow F_9 \vdash \Delta_{13}}{- : (\Delta_{14}, F_8 \rightarrow F_9, F_{11} \vee F_{12}) \vdash \Delta_{13}} \\
\frac{h_3 : \Delta_{14}, F_{11} \vee F_{12} \vdash \Delta_{13}, F_7, F_8 \quad \text{ax/W} \quad \frac{h_{10} : \Delta_{14}, F_{11}, F_7 \vdash \Delta_{13}, F_8 \quad \text{inv-th/ax}}{\bullet h_{10} : \Delta_{14}, F_7, F_{11} \vee F_{12} \vdash \Delta_{13}, F_8} \text{hCut} \quad \frac{h_{10} : \Delta_{14}, F_{12}, F_7 \vdash \Delta_{13}, F_8 \quad \text{inv-th/ax}}{\bullet h_{10} : \Delta_{14}, F_7, F_{11} \vee F_{12} \vdash \Delta_{13}, F_8} \text{hCut}}{- : \Delta_{14}, F_{11} \vee F_{12} \vdash \Delta_{13}, F_7, F_8} \text{ax/W} \\
\frac{- : \Delta_{14}, F_{11} \vee F_{12} \vdash \Delta_{13}, F_7, F_8 \quad \text{ax/W} \quad \frac{- : \Delta_{14}, F_8 \rightarrow F_9, F_{11} \vee F_{12} \vdash \Delta_{13}}{- : \Delta_{14}, F_8 \rightarrow F_9, F_{11} \vee F_{12} \vdash \Delta_{13}} \text{hCut}}{- : \Delta_{14}, F_{11} \vee F_{12} \vdash \Delta_{13}, F_7, F_8} \text{hCut}
\end{array}$$

- Case rule *AT*

$$\begin{array}{c}
\frac{h_3 : \Delta_7 \vdash \llbracket F_{11}, F_8, \Delta_{12} \quad h_3 : F_9, \Delta_7 \vdash \llbracket F_{11}, \Delta_{12} \rightarrow_L \quad \frac{h_{10} : F_{11}, \Delta_7, \llbracket F_{11}, F_8 \rightarrow F_9 \vdash \Delta_{12}}{\bullet h_{10} : (\Delta_7, F_8 \rightarrow F_9), \llbracket F_{11} \vdash \Delta_{12}} \text{AT}}{\bullet h_3 : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{12}, \llbracket F_{11}} \text{Cut} \\
\rightarrow \\
\frac{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{12}}{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{12}} \\
\frac{h_3 : \Delta_7 \vdash \Delta_{12}, F_8, \llbracket F_{11} \quad \text{ax/W} \quad \frac{h_{10} : \Delta_7, F_{11}, \llbracket F_{11} \vdash \Delta_{12}, F_8 \quad \text{inv-th/ax}}{\bullet h_{10} : \Delta_7, \llbracket F_{11} \vdash \Delta_{12}, F_8} \text{AT}}{- : \Delta_7 \vdash \Delta_{12}, F_8, \llbracket F_{11}} \text{ax/W} \\
\frac{- : \Delta_7 \vdash \Delta_{12}, F_8 \quad \text{ax/W} \quad \frac{- : \Delta_7, F_9 \vdash \Delta_{12}, \llbracket F_{11} \quad \text{ax/W} \quad \frac{h_{10} : \Delta_7, F_{11}, F_9, \llbracket F_{11} \vdash \Delta_{12} \quad \text{inv-th/ax}}{\bullet h_{10} : \Delta_7, F_9, \llbracket F_{11} \vdash \Delta_{12}} \text{AT}}{- : \Delta_7, F_9 \vdash \Delta_{12}, \llbracket F_{11}} \text{ax/W}}{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{12}} \text{hCut} \\
\frac{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{12}}{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{12}} \\
\frac{h_3 : \Delta_{13}, \llbracket F_{11} \vdash F_7, F_8, \Delta_{12} \quad h_3 : F_9, \Delta_{13}, \llbracket F_{11} \vdash F_7, \Delta_{12} \rightarrow_L \quad \frac{h_{10} : F_7, F_{11}, \Delta_{13}, \llbracket F_{11}, F_8 \rightarrow F_9 \vdash \Delta_{12}}{\bullet h_{10} : ((\Delta_{13}, \llbracket F_{11}), F_8 \rightarrow F_9), F_7 \vdash \Delta_{12}} \text{AT}}{\bullet h_3 : (\Delta_{13}, \llbracket F_{11}), F_8 \rightarrow F_9 \vdash \Delta_{12}, F_7} \text{Cut} \\
\rightarrow \\
\frac{- : (\Delta_{13}, \llbracket F_{11}), F_8 \rightarrow F_9 \vdash \Delta_{12}}{- : (\Delta_{13}, \llbracket F_{11}, F_8 \rightarrow F_9) \vdash \Delta_{12}} \\
\frac{\bullet h_3 : \Delta_{13}, F_{11}, \llbracket F_{11}, F_8 \rightarrow F_9 \vdash \Delta_{12}, F_7 \quad \text{ax/W} \quad \frac{h_{10} : \Delta_{13}, F_{11}, F_7, \llbracket F_{11}, F_8 \rightarrow F_9 \vdash \Delta_{12}}{\bullet h_{10} : (\Delta_{13}, \llbracket F_{11}, F_8 \rightarrow F_9), F_7 \vdash \Delta_{12}} \text{ATG}}{- : \Delta_{13}, F_{11}, \llbracket F_{11}, F_8 \rightarrow F_9 \vdash \Delta_{12}, F_7} \text{ax/W} \\
\frac{- : \Delta_{13}, F_{11}, \llbracket F_{11}, F_8 \rightarrow F_9 \vdash \Delta_{12}, F_7 \quad \text{ax/W} \quad \frac{- : \Delta_{13}, \llbracket F_{11}, F_8 \rightarrow F_9 \vdash \Delta_{12}}{- : \Delta_{13}, \llbracket F_{11}, F_8 \rightarrow F_9 \vdash \Delta_{12}} \text{ATG}}{- : \Delta_{13}, F_{11}, \llbracket F_{11}, F_8 \rightarrow F_9 \vdash \Delta_{12}, F_7} \text{hCut}
\end{array}$$

- Case rule \perp_L

$$\begin{array}{c}
\frac{h_3 : \Delta_7 \vdash \perp, F_8, \Delta_{11} \quad h_3 : F_9, \Delta_7 \vdash \perp, \Delta_{11} \rightarrow_L \quad \frac{h_{10} : (\Delta_7, F_8 \rightarrow F_9), \perp \vdash \Delta_{11}}{\bullet h_{10} : (\Delta_7, F_8 \rightarrow F_9), \perp \vdash \Delta_{11}} \text{Cut}}{\bullet h_3 : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{11}, \perp} \text{Cut} \\
\rightarrow \\
\frac{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{11}}{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{11}} \\
\frac{h_3 : \Delta_7 \vdash \perp, \Delta_{11}, F_8 \quad \text{ax/W} \quad \frac{h_{10} : \perp, \Delta_7 \vdash \Delta_{11}, F_8 \quad \perp_L}{\bullet h_{10} : \perp, \Delta_7 \vdash \Delta_{11}, F_8} \text{hCut}}{- : \Delta_7 \vdash \perp, \Delta_{11}, F_8} \text{ax/W} \\
\frac{- : \Delta_7 \vdash \perp, \Delta_{11}, F_8 \quad \text{ax/W} \quad \frac{- : \Delta_7, F_9 \vdash \perp, \Delta_{11} \quad \text{ax/W} \quad \frac{h_{10} : \perp, \Delta_7, F_9 \vdash \Delta_{11}}{\bullet h_{10} : \perp, \Delta_7, F_9 \vdash \Delta_{11}} \text{hCut}}{- : \Delta_7, F_9 \vdash \perp, \Delta_{11}} \text{ax/W}}{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{11}} \text{hCut} \\
\frac{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{11}}{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{11}} \\
\frac{h_3 : \perp, \Delta_{12} \vdash F_7, F_8, \Delta_{11} \quad h_3 : F_9, \perp, \Delta_{12} \vdash F_7, \Delta_{11} \rightarrow_L \quad \frac{h_{10} : ((\perp, \Delta_{12}), F_8 \rightarrow F_9), F_7 \vdash \Delta_{11}}{\bullet h_{10} : ((\perp, \Delta_{12}), F_8 \rightarrow F_9), F_7 \vdash \Delta_{11}} \text{Cut}}{\bullet h_3 : (\perp, \Delta_{12}), F_8 \rightarrow F_9 \vdash \Delta_{11}, F_7} \text{Cut} \\
\rightarrow \\
\frac{- : (\perp, \Delta_{12}), F_8 \rightarrow F_9 \vdash \Delta_{11}}{- : (\perp, \Delta_{12}), F_8 \rightarrow F_9 \vdash \Delta_{11}} \\
\frac{- : \perp, \Delta_{12}, F_8 \rightarrow F_9 \vdash \Delta_{11} \quad \perp_L}{- : \perp, \Delta_{12}, F_8 \rightarrow F_9 \vdash \Delta_{11}} \text{hCut}
\end{array}$$

- Case rule *I*

$$\begin{array}{c}
\frac{h_3 : \Delta_7 \vdash P_{11}, F_8, \Delta_{12}, P_{11} \quad h_3 : F_9, \Delta_7 \vdash P_{11}, \Delta_{12}, P_{11} \rightarrow_L \frac{I}{\bullet h_{10} : (\Delta_7, F_8 \rightarrow F_9), P_{11} \vdash \Delta_{12}, P_{11}}}{\bullet h_3 : \Delta_7, F_8 \rightarrow F_9 \vdash (\Delta_{12}, P_{11}), P_{11}} \text{Cut} \\
\frac{}{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{12}, P_{11}} \rightarrow \\
\frac{\frac{h_3 : \Delta_7 \vdash \Delta_{12}, F_8, P_{11}, P_{11} \quad \bullet h_{10} : \Delta_7, P_{11} \vdash \Delta_{12}, F_8, P_{11} \quad I}{- : \Delta_7 \vdash \Delta_{12}, F_8, P_{11}} \text{ax/W} \quad \frac{I}{h_3 : \Delta_7, F_9 \vdash \Delta_{12}, P_{11}, P_{11}} \text{hCut}}{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{12}, P_{11}} \rightarrow_L \quad \frac{\frac{I}{\bullet h_{10} : \Delta_7, F_9, P_{11} \vdash \Delta_{12}, P_{11}} \text{ax/W}}{- : \Delta_7, F_9 \vdash \Delta_{12}, P_{11}} \text{hCut}}{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{12}, P_{11}} \rightarrow_L \\
\frac{}{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{12}, P_{11}} \rightarrow \\
\frac{h_3 : \Delta_{13}, P_{11} \vdash F_7, F_8, \Delta_{12}, P_{11} \quad h_3 : F_9, \Delta_{13}, P_{11} \vdash F_7, \Delta_{12}, P_{11} \rightarrow_L \frac{I}{\bullet h_{10} : ((\Delta_{13}, P_{11}), F_8 \rightarrow F_9), F_7 \vdash \Delta_{12}, P_{11}}}{\bullet h_3 : (\Delta_{13}, P_{11}), F_8 \rightarrow F_9 \vdash (\Delta_{12}, P_{11}), F_7}} \text{Cut} \\
\frac{}{- : (\Delta_{13}, P_{11}), F_8 \rightarrow F_9 \vdash \Delta_{12}, P_{11}} \rightarrow \\
\frac{}{- : \Delta_{13}, P_{11}, F_8 \rightarrow F_9 \vdash \Delta_{12}, P_{11}} I
\end{array}$$

- Case rule \top_L

$$\begin{array}{c}
\frac{h_3 : \Delta_7 \vdash \top, F_8, \Delta_{11} \quad h_3 : F_9, \Delta_7 \vdash \top, \Delta_{11} \rightarrow_L \frac{h_{10} : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{11}}{\bullet h_{10} : (\Delta_7, F_8 \rightarrow F_9), \top \vdash \Delta_{11}} \top_L}{\bullet h_3 : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{11}, \top} \text{Cut} \\
\frac{}{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{11}} \rightarrow \\
\frac{}{- : \Delta_7, F_8 \rightarrow F_9 \vdash \Delta_{11}} \text{ax/W} \\
\frac{h_3 : \top, \Delta_{12} \vdash F_7, F_8, \Delta_{11} \quad h_3 : F_9, \top, \Delta_{12} \vdash F_7, \Delta_{11} \rightarrow_L \frac{h_{10} : F_7, \Delta_{12}, F_8 \rightarrow F_9 \vdash \Delta_{11}}{\bullet h_{10} : ((\top, \Delta_{12}), F_8 \rightarrow F_9), F_7 \vdash \Delta_{11}} \top_L}{\bullet h_3 : (\top, \Delta_{12}), F_8 \rightarrow F_9 \vdash \Delta_{11}, F_7}} \text{Cut} \\
\frac{}{- : (\top, \Delta_{12}), F_8 \rightarrow F_9 \vdash \Delta_{11}} \rightarrow \\
\frac{\frac{\bullet h_3 : \top, \Delta_{12}, F_8 \rightarrow F_9 \vdash \Delta_{11}, F_7 \quad \text{ax/W}}{- : \top, \Delta_{12}, F_8 \rightarrow F_9 \vdash \Delta_{11}} \text{hCut}}{- : \top, \Delta_{12}, F_8 \rightarrow F_9 \vdash \Delta_{11}} \text{ax/W}
\end{array}$$

6.9 Status of \wedge_L : OK

- Case rule \rightarrow_R

$$\begin{array}{c}
\frac{h_3 : F_9, F_{10}, \Delta_8 \vdash F_7, \Delta_{12}, F_{13} \rightarrow F_{14} \quad \wedge_L \quad \frac{h_{11} : F_7, F_{13}, \Delta_8, F_9 \wedge F_{10} \vdash F_{14}, \Delta_{12}}{\bullet h_{11} : (\Delta_8, F_9 \wedge F_{10}), F_7 \vdash \Delta_{12}, F_{13} \rightarrow F_{14}} \rightarrow_R}{\bullet h_3 : \Delta_8, F_9 \wedge F_{10} \vdash (\Delta_{12}, F_{13} \rightarrow F_{14}), F_7} \text{Cut} \\
\frac{}{- : \Delta_8, F_9 \wedge F_{10} \vdash \Delta_{12}, F_{13} \rightarrow F_{14}} \rightarrow \\
\frac{\frac{h_3 : \Delta_8, F_{10}, F_{13}, F_9 \vdash \Delta_{12}, F_{14}, F_7 \quad \text{inv-th/ax}}{\bullet h_3 : \Delta_8, F_{13}, F_9 \wedge F_{10} \vdash \Delta_{12}, F_{14}, F_7} \wedge_L \quad \frac{h_{11} : \Delta_8, F_{13}, F_7, F_9 \wedge F_{10} \vdash \Delta_{12}, F_{14}}{\text{ax/W}}}{- : \Delta_8, F_{13}, F_9 \wedge F_{10} \vdash \Delta_{12}, F_{14}} \text{hCut}}{- : \Delta_8, F_9 \wedge F_{10} \vdash \Delta_{12}, F_{13} \rightarrow F_{14}} \rightarrow_R
\end{array}$$

- Case rule \wedge_R

$$\begin{array}{c}
\frac{h_3 : F_9, F_{10}, \Delta_8 \vdash F_7, \Delta_{12}, F_{13} \wedge F_{14} \quad \wedge_L \quad \frac{h_{11} : F_7, \Delta_8, F_9 \wedge F_{10} \vdash F_{13}, \Delta_{12} \quad h_{11} : F_7, \Delta_8, F_9 \wedge F_{10} \vdash F_{14}, \Delta_{12}}{\bullet h_{11} : (\Delta_8, F_9 \wedge F_{10}), F_7 \vdash \Delta_{12}, F_{13} \wedge F_{14}} \wedge_R}{\bullet h_3 : \Delta_8, F_9 \wedge F_{10} \vdash (\Delta_{12}, F_{13} \wedge F_{14}), F_7} \text{Cut} \\
\frac{}{- : \Delta_8, F_9 \wedge F_{10} \vdash \Delta_{12}, F_{13} \wedge F_{14}} \rightarrow \\
\frac{\frac{h_3 : \Delta_8, F_{10}, F_9 \vdash \Delta_{12}, F_7, F_{13} \wedge F_{14} \quad \text{ax/W}}{- : \Delta_8, F_{10}, F_9 \vdash \Delta_{12}, F_7, F_{13} \wedge F_{14}} \wedge_L \quad \frac{h_{11} : \Delta_8, F_{10}, F_7, F_9 \vdash \Delta_{12}, F_{13} \quad \text{inv-th/ax}}{\bullet h_{11} : \Delta_8, F_{10}, F_7, F_9 \vdash \Delta_{12}, F_{13} \wedge F_{14}} \wedge_R}{- : \Delta_8, F_{10}, F_7, F_9 \vdash \Delta_{12}, F_{13} \wedge F_{14}} \text{hCut}}{- : \Delta_8, F_9 \wedge F_{10} \vdash \Delta_{12}, F_{13} \wedge F_{14}} \wedge_L
\end{array}$$

- Case rule \vee_R

$$\begin{array}{c}
\frac{h_3 : F_9, F_{10}, \Delta_8 \vdash F_7, \Delta_{12}, F_{13} \vee F_{14}}{\bullet h_3 : \Delta_8, F_9 \wedge F_{10} \vdash (\Delta_{12}, F_{13} \vee F_{14}), F_7} \wedge L \quad \frac{h_{11} : F_7, \Delta_8, F_9 \wedge F_{10} \vdash F_{13}, F_{14}, \Delta_{12}}{\bullet h_{11} : (\Delta_8, F_9 \wedge F_{10}), F_7 \vdash \Delta_{12}, F_{13} \vee F_{14}} \vee R \\
\hline
- : \Delta_8, F_9 \wedge F_{10} \vdash \Delta_{12}, F_{13} \vee F_{14} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_8, F_{10}, F_9 \vdash \Delta_{12}, F_{13}, F_{14}, F_7}{\bullet h_3 : \Delta_8, F_9 \wedge F_{10} \vdash \Delta_{12}, F_{13}, F_{14}, F_7} \wedge L \quad \frac{h_{11} : \Delta_8, F_7, F_9 \wedge F_{10} \vdash \Delta_{12}, F_{13}, F_{14}}{\bullet h_{11} : (\Delta_8, F_9 \wedge F_{10}), F_7 \vdash \Delta_{12}, F_{13}, F_{14}} \text{ax/W}}{- : \Delta_8, F_9 \wedge F_{10} \vdash \Delta_{12}, F_{13}, F_{14}} \vee R \\
\hline
- : \Delta_8, F_9 \wedge F_{10} \vdash \Delta_{12}, F_{13} \vee F_{14} \quad \text{hCut}
\end{array}$$

- Case rule \perp_R

$$\begin{array}{c}
\frac{h_3 : F_9, F_{10}, \Delta_8 \vdash F_7, \perp, \Delta_{12}}{\bullet h_3 : \Delta_8, F_9 \wedge F_{10} \vdash (\perp, \Delta_{12}), F_7} \wedge L \quad \frac{h_{11} : F_7, \Delta_8, F_9 \wedge F_{10} \vdash \Delta_{12}}{\bullet h_{11} : (\Delta_8, F_9 \wedge F_{10}), F_7 \vdash \perp, \Delta_{12}} \perp R \\
\hline
- : \Delta_8, F_9 \wedge F_{10} \vdash \perp, \Delta_{12} \\
\rightarrow \\
\frac{\frac{\bullet h_3 : \Delta_8, F_9 \wedge F_{10} \vdash \perp, \Delta_{12}, F_7}{\bullet h_3 : \Delta_8, F_9 \wedge F_{10} \vdash \perp, \Delta_{12}} \text{ax/W} \quad \frac{h_{11} : \Delta_8, F_7, F_9 \wedge F_{10} \vdash \perp, \Delta_{12}}{\bullet h_{11} : (\Delta_8, F_9 \wedge F_{10}), F_7 \vdash \perp, \Delta_{12}} \text{ax/W}}{- : \Delta_8, F_9 \wedge F_{10} \vdash \perp, \Delta_{12}} \text{hCut}
\end{array}$$

- Case rule \top_R

$$\begin{array}{c}
\frac{h_3 : F_9, F_{10}, \Delta_8 \vdash F_7, \top, \Delta_{12}}{\bullet h_3 : \Delta_8, F_9 \wedge F_{10} \vdash (\top, \Delta_{12}), F_7} \wedge L \quad \frac{h_{11} : (\Delta_8, F_9 \wedge F_{10}), F_7 \vdash \top, \Delta_{12}}{\bullet h_{11} : (\Delta_8, F_9 \wedge F_{10}), F_7 \vdash \top, \Delta_{12}} \top R \\
\hline
- : \Delta_8, F_9 \wedge F_{10} \vdash \top, \Delta_{12} \\
\rightarrow \\
\frac{- : \Delta_8, F_9 \wedge F_{10} \vdash \top, \Delta_{12}}{- : \Delta_8, F_9 \wedge F_{10} \vdash \top, \Delta_{12}} \top R
\end{array}$$

- Case rule K

$$\begin{array}{c}
\frac{h_3 : F_8, F_9, \Box\Gamma_{13}, \Delta_{14} \vdash \Box F_7, \Delta_{11}, \Box F_{12}}{\bullet h_3 : (\Box\Gamma_{13}, \Delta_{14}), F_8 \wedge F_9 \vdash (\Delta_{11}, \Box F_{12}), \Box F_7} \wedge L \quad \frac{h_{10} : \text{unbox}(\Box\Gamma_{13}), \text{unbox}(\Box F_7) \vdash F_{12}}{\bullet h_{10} : ((\Box\Gamma_{13}, \Delta_{14}), F_8 \wedge F_9), \Box F_7 \vdash \Delta_{11}, \Box F_{12}} K \\
\hline
- : (\Box\Gamma_{13}, \Delta_{14}), F_8 \wedge F_9 \vdash \Delta_{11}, \Box F_{12} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_{14}, F_8, F_9, \Box\Gamma_{13} \vdash \Box F_7, \Delta_{11}, \Box F_{12}}{\bullet h_3 : \Delta_{14}, F_8, F_9, \Box\Gamma_{13} \vdash \Box F_7, \Delta_{11}, \Box F_{12}} \text{ax/W} \quad \frac{h_{10} : \text{unbox}(\Box F_7), \text{unbox}(\Box\Gamma_{13}) \vdash F_{12}}{\bullet h_{10} : \Box F_7, \Delta_{14}, F_8, F_9, \Box\Gamma_{13} \vdash \Delta_{11}, \Box F_{12}} K}{- : \Delta_{14}, F_8, F_9, \Box\Gamma_{13} \vdash \Delta_{11}, \Box F_{12}} \text{hCut} \\
\hline
- : \Delta_{14}, \Box\Gamma_{13}, F_8 \wedge F_9 \vdash \Delta_{11}, \Box F_{12} \quad \wedge L \\
\rightarrow \\
\frac{h_3 : F_8, F_9, \Box\Gamma_{11}, \Delta_{14} \vdash F_7, \Delta_{12}, \Box F_{13}}{\bullet h_3 : (\Box\Gamma_{11}, \Delta_{14}), F_8 \wedge F_9 \vdash (\Delta_{12}, \Box F_{13}), F_7} \wedge L \quad \frac{h_{10} : \text{unbox}(\Box\Gamma_{11}) \vdash F_{13}}{\bullet h_{10} : ((\Box\Gamma_{11}, \Delta_{14}), F_8 \wedge F_9), F_7 \vdash \Delta_{12}, \Box F_{13}} K \\
\hline
- : (\Box\Gamma_{11}, \Delta_{14}), F_8 \wedge F_9 \vdash \Delta_{12}, \Box F_{13} \\
\rightarrow \\
\frac{- : \text{unbox}(\Box\Gamma_{11}) \vdash F_{13}}{- : \Delta_{14}, \Box\Gamma_{11}, F_8 \wedge F_9 \vdash \Delta_{12}, \Box F_{13}} \text{ax/W} \\
\hline
- : \Delta_{14}, \Box\Gamma_{11}, F_8 \wedge F_9 \vdash \Delta_{12}, \Box F_{13} \quad K
\end{array}$$

- Case rule $A45$

$$\begin{array}{c}
\frac{h_3 : F_8, F_9, \Box\Gamma_{14}, \Delta_{15} \vdash \Box F_7, \Box\Gamma_{11}, \Delta_{12}, \Box F_{13}}{\bullet h_3 : (\Box\Gamma_{14}, \Delta_{15}), F_8 \wedge F_9 \vdash (\Box\Gamma_{11}, \Delta_{12}, \Box F_{13}), \Box F_7} \wedge L \quad \frac{h_{10} : \Box\Gamma_{14}, \Box F_7 \vdash \Box\Gamma_{11}, F_{13}}{\bullet h_{10} : ((\Box\Gamma_{14}, \Delta_{15}), F_8 \wedge F_9), \Box F_7 \vdash \Box\Gamma_{11}, \Delta_{12}, \Box F_{13}} A45 \\
\hline
- : (\Box\Gamma_{14}, \Delta_{15}), F_8 \wedge F_9 \vdash \Box\Gamma_{11}, \Delta_{12}, \Box F_{13} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_{15}, F_8, F_9, \Box\Gamma_{14} \vdash \Box F_7, \Delta_{12}, \Box\Gamma_{11}, \Box F_{13}}{\bullet h_3 : \Delta_{15}, F_8, F_9, \Box\Gamma_{14} \vdash \Box F_7, \Delta_{12}, \Box\Gamma_{11}, \Box F_{13}} \text{ax/W} \quad \frac{h_{10} : \Box F_7, \Box\Gamma_{14} \vdash \Box\Gamma_{11}, F_{13}}{\bullet h_{10} : \Box F_7, \Delta_{15}, F_8, F_9, \Box\Gamma_{14} \vdash \Delta_{12}, \Box\Gamma_{11}, \Box F_{13}} A45}{- : \Delta_{15}, F_8, F_9, \Box\Gamma_{14} \vdash \Delta_{12}, \Box\Gamma_{11}, \Box F_{13}} \text{hCut} \\
\hline
- : \Delta_{15}, F_8, F_9, \Box\Gamma_{14} \vdash \Delta_{12}, \Box\Gamma_{11}, \Box F_{13} \quad \wedge L \\
\rightarrow \\
- : \Delta_{15}, \Box\Gamma_{14}, F_8 \wedge F_9 \vdash \Delta_{12}, \Box\Gamma_{11}, \Box F_{13}
\end{array}$$

$$\begin{array}{c}
\frac{h_3 : F_8, F_9, \Box\Gamma_{11}, \Delta_{15} \vdash F_7, \Box\Gamma_{12}, \Delta_{13}, \Box F_{14}}{\bullet h_3 : (\Box\Gamma_{11}, \Delta_{15}), F_8 \wedge F_9 \vdash (\Box\Gamma_{12}, \Delta_{13}, \Box F_{14}), F_7} \wedge_L \quad \frac{h_{10} : \Box\Gamma_{11} \vdash \Box\Gamma_{12}, F_{14}}{\bullet h_{10} : ((\Box\Gamma_{11}, \Delta_{15}), F_8 \wedge F_9), F_7 \vdash \Box\Gamma_{12}, \Delta_{13}, \Box F_{14}} \wedge_L \\
\hline
- : (\Box\Gamma_{11}, \Delta_{15}), F_8 \wedge F_9 \vdash \Box\Gamma_{12}, \Delta_{13}, \Box F_{14} \\
\rightarrow \\
\frac{\frac{- : \Box\Gamma_{11} \vdash F_{14}, \Box\Gamma_{12}}{- : \Delta_{15}, \Box\Gamma_{11}, F_8 \wedge F_9 \vdash \Delta_{13}, \Box\Gamma_{12}, \Box F_{14}} \text{ax/W}}{A45}
\end{array}$$

- Case rule \rightarrow_L

$$\begin{array}{c}
\frac{h_3 : F_8, F_9, \Delta_7 \vdash F_{11} \rightarrow F_{12}, \Delta_{13}}{\bullet h_3 : \Delta_7, F_8 \wedge F_9 \vdash \Delta_{13}, F_{11} \rightarrow F_{12}} \wedge_L \quad \frac{h_{10} : \Delta_7, F_8 \wedge F_9 \vdash F_{11}, \Delta_{13} \quad h_{10} : F_{12}, \Delta_7, F_8 \wedge F_9 \vdash \Delta_{13}}{\bullet h_{10} : (\Delta_7, F_8 \wedge F_9), F_{11} \rightarrow F_{12} \vdash \Delta_{13}} \rightarrow_L \\
\hline
- : \Delta_7, F_8 \wedge F_9 \vdash \Delta_{13} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_7, F_8, F_9 \vdash \Delta_{13}, F_{11} \rightarrow F_{12}}{\text{ax/W}} \quad \frac{h_{10} : \Delta_7, F_8, F_9 \vdash \Delta_{13}, F_{11} \quad h_{10} : \Delta_7, F_{12}, F_8, F_9 \vdash \Delta_{13}}{\bullet h_{10} : \Delta_7, F_8, F_9, F_{11} \rightarrow F_{12} \vdash \Delta_{13}} \text{inv-th/ax} \rightarrow_L}{- : \Delta_7, F_8, F_9 \vdash \Delta_{13} \quad - : \Delta_7, F_8 \wedge F_9 \vdash \Delta_{13}} \wedge_L \quad \text{hCut} \\
\hline
\frac{h_3 : F_8, F_9, \Delta_{14}, F_{11} \rightarrow F_{12} \vdash F_7, \Delta_{13}}{\bullet h_3 : (\Delta_{14}, F_{11} \rightarrow F_{12}), F_8 \wedge F_9 \vdash \Delta_{13}, F_7} \wedge_L \quad \frac{h_{10} : F_7, \Delta_{14}, F_8 \wedge F_9 \vdash F_{11}, \Delta_{13} \quad h_{10} : F_7, F_{12}, \Delta_{14}, F_8 \wedge F_9 \vdash \Delta_{13}}{\bullet h_{10} : ((\Delta_{14}, F_{11} \rightarrow F_{12}), F_8 \wedge F_9), F_7 \vdash \Delta_{13}} \rightarrow_L \\
\hline
- : (\Delta_{14}, F_{11} \rightarrow F_{12}), F_8 \wedge F_9 \vdash \Delta_{13} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_{14}, F_8, F_9, F_{11} \rightarrow F_{12} \vdash \Delta_{13}, F_7}{\text{ax/W}} \quad \frac{h_{10} : \Delta_{14}, F_7, F_8, F_9 \vdash \Delta_{13}, F_{11} \quad h_{10} : \Delta_{14}, F_{12}, F_7, F_8, F_9 \vdash \Delta_{13}}{\bullet h_{10} : \Delta_{14}, F_7, F_8, F_9, F_{11} \rightarrow F_{12} \vdash \Delta_{13}} \text{inv-th/ax} \rightarrow_L}{- : \Delta_{14}, F_8, F_9, F_{11} \rightarrow F_{12} \vdash \Delta_{13} \quad - : \Delta_{14}, F_{11} \rightarrow F_{12}, F_8 \wedge F_9 \vdash \Delta_{13}} \wedge_L \quad \text{hCut}
\end{array}$$

- Case rule \wedge_L

$$\begin{array}{c}
\frac{h_3 : F_8, F_9, \Delta_7 \vdash F_{11} \wedge F_{12}, \Delta_{13}}{\bullet h_3 : \Delta_7, F_8 \wedge F_9 \vdash \Delta_{13}, F_{11} \wedge F_{12}} \wedge_L \quad \frac{h_{10} : F_{11}, F_{12}, \Delta_7, F_8 \wedge F_9 \vdash \Delta_{13}}{\bullet h_{10} : (\Delta_7, F_8 \wedge F_9), F_{11} \wedge F_{12} \vdash \Delta_{13}} \wedge_L \\
\hline
- : \Delta_7, F_8 \wedge F_9 \vdash \Delta_{13} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_7, F_8, F_9 \vdash \Delta_{13}, F_{11} \wedge F_{12}}{\text{ax/W}} \quad \frac{h_{10} : \Delta_7, F_{11}, F_{12}, F_8, F_9 \vdash \Delta_{13}}{\bullet h_{10} : \Delta_7, F_8, F_9, F_{11} \wedge F_{12} \vdash \Delta_{13}} \text{inv-th/ax} \wedge_L}{- : \Delta_7, F_8, F_9 \vdash \Delta_{13} \quad - : \Delta_7, F_8 \wedge F_9 \vdash \Delta_{13}} \wedge_L \quad \text{hCut} \\
\hline
\frac{h_3 : F_8, F_9, \Delta_{14}, F_{11} \wedge F_{12} \vdash F_7, \Delta_{13}}{\bullet h_3 : (\Delta_{14}, F_{11} \wedge F_{12}), F_8 \wedge F_9 \vdash \Delta_{13}, F_7} \wedge_L \quad \frac{h_{10} : F_7, F_{11}, F_{12}, \Delta_{14}, F_8 \wedge F_9 \vdash \Delta_{13}}{\bullet h_{10} : ((\Delta_{14}, F_{11} \wedge F_{12}), F_8 \wedge F_9), F_7 \vdash \Delta_{13}} \wedge_L \\
\hline
- : (\Delta_{14}, F_{11} \wedge F_{12}), F_8 \wedge F_9 \vdash \Delta_{13} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_{14}, F_{11}, F_{12}, F_8, F_9 \vdash \Delta_{13}, F_7}{\text{inv-th/ax}} \quad \frac{h_{10} : \Delta_{14}, F_{11}, F_{12}, F_7, F_8 \wedge F_9 \vdash \Delta_{13}}{\bullet h_{10} : \Delta_{14}, F_{11}, F_{12}, F_8 \wedge F_9 \vdash \Delta_{13}} \text{ax/W}}{- : \Delta_{14}, F_{11}, F_{12}, F_8 \wedge F_9 \vdash \Delta_{13} \quad - : \Delta_{14}, F_{11} \wedge F_{12}, F_8 \wedge F_9 \vdash \Delta_{13}} \wedge_L \quad \text{hCut} \\
\hline
\frac{h_3 : F_{10}, F_{11}, \Delta_8 \vdash F_7, \Delta_{12}}{\bullet h_3 : \Delta_8, F_{10} \wedge F_{11} \vdash \Delta_{12}, F_7} \wedge_L \quad \frac{h_9 : F_7, F_{10}, F_{11}, \Delta_8 \vdash \Delta_{12}}{\bullet h_9 : (\Delta_8, F_{10} \wedge F_{11}), F_7 \vdash \Delta_{12}} \wedge_L \\
\hline
- : \Delta_8, F_{10} \wedge F_{11} \vdash \Delta_{12} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_8, F_{10}, F_{11} \vdash \Delta_{12}, F_7}{\text{ax/W}} \quad \frac{h_9 : \Delta_8, F_{10}, F_{11}, F_7 \vdash \Delta_{12}}{\bullet h_9 : \Delta_8, F_{10}, F_{11}, F_7 \vdash \Delta_{12}} \text{H}}{- : \Delta_8, F_{10}, F_{11} \vdash \Delta_{12} \quad - : \Delta_8, F_{10} \wedge F_{11} \vdash \Delta_{12}} \wedge_L \quad \text{hCut}
\end{array}$$

- Case rule \vee_L

$$\begin{array}{c}
\frac{h_3 : F_8, F_9, \Delta_7 \vdash F_{11} \vee F_{12}, \Delta_{13} \quad \wedge_L \quad \frac{h_{10} : F_{11}, \Delta_7, F_8 \wedge F_9 \vdash \Delta_{13} \quad h_{10} : F_{12}, \Delta_7, F_8 \wedge F_9 \vdash \Delta_{13}}{\bullet h_{10} : (\Delta_7, F_8 \wedge F_9), F_{11} \vee F_{12} \vdash \Delta_{13}} \vee_L}{\bullet h_3 : \Delta_7, F_8 \wedge F_9 \vdash \Delta_{13}, F_{11} \vee F_{12}} \wedge_L \quad \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_7, F_8, F_9 \vdash \Delta_{13}, F_{11} \vee F_{12}}{\bullet h_3 : \Delta_7, F_8, F_9 \vdash \Delta_{13}} \text{ax/W} \quad \frac{\frac{h_{10} : \Delta_7, F_{11}, F_8, F_9 \vdash \Delta_{13}}{\bullet h_{10} : \Delta_7, F_8, F_9, F_{11} \vee F_{12} \vdash \Delta_{13}} \text{inv-th/ax} \quad \frac{h_{10} : \Delta_7, F_{12}, F_8, F_9 \vdash \Delta_{13}}{\bullet h_{10} : \Delta_7, F_8, F_9, F_{11} \vee F_{12} \vdash \Delta_{13}} \text{inv-th/ax}}{\bullet h_{10} : \Delta_7, F_8, F_9, F_{11} \vee F_{12} \vdash \Delta_{13}} \vee_L}{\frac{- : \Delta_7, F_8, F_9 \vdash \Delta_{13}}{- : \Delta_7, F_8 \wedge F_9 \vdash \Delta_{13}} \wedge_L} \text{hCut} \\
\rightarrow \\
\frac{h_3 : F_8, F_9, \Delta_{14}, F_{11} \vee F_{12} \vdash F_7, \Delta_{13} \quad \wedge_L \quad \frac{h_{10} : F_7, F_{11}, \Delta_{14}, F_8 \wedge F_9 \vdash \Delta_{13} \quad h_{10} : F_7, F_{12}, \Delta_{14}, F_8 \wedge F_9 \vdash \Delta_{13}}{\bullet h_{10} : ((\Delta_{14}, F_{11} \vee F_{12}), F_8 \wedge F_9), F_7 \vdash \Delta_{13}} \vee_L}{\bullet h_3 : (\Delta_{14}, F_{11} \vee F_{12}), F_8 \wedge F_9 \vdash \Delta_{13}, F_7} \wedge_L \quad \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_{14}, F_8, F_9, F_{11} \vee F_{12} \vdash \Delta_{13}, F_7}{\bullet h_3 : \Delta_{14}, F_8, F_9, F_{11} \vee F_{12} \vdash \Delta_{13}} \text{ax/W} \quad \frac{\frac{h_{10} : \Delta_{14}, F_{11}, F_7, F_8, F_9 \vdash \Delta_{13}}{\bullet h_{10} : \Delta_{14}, F_7, F_8, F_9, F_{11} \vee F_{12} \vdash \Delta_{13}} \text{inv-th/ax} \quad \frac{h_{10} : \Delta_{14}, F_{12}, F_7, F_8, F_9 \vdash \Delta_{13}}{\bullet h_{10} : \Delta_{14}, F_7, F_8, F_9, F_{11} \vee F_{12} \vdash \Delta_{13}} \text{inv-th/ax}}{\bullet h_{10} : \Delta_{14}, F_7, F_8, F_9, F_{11} \vee F_{12} \vdash \Delta_{13}} \vee_L}{\frac{- : \Delta_{14}, F_8, F_9, F_{11} \vee F_{12} \vdash \Delta_{13}}{- : \Delta_{14}, F_8 \wedge F_9, F_{11} \vee F_{12} \vdash \Delta_{13}} \wedge_L} \text{hCut}
\end{array}$$

- Case rule AT

$$\begin{array}{c}
\frac{h_3 : F_8, F_9, \Delta_7 \vdash \boxed{F_{11}}, \Delta_{12} \quad \wedge_L \quad \frac{h_{10} : F_{11}, \Delta_7, \boxed{F_{11}}, F_8 \wedge F_9 \vdash \Delta_{12}}{\bullet h_{10} : (\Delta_7, F_8 \wedge F_9), \boxed{F_{11}} \vdash \Delta_{12}} \text{AT}}{\bullet h_3 : \Delta_7, F_8 \wedge F_9 \vdash \Delta_{12}, \boxed{F_{11}}} \wedge_L \quad \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_7, F_8, F_9 \vdash \Delta_{12}, \boxed{F_{11}}}{\bullet h_3 : \Delta_7, F_8, F_9 \vdash \Delta_{12}} \text{ax/W} \quad \frac{\frac{h_{10} : \Delta_7, F_{11}, F_8, F_9, \boxed{F_{11}} \vdash \Delta_{12}}{\bullet h_{10} : \Delta_7, F_8, F_9, \boxed{F_{11}} \vdash \Delta_{12}} \text{inv-th/ax} \quad \frac{h_{10} : \Delta_7, F_8, F_9, \boxed{F_{11}} \vdash \Delta_{12}}{\bullet h_{10} : \Delta_7, F_8, F_9, \boxed{F_{11}} \vdash \Delta_{12}} \text{AT}}{\bullet h_{10} : \Delta_7, F_8, F_9, \boxed{F_{11}} \vdash \Delta_{12}} \text{hCut}}{\frac{- : \Delta_7, F_8, F_9 \vdash \Delta_{12}}{- : \Delta_7, F_8 \wedge F_9 \vdash \Delta_{12}} \wedge_L} \text{hCut} \\
\rightarrow \\
\frac{h_3 : F_8, F_9, \Delta_{13}, \boxed{F_{11}} \vdash F_7, \Delta_{12} \quad \wedge_L \quad \frac{h_{10} : F_7, F_{11}, \Delta_{13}, \boxed{F_{11}}, F_8 \wedge F_9 \vdash \Delta_{12}}{\bullet h_{10} : ((\Delta_{13}, \boxed{F_{11}}), F_8 \wedge F_9), F_7 \vdash \Delta_{12}} \text{AT}}{\bullet h_3 : (\Delta_{13}, \boxed{F_{11}}), F_8 \wedge F_9 \vdash \Delta_{12}, F_7} \wedge_L \quad \text{Cut} \\
\rightarrow \\
\frac{\bullet h_3 : \Delta_{13}, F_{11}, \boxed{F_{11}}, F_8 \wedge F_9 \vdash \Delta_{12}, F_7 \quad \text{ax/W} \quad \frac{h_{10} : \Delta_{13}, F_{11}, F_7, \boxed{F_{11}}, F_8 \wedge F_9 \vdash \Delta_{12}}{\bullet h_{10} : \Delta_{13}, F_{11}, F_7, \boxed{F_{11}}, F_8 \wedge F_9 \vdash \Delta_{12}} \text{ax/W}}{\frac{- : \Delta_{13}, F_{11}, \boxed{F_{11}}, F_8 \wedge F_9 \vdash \Delta_{12}}{- : \Delta_{13}, \boxed{F_{11}}, F_8 \wedge F_9 \vdash \Delta_{12}} \text{ATG}} \text{hCut}
\end{array}$$

- Case rule \perp_L

$$\begin{array}{c}
\frac{h_3 : F_8, F_9, \Delta_7 \vdash \perp, \Delta_{11} \quad \wedge_L \quad \frac{}{\bullet h_{10} : (\Delta_7, F_8 \wedge F_9), \perp \vdash \Delta_{11}} \perp_L}{\bullet h_3 : \Delta_7, F_8 \wedge F_9 \vdash \Delta_{11}, \perp} \wedge_L \quad \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_7, F_8, F_9 \vdash \perp, \Delta_{11}}{\bullet h_3 : \Delta_7, F_8, F_9 \vdash \perp, \Delta_{11}} \text{ax/W} \quad \frac{}{\bullet h_{10} : \perp, \Delta_7, F_8, F_9 \vdash \Delta_{11}} \perp_L}{\frac{- : \Delta_7, F_8, F_9 \vdash \perp, \Delta_{11}}{- : \Delta_7, F_8 \wedge F_9 \vdash \Delta_{11}} \wedge_L} \text{hCut} \\
\rightarrow \\
\frac{h_3 : F_8, F_9, \perp, \Delta_{12} \vdash F_7, \Delta_{11} \quad \wedge_L \quad \frac{}{\bullet h_{10} : ((\perp, \Delta_{12}), F_8 \wedge F_9), F_7 \vdash \Delta_{11}} \perp_L}{\bullet h_3 : (\perp, \Delta_{12}), F_8 \wedge F_9 \vdash \Delta_{11}, F_7} \wedge_L \quad \text{Cut} \\
\rightarrow \\
\frac{}{- : \perp, \Delta_{12}, F_8 \wedge F_9 \vdash \Delta_{11}} \perp_L
\end{array}$$

- Case rule I

$$\begin{array}{c}
\frac{h_3 : F_8, F_9, \Delta_7 \vdash P_{11}, \Delta_{12}, P_{11}}{\bullet h_3 : \Delta_7, F_8 \wedge F_9 \vdash (\Delta_{12}, P_{11}), P_{11}} \wedge_L \quad \frac{}{\bullet h_{10} : (\Delta_7, F_8 \wedge F_9), P_{11} \vdash \Delta_{12}, P_{11}} I \\
\hline
- : \Delta_7, F_8 \wedge F_9 \vdash \Delta_{12}, P_{11} \quad \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_7, F_8, F_9 \vdash \Delta_{12}, P_{11}, P_{11}}{- : \Delta_7, F_8, F_9 \vdash \Delta_{12}, P_{11}} \text{ax/W} \quad \frac{}{\bullet h_{10} : \Delta_7, F_8, F_9, P_{11} \vdash \Delta_{12}, P_{11}} I}{- : \Delta_7, F_8, F_9 \vdash \Delta_{12}, P_{11}} \wedge_L \quad \frac{}{- : \Delta_7, F_8 \wedge F_9 \vdash \Delta_{12}, P_{11}} \text{hCut} \\
\hline
\frac{h_3 : F_8, F_9, \Delta_{13}, P_{11} \vdash F_7, \Delta_{12}, P_{11}}{\bullet h_3 : (\Delta_{13}, P_{11}), F_8 \wedge F_9 \vdash (\Delta_{12}, P_{11}), F_7} \wedge_L \quad \frac{}{\bullet h_{10} : ((\Delta_{13}, P_{11}), F_8 \wedge F_9), F_7 \vdash \Delta_{12}, P_{11}} I \\
\hline
- : (\Delta_{13}, P_{11}), F_8 \wedge F_9 \vdash \Delta_{12}, P_{11} \quad \text{Cut} \\
\rightarrow \\
- : \Delta_{13}, P_{11}, F_8 \wedge F_9 \vdash \Delta_{12}, P_{11} \quad I
\end{array}$$

- Case rule \top_L

$$\begin{array}{c}
\frac{h_3 : F_8, F_9, \Delta_7 \vdash \top, \Delta_{11}}{\bullet h_3 : \Delta_7, F_8 \wedge F_9 \vdash \Delta_{11}, \top} \wedge_L \quad \frac{h_{10} : \Delta_7, F_8 \wedge F_9 \vdash \Delta_{11}}{\bullet h_{10} : (\Delta_7, F_8 \wedge F_9), \top \vdash \Delta_{11}} \top_L \\
\hline
- : \Delta_7, F_8 \wedge F_9 \vdash \Delta_{11} \quad \text{Cut} \\
\rightarrow \\
- : \Delta_7, F_8 \wedge F_9 \vdash \Delta_{11} \quad \text{ax/W} \\
\hline
\frac{h_3 : F_8, F_9, \top, \Delta_{12} \vdash F_7, \Delta_{11}}{\bullet h_3 : (\top, \Delta_{12}), F_8 \wedge F_9 \vdash \Delta_{11}, F_7} \wedge_L \quad \frac{h_{10} : F_7, \Delta_{12}, F_8 \wedge F_9 \vdash \Delta_{11}}{\bullet h_{10} : ((\top, \Delta_{12}), F_8 \wedge F_9), F_7 \vdash \Delta_{11}} \top_L \\
\hline
- : (\top, \Delta_{12}), F_8 \wedge F_9 \vdash \Delta_{11} \quad \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \top, \Delta_{12}, F_8 \wedge F_9 \vdash \Delta_{11}, F_7}{- : \top, \Delta_{12}, F_8 \wedge F_9 \vdash \Delta_{11}} \text{ax/W} \quad \frac{h_{10} : \top, \Delta_{12}, F_7, F_8 \wedge F_9 \vdash \Delta_{11}}{- : \top, \Delta_{12}, F_7, F_8 \wedge F_9 \vdash \Delta_{11}} \text{hCut}}{- : \top, \Delta_{12}, F_8 \wedge F_9 \vdash \Delta_{11}} \text{ax/W}
\end{array}$$

6.10 Status of \vee_L : OK

- Case rule \rightarrow_R

$$\begin{array}{c}
\frac{h_3 : F_9, \Delta_8 \vdash F_7, \Delta_{12}, F_{13} \rightarrow F_{14} \quad h_3 : F_{10}, \Delta_8 \vdash F_7, \Delta_{12}, F_{13} \rightarrow F_{14}}{\bullet h_3 : \Delta_8, F_9 \vee F_{10} \vdash (\Delta_{12}, F_{13} \rightarrow F_{14}), F_7} \vee_L \quad \frac{h_{11} : F_7, F_{13}, \Delta_8, F_9 \vee F_{10} \vdash F_{14}, \Delta_{12}}{\bullet h_{11} : (\Delta_8, F_9 \vee F_{10}), F_7 \vdash \Delta_{12}, F_{13} \rightarrow F_{14}} \rightarrow_R \\
\hline
- : \Delta_8, F_9 \vee F_{10} \vdash \Delta_{12}, F_{13} \rightarrow F_{14} \quad \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_8, F_{13}, F_9 \vdash \Delta_{12}, F_{14}, F_7}{\bullet h_3 : \Delta_8, F_{13}, F_9 \vee F_{10} \vdash \Delta_{12}, F_{14}, F_7} \text{inv-th/ax} \quad \frac{h_3 : \Delta_8, F_{10}, F_{13} \vdash \Delta_{12}, F_{14}, F_7}{\bullet h_3 : \Delta_8, F_{10}, F_{13} \vee F_{10} \vdash \Delta_{12}, F_{14}, F_7} \text{inv-th/ax}}{- : \Delta_8, F_{13}, F_9 \vee F_{10} \vdash \Delta_{12}, F_{14}} \vee_L \quad \frac{h_{11} : \Delta_8, F_{13}, F_7, F_9 \vee F_{10} \vdash \Delta_{12}, F_{14}}{\bullet h_{11} : \Delta_8, F_{13}, F_7, F_9 \vee F_{10} \vdash \Delta_{12}, F_{14}} \text{ax/W}}{- : \Delta_8, F_9 \vee F_{10} \vdash \Delta_{12}, F_{13} \rightarrow F_{14}} \rightarrow_R \quad \text{hCut}
\end{array}$$

- Case rule \wedge_R

$$\begin{array}{c}
\frac{h_3 : F_9, \Delta_8 \vdash F_7, \Delta_{12}, F_{13} \wedge F_{14} \quad h_3 : F_{10}, \Delta_8 \vdash F_7, \Delta_{12}, F_{13} \wedge F_{14}}{\bullet h_3 : \Delta_8, F_9 \vee F_{10} \vdash (\Delta_{12}, F_{13} \wedge F_{14}), F_7} \vee_L \quad \frac{h_{11} : F_7, \Delta_8, F_9 \vee F_{10} \vdash F_{13}, \Delta_{12}}{\bullet h_{11} : (\Delta_8, F_9 \vee F_{10}), F_7 \vdash \Delta_{12}, F_{13} \wedge F_{14}} \wedge_R \\
\hline
- : \Delta_8, F_9 \vee F_{10} \vdash \Delta_{12}, F_{13} \wedge F_{14} \quad \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_8, F_9 \vdash \Delta_{12}, F_{13}, F_7}{\bullet h_3 : \Delta_8, F_9 \vee F_{10} \vdash \Delta_{12}, F_{13}, F_7} \text{inv-th/ax} \quad \frac{h_3 : \Delta_8, F_{10} \vdash \Delta_{12}, F_{13}, F_7}{\bullet h_3 : \Delta_8, F_{10} \vee F_{10} \vdash \Delta_{12}, F_{13}, F_7} \text{inv-th/ax}}{- : \Delta_8, F_9 \vee F_{10} \vdash \Delta_{12}, F_{13}} \vee_L \quad \frac{h_{11} : \Delta_8, F_7, F_9 \vee F_{10} \vdash \Delta_{12}, F_{13}}{\bullet h_{11} : \Delta_8, F_7, F_9 \vee F_{10} \vdash \Delta_{12}, F_{13}} \text{ax/W}}{- : \Delta_8, F_9 \vee F_{10} \vdash \Delta_{12}, F_{13} \wedge F_{14}} \wedge_R \quad \text{hCut}
\end{array}$$

- Case rule \vee_R

$$\begin{array}{c}
\frac{h_3 : F_9, \Delta_8 \vdash F_7, \Delta_{12}, F_{13} \vee F_{14} \quad h_3 : F_{10}, \Delta_8 \vdash F_7, \Delta_{12}, F_{13} \vee F_{14}}{\bullet h_3 : \Delta_8, F_9 \vee F_{10} \vdash (\Delta_{12}, F_{13} \vee F_{14}), F_7} \vee_L \quad \frac{h_{11} : F_7, \Delta_8, F_9 \vee F_{10} \vdash F_{13}, F_{14}, \Delta_{12}}{\bullet h_{11} : (\Delta_8, F_9 \vee F_{10}), F_7 \vdash \Delta_{12}, F_{13} \vee F_{14}} \vee_R \\
\frac{}{- : \Delta_8, F_9 \vee F_{10} \vdash \Delta_{12}, F_{13} \vee F_{14}}{\rightarrow} \text{Cut} \\
\frac{h_3 : \Delta_8, F_9 \vdash \Delta_{12}, F_{13}, F_{14}, F_7 \quad \text{inv-th/ax} \quad \frac{h_3 : \Delta_8, F_{10} \vdash \Delta_{12}, F_{13}, F_{14}, F_7}{\bullet h_3 : \Delta_8, F_9 \vee F_{10} \vdash \Delta_{12}, F_{13}, F_{14}, F_7} \vee_L \quad \frac{\text{inv-th/ax} \quad h_{11} : \Delta_8, F_7, F_9 \vee F_{10} \vdash \Delta_{12}, F_{13}, F_{14}}{h_{11} : \Delta_8, F_7, F_9 \vee F_{10} \vdash \Delta_{12}, F_{13}, F_{14}} \text{ax/W}}{\frac{}{- : \Delta_8, F_9 \vee F_{10} \vdash \Delta_{12}, F_{13}, F_{14}}{\rightarrow} \text{hCut}} \vee_R \\
\frac{}{- : \Delta_8, F_9 \vee F_{10} \vdash \Delta_{12}, F_{13} \vee F_{14}}{\rightarrow}
\end{array}$$

- Case rule \perp_R

$$\begin{array}{c}
\frac{h_3 : F_9, \Delta_8 \vdash F_7, \perp, \Delta_{12} \quad h_3 : F_{10}, \Delta_8 \vdash F_7, \perp, \Delta_{12}}{\bullet h_3 : \Delta_8, F_9 \vee F_{10} \vdash (\perp, \Delta_{12}), F_7} \vee_L \quad \frac{h_{11} : F_7, \Delta_8, F_9 \vee F_{10} \vdash \Delta_{12}}{\bullet h_{11} : (\Delta_8, F_9 \vee F_{10}), F_7 \vdash \perp, \Delta_{12}} \perp_R \\
\frac{}{- : \Delta_8, F_9 \vee F_{10} \vdash \perp, \Delta_{12}}{\rightarrow} \text{Cut} \\
\frac{\bullet h_3 : \Delta_8, F_9 \vee F_{10} \vdash \perp, \Delta_{12} \quad \text{ax/W} \quad \frac{h_{11} : \Delta_8, F_7, F_9 \vee F_{10} \vdash \perp, \Delta_{12}}{h_{11} : \Delta_8, F_7, F_9 \vee F_{10} \vdash \perp, \Delta_{12}} \text{ax/W}}{\frac{}{- : \Delta_8, F_9 \vee F_{10} \vdash \perp, \Delta_{12}}{\rightarrow} \text{hCut}}
\end{array}$$

- Case rule \top_R

$$\begin{array}{c}
\frac{h_3 : F_9, \Delta_8 \vdash F_7, \top, \Delta_{12} \quad h_3 : F_{10}, \Delta_8 \vdash F_7, \top, \Delta_{12}}{\bullet h_3 : \Delta_8, F_9 \vee F_{10} \vdash (\top, \Delta_{12}), F_7} \vee_L \quad \frac{h_{11} : (\Delta_8, F_9 \vee F_{10}), F_7 \vdash \top, \Delta_{12}}{\bullet h_{11} : (\Delta_8, F_9 \vee F_{10}), F_7 \vdash \top, \Delta_{12}} \top_R \\
\frac{}{- : \Delta_8, F_9 \vee F_{10} \vdash \top, \Delta_{12}}{\rightarrow} \text{Cut} \\
\frac{}{- : \Delta_8, F_9 \vee F_{10} \vdash \top, \Delta_{12}}{\rightarrow} \top_R
\end{array}$$

- Case rule K

$$\begin{array}{c}
\frac{h_3 : F_8, \Box\Gamma_{13}, \Delta_{14} \vdash \Box F_7, \Delta_{11}, \Box F_{12} \quad h_3 : F_9, \Box\Gamma_{13}, \Delta_{14} \vdash \Box F_7, \Delta_{11}, \Box F_{12}}{\bullet h_3 : (\Box\Gamma_{13}, \Delta_{14}), F_8 \vee F_9 \vdash (\Delta_{11}, \Box F_{12}), \Box F_7} \vee_L \quad \frac{h_{10} : \text{unbox}(\Box\Gamma_{13}), \text{unbox}(\Box F_7) \vdash F_{12}}{\bullet h_{10} : ((\Box\Gamma_{13}, \Delta_{14}), F_8 \vee F_9), \Box F_7 \vdash \Delta_{11}, \Box F_{12}} \vee_R \\
\frac{}{- : (\Box\Gamma_{13}, \Delta_{14}), F_8 \vee F_9 \vdash \Delta_{11}, \Box F_{12}}{\rightarrow} \text{Cut} \\
\frac{h_3 : \Delta_{14}, F_8, \Box\Gamma_{13} \vdash \Box F_7, \Delta_{11}, \Box F_{12} \quad \text{ax/W} \quad \frac{h_{10} : \text{unbox}(\Box F_7), \text{unbox}(\Box\Gamma_{13}) \vdash F_{12}}{\bullet h_{10} : \Box F_7, \Delta_{14}, F_8, \Box\Gamma_{13} \vdash \Delta_{11}, \Box F_{12}} \text{ax/W} \quad \frac{h_{10} : \text{unbox}(\Box F_7)}{\bullet h_{10} : \Box F_7, \Delta_{14}} K}{\frac{}{- : \Delta_{14}, F_8, \Box\Gamma_{13} \vdash \Delta_{11}, \Box F_{12}}{\rightarrow} \text{hCut}} \text{ax/W} \\
\frac{}{- : \Delta_{14}, F_9, \Box\Gamma_{13} \vdash \Delta_{11}, \Box F_{12}}{\rightarrow} \vee \\
\frac{}{- : \Delta_{14}, \Box\Gamma_{13}, F_8 \vee F_9 \vdash \Delta_{11}, \Box F_{12}}{\rightarrow} \\
\frac{h_3 : F_8, \Box\Gamma_{11}, \Delta_{14} \vdash F_7, \Delta_{12}, \Box F_{13} \quad h_3 : F_9, \Box\Gamma_{11}, \Delta_{14} \vdash F_7, \Delta_{12}, \Box F_{13}}{\bullet h_3 : (\Box\Gamma_{11}, \Delta_{14}), F_8 \vee F_9 \vdash (\Delta_{12}, \Box F_{13}), F_7} \vee_L \quad \frac{h_{10} : \text{unbox}(\Box\Gamma_{11}) \vdash F_{13}}{\bullet h_{10} : ((\Box\Gamma_{11}, \Delta_{14}), F_8 \vee F_9), F_7 \vdash \Delta_{12}, \Box F_{13}} K \\
\frac{}{- : (\Box\Gamma_{11}, \Delta_{14}), F_8 \vee F_9 \vdash \Delta_{12}, \Box F_{13}}{\rightarrow} \text{Cut} \\
\frac{}{- : \text{unbox}(\Box\Gamma_{11}) \vdash F_{13}}{\rightarrow} \text{ax/W} \\
\frac{}{- : \Delta_{14}, \Box\Gamma_{11}, F_8 \vee F_9 \vdash \Delta_{12}, \Box F_{13}}{\rightarrow} K
\end{array}$$

- Case rule $A45$

$$\begin{array}{c}
\frac{h_3 : F_8, \Box\Gamma_{14}, \Delta_{15} \vdash \Box F_7, \Box\Gamma_{11}, \Delta_{12}, \Box F_{13} \quad h_3 : F_9, \Box\Gamma_{14}, \Delta_{15} \vdash \Box F_7, \Box\Gamma_{11}, \Delta_{12}, \Box F_{13}}{\bullet h_3 : (\Box\Gamma_{14}, \Delta_{15}), F_8 \vee F_9 \vdash (\Box\Gamma_{11}, \Delta_{12}, \Box F_{13}), \Box F_7} \vee_L \quad \frac{h_{10} : \Box\Gamma_{14}, \Box F_7 \vdash F_{13}}{\bullet h_{10} : ((\Box\Gamma_{14}, \Delta_{15}), F_8 \vee F_9), \Box\Gamma_{11}, \Delta_{12}, \Box F_{13}} \vee_R \\
\frac{}{- : (\Box\Gamma_{14}, \Delta_{15}), F_8 \vee F_9 \vdash \Box\Gamma_{11}, \Delta_{12}, \Box F_{13}}{\rightarrow} \text{Cut} \\
\frac{}{- : \Box\Gamma_{14}, \Box F_7 \vdash F_{13}}{\rightarrow} \text{ax/W} \\
\frac{h_3 : \Delta_{15}, F_8, \Box\Gamma_{14} \vdash \Box F_7, \Delta_{12}, \Box\Gamma_{11}, \Box F_{13} \quad \text{ax/W} \quad \frac{h_{10} : \Box F_7, \Box\Gamma_{14} \vdash F_{13}, \Box\Gamma_{11}}{\bullet h_{10} : \Box F_7, \Delta_{15}, F_8, \Box\Gamma_{14} \vdash \Delta_{12}, \Box\Gamma_{11}, \Box F_{13}} \text{ax/W}}{\frac{}{- : \Delta_{15}, F_8, \Box\Gamma_{14} \vdash \Delta_{12}, \Box\Gamma_{11}, \Box F_{13}}{\rightarrow} \text{hCut}} \text{A45} \\
\frac{}{- : \Delta_{15}, F_9, \Box\Gamma_{14} \vdash \Box F_7, \Delta_{12}, \Box\Gamma_{11}, \Box F_{13}}{\rightarrow} \text{ax/W} \\
\frac{}{- : \Delta_{15}, \Box\Gamma_{14}, F_8 \vee F_9 \vdash \Delta_{12}, \Box\Gamma_{11}, \Box F_{13}}{\rightarrow}
\end{array}$$

$$\begin{array}{c}
\frac{h_3 : F_8, \Box\Gamma_{11}, \Delta_{15} \vdash F_7, \Box\Gamma_{12}, \Delta_{13}, \Box F_{14} \quad h_3 : F_9, \Box\Gamma_{11}, \Delta_{15} \vdash F_7, \Box\Gamma_{12}, \Delta_{13}, \Box F_{14}}{\bullet h_3 : (\Box\Gamma_{11}, \Delta_{15}), F_8 \vee F_9 \vdash (\Box\Gamma_{12}, \Delta_{13}, \Box F_{14}), F_7} \vee_L \quad \frac{h_{10} : \Box\Gamma_{11} \vdash \Box\Gamma_{12}, F_{14}}{\bullet h_{10} : ((\Box\Gamma_{11}, \Delta_{15}), F_8 \vee F_9), F_7 \vdash \Box\Gamma_{12}, \Delta_{13}, \Box F_{14}} \text{Cut} \\
\frac{\quad}{- : (\Box\Gamma_{11}, \Delta_{15}), F_8 \vee F_9 \vdash \Box\Gamma_{12}, \Delta_{13}, \Box F_{14}} \rightarrow \\
\frac{\quad}{- : \Box\Gamma_{11} \vdash F_{14}, \Box\Gamma_{12}} \text{ax/W} \\
\frac{\quad}{- : \Delta_{15}, \Box\Gamma_{11}, F_8 \vee F_9 \vdash \Delta_{13}, \Box\Gamma_{12}, \Box F_{14}} \text{A45}
\end{array}$$

- Case rule \rightarrow_L

$$\begin{array}{c}
\frac{h_3 : F_8, \Delta_7 \vdash F_{11} \rightarrow F_{12}, \Delta_{13} \quad h_3 : F_9, \Delta_7 \vdash F_{11} \rightarrow F_{12}, \Delta_{13}}{\bullet h_3 : \Delta_7, F_8 \vee F_9 \vdash \Delta_{13}, F_{11} \rightarrow F_{12}} \vee_L \quad \frac{h_{10} : \Delta_7, F_8 \vee F_9 \vdash F_{11}, \Delta_{13} \quad h_{10} : F_{12}, \Delta_7, F_8 \vee F_9 \vdash \Delta_{13}}{\bullet h_{10} : (\Delta_7, F_8 \vee F_9), F_{11} \rightarrow F_{12} \vdash \Delta_{13}} \text{Cut} \\
\frac{\quad}{- : \Delta_7, F_8 \vee F_9 \vdash \Delta_{13}} \rightarrow \\
\frac{\quad}{- : \Delta_7, F_{11}, F_8 \vdash \Delta_{13}, F_{12}} \text{inv-th/ax} \quad \frac{\quad}{- : \Delta_7, F_{11}, F_9 \vdash \Delta_{13}, F_{12}} \text{inv-th/ax} \\
\frac{\quad}{- : \Delta_7, F_{11}, F_8 \vee F_9 \vdash \Delta_{13}, F_{12}} \vee_L \quad \frac{\quad}{- : \Delta_7, F_{11}, F_{12}, F_8 \vee F_9 \vdash \Delta_{13}} \text{ax/W} \\
\frac{\quad}{- : \Delta_7, F_8 \vee F_9 \vdash \Delta_{13}, F_{11}} \text{ax/W} \quad \frac{\quad}{- : \Delta_7, F_{11}, F_8 \vee F_9 \vdash \Delta_{13}} \text{sCut} \\
\frac{\quad}{- : \Delta_7, F_8 \vee F_9 \vdash \Delta_{13}} \\
\frac{h_3 : F_8, \Delta_{14}, F_{11} \rightarrow F_{12} \vdash F_7, \Delta_{13} \quad h_3 : F_9, \Delta_{14}, F_{11} \rightarrow F_{12} \vdash F_7, \Delta_{13}}{\bullet h_3 : (\Delta_{14}, F_{11} \rightarrow F_{12}), F_8 \vee F_9 \vdash \Delta_{13}, F_7} \vee_L \quad \frac{h_{10} : F_7, \Delta_{14}, F_8 \vee F_9 \vdash F_{11}, \Delta_{13}}{\bullet h_{10} : ((\Delta_{14}, F_{11} \rightarrow F_{12}), F_8 \vee F_9) \vdash \Delta_{13}} \text{Cut} \\
\frac{\quad}{- : (\Delta_{14}, F_{11} \rightarrow F_{12}), F_8 \vee F_9 \vdash \Delta_{13}} \rightarrow \\
\frac{h_3 : \Delta_{14}, F_8 \vdash \Delta_{13}, F_{11}, F_7}{\bullet h_3 : \Delta_{14}, F_8 \vee F_9 \vdash \Delta_{13}, F_{11}, F_7} \text{inv-th/ax} \quad \frac{h_3 : \Delta_{14}, F_9 \vdash \Delta_{13}, F_{11}, F_7}{\bullet h_3 : \Delta_{14}, F_9 \vee F_8 \vdash \Delta_{13}, F_{11}, F_7} \text{inv-th/ax} \\
\frac{\quad}{- : \Delta_{14}, F_8 \vee F_9 \vdash \Delta_{13}, F_{11}} \vee_L \quad \frac{\quad}{h_{10} : \Delta_{14}, F_7, F_8 \vee F_9 \vdash \Delta_{13}, F_{11}} \text{ax/W} \quad \frac{h_3 : \Delta_{14}, F_{12}, F_8 \vdash \Delta_{13}, F_7}{\bullet h_3 : \Delta_{14}, F_{12}, F_8 \vee F_9 \vdash \Delta_{13}, F_7} \text{in} \\
\frac{\quad}{- : \Delta_{14}, F_{11} \rightarrow F_{12}, F_8 \vee F_9 \vdash \Delta_{13}} \text{hCut} \quad \frac{\quad}{- : \Delta_{14}, F_{11} \rightarrow F_{12}, F_8 \vee F_9 \vdash \Delta_{13}} \text{hCut} \\
\frac{\quad}{- : \Delta_{14}, F_{11} \rightarrow F_{12}, F_8 \vee F_9 \vdash \Delta_{13}}
\end{array}$$

- Case rule \wedge_L

$$\begin{array}{c}
\frac{h_3 : F_8, \Delta_7 \vdash F_{11} \wedge F_{12}, \Delta_{13} \quad h_3 : F_9, \Delta_7 \vdash F_{11} \wedge F_{12}, \Delta_{13}}{\bullet h_3 : \Delta_7, F_8 \vee F_9 \vdash \Delta_{13}, F_{11} \wedge F_{12}} \vee_L \quad \frac{h_{10} : F_{11}, F_{12}, \Delta_7, F_8 \vee F_9 \vdash \Delta_{13}}{\bullet h_{10} : (\Delta_7, F_8 \vee F_9), F_{11} \wedge F_{12} \vdash \Delta_{13}} \wedge_L \\
\frac{\quad}{- : \Delta_7, F_8 \vee F_9 \vdash \Delta_{13}} \text{Cut} \\
\frac{\quad}{- : \Delta_7, F_8 \vee F_9 \vdash \Delta_{13}} \rightarrow \\
\frac{h_3 : \Delta_7, F_8 \vdash \Delta_{13}, F_{11} \wedge F_{12}}{\bullet h_3 : \Delta_7, F_8 \vee F_9 \vdash \Delta_{13}, F_{11} \wedge F_{12}} \text{ax/W} \quad \frac{h_{10} : \Delta_7, F_{11}, F_{12}, F_8 \vdash \Delta_{13}}{\bullet h_{10} : \Delta_7, F_8, F_{11} \wedge F_{12} \vdash \Delta_{13}} \wedge_L \\
\frac{\quad}{- : \Delta_7, F_8 \vdash \Delta_{13}} \text{hCut} \quad \frac{h_3 : \Delta_7, F_9 \vdash \Delta_{13}, F_{11} \wedge F_{12}}{\bullet h_3 : \Delta_7, F_9 \vee F_8 \vdash \Delta_{13}, F_{11} \wedge F_{12}} \text{ax/W} \quad \frac{h_{10} : \Delta_7, F_{11}, F_{12}, F_9 \vdash \Delta_{13}}{\bullet h_{10} : \Delta_7, F_9, F_{11} \wedge F_{12} \vdash \Delta_{13}} \wedge_L \\
\frac{\quad}{- : \Delta_7, F_8 \vee F_9 \vdash \Delta_{13}} \vee_L \quad \frac{\quad}{- : \Delta_7, F_9 \vdash \Delta_{13}} \text{hCut} \\
\frac{\quad}{- : \Delta_7, F_8 \vee F_9 \vdash \Delta_{13}} \\
\frac{h_3 : F_8, \Delta_{14}, F_{11} \wedge F_{12} \vdash F_7, \Delta_{13} \quad h_3 : F_9, \Delta_{14}, F_{11} \wedge F_{12} \vdash F_7, \Delta_{13}}{\bullet h_3 : (\Delta_{14}, F_{11} \wedge F_{12}), F_8 \vee F_9 \vdash \Delta_{13}, F_7} \vee_L \quad \frac{h_{10} : F_7, F_{11}, F_{12}, \Delta_{14}, F_8 \vee F_9 \vdash \Delta_{13}}{\bullet h_{10} : ((\Delta_{14}, F_{11} \wedge F_{12}), F_8 \vee F_9), F_7 \vdash \Delta_{13}} \wedge_L \\
\frac{\quad}{- : (\Delta_{14}, F_{11} \wedge F_{12}), F_8 \vee F_9 \vdash \Delta_{13}} \text{Cut} \\
\frac{\quad}{- : (\Delta_{14}, F_{11} \wedge F_{12}), F_8 \vee F_9 \vdash \Delta_{13}} \rightarrow \\
\frac{h_3 : \Delta_{14}, F_{11}, F_{12}, F_8 \vdash \Delta_{13}, F_7}{\bullet h_3 : \Delta_{14}, F_{11}, F_{12}, F_8 \vee F_9 \vdash \Delta_{13}, F_7} \text{inv-th/ax} \quad \frac{h_3 : \Delta_{14}, F_{11}, F_{12}, F_9 \vdash \Delta_{13}, F_7}{\bullet h_3 : \Delta_{14}, F_{11}, F_{12}, F_9 \vee F_8 \vdash \Delta_{13}, F_7} \text{inv-th/ax} \\
\frac{\quad}{- : \Delta_{14}, F_{11}, F_{12}, F_8 \vee F_9 \vdash \Delta_{13}, F_7} \vee_L \quad \frac{\quad}{h_{10} : \Delta_{14}, F_{11}, F_{12}, F_7, F_8 \vee F_9 \vdash \Delta_{13}} \text{ax/W} \\
\frac{\quad}{- : \Delta_{14}, F_{11}, F_{12}, F_8 \vee F_9 \vdash \Delta_{13}} \wedge_L \quad \frac{\quad}{- : \Delta_{14}, F_{11} \wedge F_{12}, F_8 \vee F_9 \vdash \Delta_{13}} \text{hCut} \\
\frac{\quad}{- : \Delta_{14}, F_{11} \wedge F_{12}, F_8 \vee F_9 \vdash \Delta_{13}}
\end{array}$$

- Case rule \vee_L

$$\begin{array}{c}
\frac{h_3 : F_8, \Delta_7 \vdash F_{11} \vee F_{12}, \Delta_{13} \quad h_3 : F_9, \Delta_7 \vdash F_{11} \vee F_{12}, \Delta_{13}}{\bullet h_3 : \Delta_7, F_8 \vee F_9 \vdash \Delta_{13}, F_{11} \vee F_{12}} \vee_L \quad \frac{h_{10} : F_{11}, \Delta_7, F_8 \vee F_9 \vdash \Delta_{13} \quad h_{10} : F_{12}, \Delta_7, F_8 \vee F_9 \vdash \Delta_{13}}{\bullet h_{10} : (\Delta_7, F_8 \vee F_9), F_{11} \vee F_{12} \vdash \Delta_{13}} \text{Cut} \\
\frac{\quad}{- : \Delta_7, F_8 \vee F_9 \vdash \Delta_{13}} \rightarrow \\
\frac{\quad}{- : \Delta_7, F_8 \vdash \Delta_{13}, F_{11}, F_{12}} \text{inv-th/ax} \quad \frac{\quad}{- : \Delta_7, F_9 \vdash \Delta_{13}, F_{11}, F_{12}} \text{inv-th/ax} \\
\frac{\quad}{- : \Delta_7, F_8 \vee F_9 \vdash \Delta_{13}, F_{11}, F_{12}} \vee_L \quad \frac{\quad}{- : \Delta_7, F_{12}, F_8 \vee F_9 \vdash \Delta_{13}, F_{11}} \text{ax/W} \\
\frac{\quad}{- : \Delta_7, F_8 \vee F_9 \vdash \Delta_{13}, F_{11}} \text{sCut} \quad \frac{\quad}{- : \Delta_7, F_{11}, F_8 \vee F_9 \vdash \Delta_{13}} \text{ax/W} \\
\frac{\quad}{- : \Delta_7, F_8 \vee F_9 \vdash \Delta_{13}} \text{sCut} \quad \frac{\quad}{- : \Delta_7, F_8 \vee F_9 \vdash \Delta_{13}}
\end{array}$$

$$\begin{array}{c}
\frac{h_3 : F_8, \Delta_{14}, F_{11} \vee F_{12} \vdash F_7, \Delta_{13} \quad h_3 : F_9, \Delta_{14}, F_{11} \vee F_{12} \vdash F_7, \Delta_{13}}{\bullet h_3 : (\Delta_{14}, F_{11} \vee F_{12}), F_8 \vee F_9 \vdash \Delta_{13}, F_7} \vee_L \quad \frac{h_{10} : F_7, F_{11}, \Delta_{14}, F_8 \vee F_9 \vdash \Delta_{13}}{\bullet h_{10} : ((\Delta_{14}, F_{11} \vee F_{12}), F_8 \vee F_9) \vdash \Delta_{13}} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_{14}, F_{11}, F_8 \vdash \Delta_{13}, F_7}{\bullet h_3 : \Delta_{14}, F_{11}, F_8 \vee F_9 \vdash \Delta_{13}, F_7} \text{inv-th/ax} \quad \frac{h_3 : \Delta_{14}, F_{11}, F_9 \vdash \Delta_{13}, F_7}{\bullet h_3 : \Delta_{14}, F_{11}, F_8 \vee F_9 \vdash \Delta_{13}, F_7} \text{inv-th/ax}}{\bullet h_3 : \Delta_{14}, F_{11}, F_8 \vee F_9 \vdash \Delta_{13}, F_7} \vee_L \quad \frac{h_{10} : \Delta_{14}, F_{11}, F_7, F_8 \vee F_9 \vdash \Delta_{13}}{\bullet h_{10} : (\Delta_{14}, F_{11} \vee F_{12}), F_8 \vee F_9 \vdash \Delta_{13}} \text{ax/W}}{\bullet h_3 : \Delta_{14}, F_{11}, F_8 \vee F_9 \vdash \Delta_{13}, F_7} \text{hCut} \\
\rightarrow \\
\frac{h_3 : F_{10}, \Delta_8 \vdash F_7, \Delta_{12} \quad h_3 : F_{11}, \Delta_8 \vdash F_7, \Delta_{12}}{\bullet h_3 : \Delta_8, F_{10} \vee F_{11} \vdash \Delta_{12}, F_7} \vee_L \quad \frac{h_9 : F_7, F_{10}, \Delta_8 \vdash \Delta_{12} \quad h_9 : F_7, F_{11}, \Delta_8 \vdash \Delta_{12}}{\bullet h_9 : (\Delta_8, F_{10} \vee F_{11}), F_7 \vdash \Delta_{12}} \vee_L \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_8, F_{10} \vdash \Delta_{12}, F_7}{\bullet h_3 : \Delta_8, F_{10} \vdash \Delta_{12}} \text{ax/W} \quad \frac{h_9 : \Delta_8, F_{10}, F_7 \vdash \Delta_{12}}{\bullet h_9 : \Delta_8, F_{10}, F_7 \vdash \Delta_{12}} \text{H}}{\bullet h_3 : \Delta_8, F_{10} \vdash \Delta_{12}} \text{hCut} \quad \frac{h_3 : \Delta_8, F_{11} \vdash \Delta_{12}, F_7}{\bullet h_3 : \Delta_8, F_{11} \vdash \Delta_{12}} \text{ax/W} \quad \frac{h_9 : \Delta_8, F_{11}, F_7 \vdash \Delta_{12}}{\bullet h_9 : \Delta_8, F_{11}, F_7 \vdash \Delta_{12}} \text{H}}{\bullet h_3 : \Delta_8, F_{11} \vdash \Delta_{12}} \text{hCut}}{\bullet h_3 : \Delta_8, F_{10} \vee F_{11} \vdash \Delta_{12}} \vee_L
\end{array}$$

- Case rule AT

$$\begin{array}{c}
\frac{h_3 : F_8, \Delta_7 \vdash \llbracket F_{11}, \Delta_{12} \quad h_3 : F_9, \Delta_7 \vdash \llbracket F_{11}, \Delta_{12} \quad h_{10} : F_{11}, \Delta_7, \llbracket F_{11}, F_8 \vee F_9 \vdash \Delta_{12} \quad AT}{\bullet h_3 : \Delta_7, F_8 \vee F_9 \vdash \Delta_{12}, \llbracket F_{11} \quad \bullet h_{10} : (\Delta_7, F_8 \vee F_9), \llbracket F_{11} \vdash \Delta_{12}} \vee_L \quad \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_7, F_8 \vdash \Delta_{12}, \llbracket F_{11}}{\bullet h_3 : \Delta_7, F_8 \vdash \Delta_{12}} \text{ax/W} \quad \frac{h_{10} : \Delta_7, F_{11}, F_8, \llbracket F_{11} \vdash \Delta_{12}}{\bullet h_{10} : \Delta_7, F_8, \llbracket F_{11} \vdash \Delta_{12}} \text{inv-th/ax} \quad AT}{\bullet h_3 : \Delta_7, F_8 \vee F_9 \vdash \Delta_{12}} \text{hCut}}{\bullet h_3 : \Delta_7, F_8 \vee F_9 \vdash \Delta_{12}} \text{hCut} \quad \frac{h_3 : \Delta_7, F_9 \vdash \Delta_{12}, \llbracket F_{11}}{\bullet h_3 : \Delta_7, F_9 \vdash \Delta_{12}} \text{ax/W} \quad \frac{h_{10} : \Delta_7, F_{11}, F_9, \llbracket F_{11} \vdash \Delta_{12}}{\bullet h_{10} : \Delta_7, F_9, \llbracket F_{11} \vdash \Delta_{12}} \text{inv-th/ax} \quad AT}{\bullet h_3 : \Delta_7, F_9 \vdash \Delta_{12}} \text{hCut}}{\bullet h_3 : \Delta_7, F_8 \vee F_9 \vdash \Delta_{12}} \vee_L \\
\rightarrow \\
\frac{h_3 : F_8, \Delta_{13}, \llbracket F_{11} \vdash F_7, \Delta_{12} \quad h_3 : F_9, \Delta_{13}, \llbracket F_{11} \vdash F_7, \Delta_{12}}{\bullet h_3 : (\Delta_{13}, \llbracket F_{11}), F_8 \vee F_9 \vdash \Delta_{12}, F_7} \vee_L \quad \frac{h_{10} : F_7, F_{11}, \Delta_{13}, \llbracket F_{11}, F_8 \vee F_9 \vdash \Delta_{12}}{\bullet h_{10} : ((\Delta_{13}, \llbracket F_{11}), F_8 \vee F_9), F_7 \vdash \Delta_{12}} \text{AT}}{\bullet h_3 : (\Delta_{13}, \llbracket F_{11}), F_8 \vee F_9 \vdash \Delta_{12}} \text{Cut} \\
\rightarrow \\
\frac{\bullet h_3 : \Delta_{13}, F_{11}, \llbracket F_{11}, F_8 \vee F_9 \vdash \Delta_{12}, F_7}{\bullet h_3 : \Delta_{13}, F_{11}, \llbracket F_{11}, F_8 \vee F_9 \vdash \Delta_{12}} \text{ax/W} \quad \frac{h_{10} : \Delta_{13}, F_{11}, F_7, \llbracket F_{11}, F_8 \vee F_9 \vdash \Delta_{12}}{\bullet h_{10} : \Delta_{13}, F_{11}, F_7, \llbracket F_{11}, F_8 \vee F_9 \vdash \Delta_{12}} \text{ax/W}}{\bullet h_3 : \Delta_{13}, F_{11}, \llbracket F_{11}, F_8 \vee F_9 \vdash \Delta_{12}} \text{hCut} \quad \text{AT}}{\bullet h_3 : \Delta_{13}, \llbracket F_{11}, F_8 \vee F_9 \vdash \Delta_{12}} \text{AT}
\end{array}$$

- Case rule \perp_L

$$\begin{array}{c}
\frac{h_3 : F_8, \Delta_7 \vdash \perp, \Delta_{11} \quad h_3 : F_9, \Delta_7 \vdash \perp, \Delta_{11}}{\bullet h_3 : \Delta_7, F_8 \vee F_9 \vdash \Delta_{11}, \perp} \vee_L \quad \frac{\bullet h_{10} : (\Delta_7, F_8 \vee F_9), \perp \vdash \Delta_{11}}{\bullet h_{10} : (\Delta_7, F_8 \vee F_9), \perp \vdash \Delta_{11}} \perp_L \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_7, F_8 \vdash \perp, \Delta_{11}}{\bullet h_3 : \Delta_7, F_8 \vdash \Delta_{11}} \text{ax/W} \quad \frac{\bullet h_{10} : \perp, \Delta_7, F_8 \vdash \Delta_{11}}{\bullet h_{10} : \perp, \Delta_7, F_8 \vdash \Delta_{11}} \perp_L}{\bullet h_3 : \Delta_7, F_8 \vdash \Delta_{11}} \text{hCut} \quad \frac{h_3 : \Delta_7, F_9 \vdash \perp, \Delta_{11}}{\bullet h_3 : \Delta_7, F_9 \vdash \Delta_{11}} \text{ax/W} \quad \frac{\bullet h_{10} : \perp, \Delta_7, F_9 \vdash \Delta_{11}}{\bullet h_{10} : \perp, \Delta_7, F_9 \vdash \Delta_{11}} \perp_L}{\bullet h_3 : \Delta_7, F_9 \vdash \Delta_{11}} \text{hCut}}{\bullet h_3 : \Delta_7, F_8 \vee F_9 \vdash \Delta_{11}} \vee_L \\
\rightarrow \\
\frac{h_3 : F_8, \perp, \Delta_{12} \vdash F_7, \Delta_{11} \quad h_3 : F_9, \perp, \Delta_{12} \vdash F_7, \Delta_{11}}{\bullet h_3 : (\perp, \Delta_{12}), F_8 \vee F_9 \vdash \Delta_{11}, F_7} \vee_L \quad \frac{\bullet h_{10} : ((\perp, \Delta_{12}), F_8 \vee F_9), F_7 \vdash \Delta_{11}}{\bullet h_{10} : ((\perp, \Delta_{12}), F_8 \vee F_9), F_7 \vdash \Delta_{11}} \perp_L \\
\rightarrow \\
\frac{\bullet h_3 : (\perp, \Delta_{12}), F_8 \vee F_9 \vdash \Delta_{11}, F_7}{\bullet h_3 : (\perp, \Delta_{12}), F_8 \vee F_9 \vdash \Delta_{11}} \perp_L \\
\rightarrow \\
\frac{\bullet h_3 : (\perp, \Delta_{12}), F_8 \vee F_9 \vdash \Delta_{11}}{\bullet h_3 : (\perp, \Delta_{12}), F_8 \vee F_9 \vdash \Delta_{11}} \perp_L
\end{array}$$

- Case rule I

$$\begin{array}{c}
\frac{h_3 : F_8, \Delta_7 \vdash P_{11}, \Delta_{12}, P_{11} \quad h_3 : F_9, \Delta_7 \vdash P_{11}, \Delta_{12}, P_{11}}{\bullet h_3 : \Delta_7, F_8 \vee F_9 \vdash (\Delta_{12}, P_{11}), P_{11}} \vee_L \quad \frac{h_{10} : (\Delta_7, F_8 \vee F_9), P_{11} \vdash \Delta_{12}, P_{11}}{\bullet h_{10} : (\Delta_7, F_8 \vee F_9), P_{11} \vdash \Delta_{12}, P_{11}} I \\
\frac{}{- : \Delta_7, F_8 \vee F_9 \vdash \Delta_{12}, P_{11}} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_7, F_8 \vdash \Delta_{12}, P_{11}, P_{11}}{- : \Delta_7, F_8 \vdash \Delta_{12}, P_{11}} \text{ax/W} \quad \frac{\bullet h_{10} : \Delta_7, F_8, P_{11} \vdash \Delta_{12}, P_{11}}{h_{10} : \Delta_7, F_8, P_{11} \vdash \Delta_{12}, P_{11}} I}{- : \Delta_7, F_8 \vee F_9 \vdash \Delta_{12}, P_{11}} \text{hCut} \quad \frac{\frac{h_3 : \Delta_7, F_9 \vdash \Delta_{12}, P_{11}, P_{11}}{- : \Delta_7, F_9 \vdash \Delta_{12}, P_{11}} \text{ax/W} \quad \frac{\bullet h_{10} : \Delta_7, F_9, P_{11} \vdash \Delta_{12}, P_{11}}{h_{10} : \Delta_7, F_9, P_{11} \vdash \Delta_{12}, P_{11}} I}{- : \Delta_7, F_9 \vdash \Delta_{12}, P_{11}} \text{hCut}}{- : \Delta_7, F_8 \vee F_9 \vdash \Delta_{12}, P_{11}} \vee_L \\
\\
\frac{h_3 : F_8, \Delta_{13}, P_{11} \vdash F_7, \Delta_{12}, P_{11} \quad h_3 : F_9, \Delta_{13}, P_{11} \vdash F_7, \Delta_{12}, P_{11}}{\bullet h_3 : (\Delta_{13}, P_{11}), F_8 \vee F_9 \vdash (\Delta_{12}, P_{11}), F_7} \vee_L \quad \frac{h_{10} : ((\Delta_{13}, P_{11}), F_8 \vee F_9), F_7 \vdash \Delta_{12}, P_{11}}{\bullet h_{10} : ((\Delta_{13}, P_{11}), F_8 \vee F_9), F_7 \vdash \Delta_{12}, P_{11}} I \\
\frac{}{- : (\Delta_{13}, P_{11}), F_8 \vee F_9 \vdash \Delta_{12}, P_{11}} \text{Cut} \\
\rightarrow \\
\frac{}{- : \Delta_{13}, P_{11}, F_8 \vee F_9 \vdash \Delta_{12}, P_{11}} I
\end{array}$$

- Case rule \top_L

$$\begin{array}{c}
\frac{h_3 : F_8, \Delta_7 \vdash \top, \Delta_{11} \quad h_3 : F_9, \Delta_7 \vdash \top, \Delta_{11}}{\bullet h_3 : \Delta_7, F_8 \vee F_9 \vdash \Delta_{11}, \top} \vee_L \quad \frac{h_{10} : \Delta_7, F_8 \vee F_9 \vdash \Delta_{11}}{\bullet h_{10} : (\Delta_7, F_8 \vee F_9), \top \vdash \Delta_{11}} \top_L \\
\frac{}{- : \Delta_7, F_8 \vee F_9 \vdash \Delta_{11}} \text{Cut} \\
\rightarrow \\
\frac{}{- : \Delta_7, F_8 \vee F_9 \vdash \Delta_{11}} \text{ax/W} \\
\\
\frac{h_3 : F_8, \top, \Delta_{12} \vdash F_7, \Delta_{11} \quad h_3 : F_9, \top, \Delta_{12} \vdash F_7, \Delta_{11}}{\bullet h_3 : (\top, \Delta_{12}), F_8 \vee F_9 \vdash \Delta_{11}, F_7} \vee_L \quad \frac{h_{10} : F_7, \Delta_{12}, F_8 \vee F_9 \vdash \Delta_{11}}{\bullet h_{10} : ((\top, \Delta_{12}), F_8 \vee F_9), F_7 \vdash \Delta_{11}} \top_L \\
\frac{}{- : (\top, \Delta_{12}), F_8 \vee F_9 \vdash \Delta_{11}} \text{Cut} \\
\rightarrow \\
\frac{\frac{\bullet h_3 : \top, \Delta_{12}, F_8 \vee F_9 \vdash \Delta_{11}, F_7}{- : \top, \Delta_{12}, F_8 \vee F_9 \vdash \Delta_{11}} \text{ax/W} \quad \frac{h_{10} : \top, \Delta_{12}, F_7, F_8 \vee F_9 \vdash \Delta_{11}}{h_{10} : \top, \Delta_{12}, F_7, F_8 \vee F_9 \vdash \Delta_{11}} \text{ax/W}}{- : \top, \Delta_{12}, F_8 \vee F_9 \vdash \Delta_{11}} \text{hCut}
\end{array}$$

6.11 Status of AT : OK

- Case rule \rightarrow_R

$$\begin{array}{c}
\frac{h_3 : F_8, \Delta_7, []F_8 \vdash F_6, \Delta_{10}, F_{11} \rightarrow F_{12}}{\bullet h_3 : \Delta_7, []F_8 \vdash (\Delta_{10}, F_{11} \rightarrow F_{12}), F_6} AT \quad \frac{h_9 : F_6, F_{11}, \Delta_7, []F_8 \vdash F_{12}, \Delta_{10}}{\bullet h_9 : (\Delta_7, []F_8), F_6 \vdash \Delta_{10}, F_{11} \rightarrow F_{12}} \rightarrow_R \\
\frac{}{- : \Delta_7, []F_8 \vdash \Delta_{10}, F_{11} \rightarrow F_{12}} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_7, F_8, []F_8 \vdash \Delta_{10}, F_6, F_{11} \rightarrow F_{12}}{- : \Delta_7, F_8, []F_8 \vdash \Delta_{10}, F_{11} \rightarrow F_{12}} \text{ax/W} \quad \frac{\bullet h_9 : \Delta_7, F_6, F_8, []F_8 \vdash \Delta_{10}, F_{11} \rightarrow F_{12}}{h_9 : \Delta_7, F_6, F_8, []F_8 \vdash \Delta_{10}, F_{11} \rightarrow F_{12}} \text{ax/W}}{- : \Delta_7, F_8, []F_8 \vdash \Delta_{10}, F_{11} \rightarrow F_{12}} \text{hCut} \\
\frac{}{- : \Delta_7, []F_8 \vdash \Delta_{10}, F_{11} \rightarrow F_{12}} AT
\end{array}$$

- Case rule \wedge_R

$$\begin{array}{c}
\frac{h_3 : F_8, \Delta_7, []F_8 \vdash F_6, \Delta_{10}, F_{11} \wedge F_{12}}{\bullet h_3 : \Delta_7, []F_8 \vdash (\Delta_{10}, F_{11} \wedge F_{12}), F_6} AT \quad \frac{h_9 : F_6, \Delta_7, []F_8 \vdash F_{11}, \Delta_{10} \quad h_9 : F_6, \Delta_7, []F_8 \vdash F_{12}, \Delta_{10}}{\bullet h_9 : (\Delta_7, []F_8), F_6 \vdash \Delta_{10}, F_{11} \wedge F_{12}} \wedge_R \\
\frac{}{- : \Delta_7, []F_8 \vdash \Delta_{10}, F_{11} \wedge F_{12}} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_7, F_8, []F_8 \vdash \Delta_{10}, F_6, F_{11} \wedge F_{12}}{- : \Delta_7, F_8, []F_8 \vdash \Delta_{10}, F_{11} \wedge F_{12}} \text{ax/W} \quad \frac{\bullet h_9 : \Delta_7, F_6, F_8, []F_8 \vdash \Delta_{10}, F_{11} \wedge F_{12}}{h_9 : \Delta_7, F_6, F_8, []F_8 \vdash \Delta_{10}, F_{11} \wedge F_{12}} \text{ax/W}}{- : \Delta_7, F_8, []F_8 \vdash \Delta_{10}, F_{11} \wedge F_{12}} \text{hCut} \\
\frac{}{- : \Delta_7, []F_8 \vdash \Delta_{10}, F_{11} \wedge F_{12}} AT
\end{array}$$

- Case rule \vee_R

$$\begin{array}{c}
\frac{h_3 : F_8, \Delta_7, []F_8 \vdash F_6, \Delta_{10}, F_{11} \vee F_{12}}{\bullet h_3 : \Delta_7, []F_8 \vdash (\Delta_{10}, F_{11} \vee F_{12}), F_6} AT \quad \frac{h_9 : F_6, \Delta_7, []F_8 \vdash F_{11}, F_{12}, \Delta_{10}}{\bullet h_9 : (\Delta_7, []F_8), F_6 \vdash \Delta_{10}, F_{11} \vee F_{12}} \vee_R \\
\frac{}{- : \Delta_7, []F_8 \vdash \Delta_{10}, F_{11} \vee F_{12}} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_7, F_8, []F_8 \vdash \Delta_{10}, F_6, F_{11} \vee F_{12}}{- : \Delta_7, F_8, []F_8 \vdash \Delta_{10}, F_{11} \vee F_{12}} \text{ax/W} \quad \frac{\bullet h_9 : \Delta_7, F_6, F_8, []F_8 \vdash \Delta_{10}, F_{11} \vee F_{12}}{h_9 : \Delta_7, F_6, F_8, []F_8 \vdash \Delta_{10}, F_{11} \vee F_{12}} \text{ax/W}}{- : \Delta_7, F_8, []F_8 \vdash \Delta_{10}, F_{11} \vee F_{12}} \text{hCut} \\
\frac{}{- : \Delta_7, []F_8 \vdash \Delta_{10}, F_{11} \vee F_{12}} ATG
\end{array}$$

$$\frac{\frac{h_3 : F_7, (\Box\Gamma_{12}, \Delta_{13}), [\Box F_7 \vdash F_6, \Box\Gamma_9, \Delta_{10}, [\Box F_{11}]}{\bullet h_3 : (\Box\Gamma_{12}, \Delta_{13}), [\Box F_7 \vdash (\Box\Gamma_9, \Delta_{10}, [\Box F_{11}), F_6]} \text{ AT} \quad \frac{h_8 : \Box\Gamma_{12}, [\Box F_7 \vdash \Box\Gamma_9, F_{11}}{\bullet h_8 : ((\Box\Gamma_{12}, \Delta_{13}), [\Box F_7]), F_6 \vdash \Box\Gamma_9, \Delta_{10}, [\Box F_{11}]} \text{ A45}}{- : (\Box\Gamma_{12}, \Delta_{13}), [\Box F_7 \vdash \Box\Gamma_9, \Delta_{10}, [\Box F_{11}]} \text{ Cut}} \rightarrow$$

$$\frac{- : \Box\Gamma_{12}, [\Box F_7 \vdash F_{11}, \Box\Gamma_9] \text{ ax/W}}{- : \Delta_{13}, \Box\Gamma_{12}, [\Box F_7 \vdash \Delta_{10}, \Box\Gamma_9, [\Box F_{11}]} \text{ A45}}$$

$$\frac{\frac{h_3 : F_7, (\Box\Gamma_{12}, \Delta_{13}), [\Box F_7 \vdash \Box F_6, \Box\Gamma_9, \Delta_{10}, [\Box F_{11}]}{\bullet h_3 : (\Box\Gamma_{12}, \Delta_{13}), [\Box F_7 \vdash (\Box\Gamma_9, \Delta_{10}, [\Box F_{11}), \Box F_6]} \text{ AT} \quad \frac{h_8 : \Box\Gamma_{12}, \Box F_6 \vdash \Box\Gamma_9, F_{11}}{\bullet h_8 : ((\Box\Gamma_{12}, \Delta_{13}), [\Box F_7]), \Box F_6 \vdash \Box\Gamma_9, \Delta_{10}, [\Box F_{11}]} \text{ A45}}{- : (\Box\Gamma_{12}, \Delta_{13}), [\Box F_7 \vdash \Box\Gamma_9, \Delta_{10}, [\Box F_{11}]} \text{ Cut}} \rightarrow$$

$$\frac{\frac{h_3 : \Delta_{13}, F_7, \Box\Gamma_{12}, [\Box F_7 \vdash \Box F_6, \Delta_{10}, \Box\Gamma_9, [\Box F_{11}]}{\bullet h_3 : \Box F_6, \Delta_{13}, F_7, \Box\Gamma_{12}, [\Box F_7 \vdash \Delta_{10}, \Box\Gamma_9, [\Box F_{11}]} \text{ ax/W}}{- : \Delta_{13}, F_7, \Box\Gamma_{12}, [\Box F_7 \vdash \Delta_{10}, \Box\Gamma_9, [\Box F_{11}]} \text{ AT}}{\frac{- : \Delta_{13}, \Box\Gamma_{12}, [\Box F_7 \vdash \Delta_{10}, \Box\Gamma_9, [\Box F_{11}]} \text{ hCut}}{- : \Delta_{13}, \Box\Gamma_{12}, [\Box F_7 \vdash \Delta_{10}, \Box\Gamma_9, [\Box F_{11}]} \text{ hCut}} \text{ ax/W}$$

$$\frac{\frac{h_3 : F_7, (\Box\Gamma_9, \Delta_{13}), [\Box F_7 \vdash F_6, \Box\Gamma_{10}, \Delta_{11}, [\Box F_{12}]}{\bullet h_3 : (\Box\Gamma_9, \Delta_{13}), [\Box F_7 \vdash (\Box\Gamma_{10}, \Delta_{11}, [\Box F_{12}), F_6]} \text{ AT} \quad \frac{h_8 : \Box\Gamma_9 \vdash \Box\Gamma_{10}, F_{12}}{\bullet h_8 : ((\Box\Gamma_9, \Delta_{13}), [\Box F_7]), F_6 \vdash \Box\Gamma_{10}, \Delta_{11}, [\Box F_{12}]} \text{ A45}}{- : (\Box\Gamma_9, \Delta_{13}), [\Box F_7 \vdash \Box\Gamma_{10}, \Delta_{11}, [\Box F_{12}]} \text{ Cut}} \rightarrow$$

$$\frac{- : \Box\Gamma_9 \vdash F_{12}, \Box\Gamma_{10} \text{ ax/W}}{- : \Delta_{13}, \Box\Gamma_9, [\Box F_7 \vdash \Delta_{11}, \Box\Gamma_{10}, [\Box F_{12}]} \text{ A45}}$$

- Case rule \rightarrow_L

$$\frac{\frac{h_3 : F_7, \Delta_6, [\Box F_7 \vdash F_9 \rightarrow F_{10}, \Delta_{11}]}{\bullet h_3 : \Delta_6, [\Box F_7 \vdash \Delta_{11}, F_9 \rightarrow F_{10}]} \text{ AT} \quad \frac{h_8 : \Delta_6, [\Box F_7 \vdash F_9, \Delta_{11}] \quad h_8 : F_{10}, \Delta_6, [\Box F_7 \vdash \Delta_{11}]}{\bullet h_8 : (\Delta_6, [\Box F_7]), F_9 \rightarrow F_{10} \vdash \Delta_{11}} \rightarrow_L}{- : \Delta_6, [\Box F_7 \vdash \Delta_{11}]} \text{ Cut}$$

$$\frac{\frac{h_3 : \Delta_6, F_7, [\Box F_7 \vdash \Delta_{11}, F_9 \rightarrow F_{10}] \text{ ax/W}}{- : \Delta_6, F_7, [\Box F_7 \vdash \Delta_{11}]} \text{ ATG}}{\frac{- : \Delta_6, [\Box F_7 \vdash \Delta_{11}]}{- : \Delta_6, [\Box F_7 \vdash \Delta_{11}]} \text{ hCut}} \text{ ax/W}$$

$$\frac{\frac{h_3 : F_7, (\Delta_{12}, F_9 \rightarrow F_{10}), [\Box F_7 \vdash F_6, \Delta_{11}]}{\bullet h_3 : (\Delta_{12}, F_9 \rightarrow F_{10}), [\Box F_7 \vdash \Delta_{11}, F_6]} \text{ AT} \quad \frac{h_8 : F_6, \Delta_{12}, [\Box F_7 \vdash F_9, \Delta_{11}] \quad h_8 : F_6, F_{10}, \Delta_{12}, [\Box F_7 \vdash \Delta_{11}]}{\bullet h_8 : ((\Delta_{12}, F_9 \rightarrow F_{10}), [\Box F_7]), F_6 \vdash \Delta_{11}} \rightarrow_L}{- : (\Delta_{12}, F_9 \rightarrow F_{10}), [\Box F_7 \vdash \Delta_{11}]} \text{ Cut}$$

$$\frac{\frac{h_3 : \Delta_{12}, F_7, [\Box F_7, F_9 \rightarrow F_{10} \vdash \Delta_{11}, F_6] \text{ ax/W}}{- : \Delta_{12}, F_7, [\Box F_7, F_9 \rightarrow F_{10} \vdash \Delta_{11}]} \text{ ATG}}{\frac{- : \Delta_{12}, [\Box F_7, F_9 \rightarrow F_{10} \vdash \Delta_{11}]}{- : \Delta_{12}, [\Box F_7, F_9 \rightarrow F_{10} \vdash \Delta_{11}]} \text{ hCut}} \text{ ax/W}$$

- Case rule \wedge_L

$$\frac{\frac{h_3 : F_7, \Delta_6, [\Box F_7 \vdash F_9 \wedge F_{10}, \Delta_{11}]}{\bullet h_3 : \Delta_6, [\Box F_7 \vdash \Delta_{11}, F_9 \wedge F_{10}]} \text{ AT} \quad \frac{h_8 : F_9, F_{10}, \Delta_6, [\Box F_7 \vdash \Delta_{11}]}{\bullet h_8 : (\Delta_6, [\Box F_7]), F_9 \wedge F_{10} \vdash \Delta_{11}} \wedge_L}{- : \Delta_6, [\Box F_7 \vdash \Delta_{11}]} \text{ Cut}$$

$$\frac{\frac{h_3 : \Delta_6, F_7, [\Box F_7 \vdash \Delta_{11}, F_9 \wedge F_{10}] \text{ ax/W}}{- : \Delta_6, F_7, [\Box F_7 \vdash \Delta_{11}]} \text{ ATG}}{\frac{- : \Delta_6, [\Box F_7 \vdash \Delta_{11}]}{- : \Delta_6, [\Box F_7 \vdash \Delta_{11}]} \text{ hCut}} \text{ ax/W}$$

$$\frac{\frac{h_3 : F_7, (\Delta_{12}, F_9 \wedge F_{10}), [\Box F_7 \vdash F_6, \Delta_{11}]}{\bullet h_3 : (\Delta_{12}, F_9 \wedge F_{10}), [\Box F_7 \vdash \Delta_{11}, F_6]} \text{ AT} \quad \frac{h_8 : F_6, F_9, F_{10}, \Delta_{12}, [\Box F_7 \vdash \Delta_{11}]}{\bullet h_8 : ((\Delta_{12}, F_9 \wedge F_{10}), [\Box F_7]), F_6 \vdash \Delta_{11}} \wedge_L}{- : (\Delta_{12}, F_9 \wedge F_{10}), [\Box F_7 \vdash \Delta_{11}]} \text{ Cut}$$

$$\frac{\frac{h_3 : \Delta_{12}, F_7, [\Box F_7, F_9 \wedge F_{10} \vdash \Delta_{11}, F_6] \text{ ax/W}}{- : \Delta_{12}, F_7, [\Box F_7, F_9 \wedge F_{10} \vdash \Delta_{11}]} \text{ ATG}}{\frac{- : \Delta_{12}, [\Box F_7, F_9 \wedge F_{10} \vdash \Delta_{11}]}{- : \Delta_{12}, [\Box F_7, F_9 \wedge F_{10} \vdash \Delta_{11}]} \text{ hCut}} \text{ ax/W}$$

- Case rule \vee_L

$$\begin{array}{c}
\frac{\frac{h_3 : F_7, \Delta_6, []F_7 \vdash F_9 \vee F_{10}, \Delta_{11}}{\bullet h_3 : \Delta_6, []F_7 \vdash \Delta_{11}, F_9 \vee F_{10}} \text{ AT} \quad \frac{h_8 : F_9, \Delta_6, []F_7 \vdash \Delta_{11} \quad h_8 : F_{10}, \Delta_6, []F_7 \vdash \Delta_{11}}{\bullet h_8 : (\Delta_6, []F_7), F_9 \vee F_{10} \vdash \Delta_{11}} \vee_L}{- : \Delta_6, []F_7 \vdash \Delta_{11}} \text{ Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_6, F_7, []F_7 \vdash \Delta_{11}, F_9 \vee F_{10}}{- : \Delta_6, F_7, []F_7 \vdash \Delta_{11}} \text{ ax/W} \quad \frac{\bullet h_8 : \Delta_6, F_7, []F_7, F_9 \vee F_{10} \vdash \Delta_{11}}{- : \Delta_6, []F_7 \vdash \Delta_{11}} \text{ hCut}}{- : \Delta_6, []F_7 \vdash \Delta_{11}} \text{ AT} \\
\frac{h_3 : F_7, (\Delta_{12}, F_9 \vee F_{10}), []F_7 \vdash F_6, \Delta_{11}}{\bullet h_3 : (\Delta_{12}, F_9 \vee F_{10}), []F_7 \vdash \Delta_{11}, F_6} \text{ AT} \quad \frac{h_8 : F_6, F_9, \Delta_{12}, []F_7 \vdash \Delta_{11} \quad h_8 : F_6, F_{10}, \Delta_{12}, []F_7 \vdash \Delta_{11}}{\bullet h_8 : ((\Delta_{12}, F_9 \vee F_{10}), []F_7), F_6 \vdash \Delta_{11}} \vee_L}{- : (\Delta_{12}, F_9 \vee F_{10}), []F_7 \vdash \Delta_{11}} \text{ Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_{12}, F_7, []F_7, F_9 \vee F_{10} \vdash \Delta_{11}, F_6}{- : \Delta_{12}, F_7, []F_7, F_9 \vee F_{10} \vdash \Delta_{11}} \text{ ax/W} \quad \frac{\bullet h_8 : \Delta_{12}, F_6, F_7, []F_7, F_9 \vee F_{10} \vdash \Delta_{11}}{- : \Delta_{12}, []F_7, F_9 \vee F_{10} \vdash \Delta_{11}} \text{ hCut}}{- : \Delta_{12}, []F_7, F_9 \vee F_{10} \vdash \Delta_{11}} \text{ ATG}
\end{array}$$

- Case rule AT

$$\begin{array}{c}
\frac{\frac{h_3 : F_7, \Delta_6, []F_7 \vdash []F_9, \Delta_{10}}{\bullet h_3 : \Delta_6, []F_7 \vdash \Delta_{10}, []F_9} \text{ AT} \quad \frac{h_8 : F_9, \Delta_6, []F_7, []F_9 \vdash \Delta_{10}}{\bullet h_8 : (\Delta_6, []F_7), []F_9 \vdash \Delta_{10}} \text{ AT}}{- : \Delta_6, []F_7 \vdash \Delta_{10}} \text{ Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_6, F_7, []F_7 \vdash \Delta_{10}, []F_9}{- : \Delta_6, F_7, []F_7 \vdash \Delta_{10}} \text{ ax/W} \quad \frac{\bullet h_8 : \Delta_6, F_7, []F_7, []F_9 \vdash \Delta_{10}}{- : \Delta_6, []F_7 \vdash \Delta_{10}} \text{ hCut}}{- : \Delta_6, []F_7 \vdash \Delta_{10}} \text{ ATG} \\
\frac{h_3 : F_7, (\Delta_{11}, []F_9), []F_7 \vdash F_6, \Delta_{10}}{\bullet h_3 : (\Delta_{11}, []F_9), []F_7 \vdash \Delta_{10}, F_6} \text{ AT} \quad \frac{h_8 : F_6, F_9, \Delta_{11}, []F_7, []F_9 \vdash \Delta_{10}}{\bullet h_8 : ((\Delta_{11}, []F_9), []F_7), F_6 \vdash \Delta_{10}} \text{ AT}}{- : (\Delta_{11}, []F_9), []F_7 \vdash \Delta_{10}} \text{ Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_{11}, F_7, []F_7, []F_9 \vdash \Delta_{10}, F_6}{- : \Delta_{11}, F_7, []F_7, []F_9 \vdash \Delta_{10}} \text{ ax/W} \quad \frac{\bullet h_8 : \Delta_{11}, F_6, F_7, []F_7, []F_9 \vdash \Delta_{10}}{- : \Delta_{11}, []F_7, []F_9 \vdash \Delta_{10}} \text{ hCut}}{- : \Delta_{11}, []F_7, []F_9 \vdash \Delta_{10}} \text{ AT} \\
\frac{h_3 : F_9, \Delta_7, []F_9 \vdash F_6, \Delta_{10}}{\bullet h_3 : \Delta_7, []F_9 \vdash \Delta_{10}, F_6} \text{ AT} \quad \frac{h_8 : F_6, F_9, \Delta_7, []F_9 \vdash \Delta_{10}}{\bullet h_8 : (\Delta_7, []F_9), F_6 \vdash \Delta_{10}} \text{ AT}}{- : \Delta_7, []F_9 \vdash \Delta_{10}} \text{ Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_7, F_9, []F_9 \vdash \Delta_{10}, F_6}{- : \Delta_7, F_9, []F_9 \vdash \Delta_{10}} \text{ ax/W} \quad \frac{\bullet h_8 : \Delta_7, F_6, F_9, []F_9 \vdash \Delta_{10}}{- : \Delta_7, []F_9 \vdash \Delta_{10}} \text{ hCut}}{- : \Delta_7, []F_9 \vdash \Delta_{10}} \text{ AT}
\end{array}$$

- Case rule \perp_L

$$\begin{array}{c}
\frac{\frac{h_3 : F_7, \Delta_6, []F_7 \vdash \perp, \Delta_9}{\bullet h_3 : \Delta_6, []F_7 \vdash \Delta_9, \perp} \text{ AT} \quad \frac{}{\bullet h_8 : (\Delta_6, []F_7), \perp \vdash \Delta_9} \perp_L}{- : \Delta_6, []F_7 \vdash \Delta_9} \text{ Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_6, F_7, []F_7 \vdash \perp, \Delta_9}{- : \Delta_6, F_7, []F_7 \vdash \Delta_9} \text{ ax/W} \quad \frac{\bullet h_8 : \perp, \Delta_6, F_7, []F_7 \vdash \Delta_9}{- : \Delta_6, []F_7 \vdash \Delta_9} \perp_L}{- : \Delta_6, []F_7 \vdash \Delta_9} \text{ hCut} \\
\frac{h_3 : F_7, (\perp, \Delta_{10}), []F_7 \vdash F_6, \Delta_9}{\bullet h_3 : (\perp, \Delta_{10}), []F_7 \vdash \Delta_9, F_6} \text{ AT} \quad \frac{}{\bullet h_8 : ((\perp, \Delta_{10}), []F_7), F_6 \vdash \Delta_9} \perp_L}{- : (\perp, \Delta_{10}), []F_7 \vdash \Delta_9} \text{ Cut} \\
\rightarrow \\
\frac{}{- : \perp, \Delta_{10}, []F_7 \vdash \Delta_9} \perp_L
\end{array}$$

- Case rule I

$$\begin{array}{c}
\frac{\frac{h_3 : F_7, \Delta_6, []F_7 \vdash P_9, \Delta_{10}, P_9}{\bullet h_3 : \Delta_6, []F_7 \vdash (\Delta_{10}, P_9), P_9} AT \quad \frac{}{h_8 : (\Delta_6, []F_7), P_9 \vdash \Delta_{10}, P_9} I}{- : \Delta_6, []F_7 \vdash \Delta_{10}, P_9} Cut \\
\rightarrow \\
\frac{\frac{h_3 : \Delta_6, F_7, []F_7 \vdash \Delta_{10}, P_9, P_9}{- : \Delta_6, F_7, []F_7 \vdash \Delta_{10}, P_9} ax/W \quad \frac{h_8 : \Delta_6, F_7, P_9, []F_7 \vdash \Delta_{10}, P_9}{- : \Delta_6, []F_7 \vdash \Delta_{10}, P_9} I}{- : \Delta_6, F_7, []F_7 \vdash \Delta_{10}, P_9} hCut \\
\rightarrow \\
\frac{}{- : \Delta_6, F_7, []F_7 \vdash \Delta_{10}, P_9} AT \\
\rightarrow \\
\frac{}{- : \Delta_6, []F_7 \vdash \Delta_{10}, P_9} AT
\end{array}$$

$$\begin{array}{c}
\frac{h_3 : F_7, (\Delta_{11}, P_9), []F_7 \vdash F_6, \Delta_{10}, P_9}{\bullet h_3 : (\Delta_{11}, P_9), []F_7 \vdash (\Delta_{10}, P_9), F_6} AT \quad \frac{}{h_8 : ((\Delta_{11}, P_9), []F_7), F_6 \vdash \Delta_{10}, P_9} I}{- : (\Delta_{11}, P_9), []F_7 \vdash \Delta_{10}, P_9} Cut \\
\rightarrow \\
\frac{}{- : (\Delta_{11}, P_9), []F_7 \vdash \Delta_{10}, P_9} I
\end{array}$$

- Case rule \top_L

$$\begin{array}{c}
\frac{h_3 : F_7, \Delta_6, []F_7 \vdash \top, \Delta_9}{\bullet h_3 : \Delta_6, []F_7 \vdash \Delta_9, \top} AT \quad \frac{h_8 : \Delta_6, []F_7 \vdash \Delta_9}{\bullet h_8 : (\Delta_6, []F_7), \top \vdash \Delta_9} \top_L}{- : \Delta_6, []F_7 \vdash \Delta_9} Cut \\
\rightarrow \\
\frac{}{- : \Delta_6, []F_7 \vdash \Delta_9} ax/W
\end{array}$$

$$\begin{array}{c}
\frac{h_3 : F_7, (\top, \Delta_{10}), []F_7 \vdash F_6, \Delta_9}{\bullet h_3 : (\top, \Delta_{10}), []F_7 \vdash \Delta_9, F_6} AT \quad \frac{h_8 : F_6, \Delta_{10}, []F_7 \vdash \Delta_9}{\bullet h_8 : ((\top, \Delta_{10}), []F_7), F_6 \vdash \Delta_9} \top_L}{- : (\top, \Delta_{10}), []F_7 \vdash \Delta_9} Cut \\
\rightarrow \\
\frac{\frac{h_3 : \top, \Delta_{10}, []F_7 \vdash \Delta_9, F_6}{- : \top, \Delta_{10}, []F_7 \vdash \Delta_9} ax/W \quad \frac{h_8 : \top, \Delta_{10}, F_6, []F_7 \vdash \Delta_9}{- : \top, \Delta_{10}, []F_7 \vdash \Delta_9} ax/W}{- : \top, \Delta_{10}, []F_7 \vdash \Delta_9} hCut
\end{array}$$

6.12 Status of \perp_L : OK

- Case rule \rightarrow_R

$$\begin{array}{c}
\frac{}{\bullet h_3 : \perp, \Delta_6 \vdash (\Delta_8, F_9 \rightarrow F_{10}), F_5} \perp_L \quad \frac{h_7 : \perp, F_5, F_9, \Delta_6 \vdash F_{10}, \Delta_8}{\bullet h_7 : (\perp, \Delta_6), F_5 \vdash \Delta_8, F_9 \rightarrow F_{10}} \rightarrow_R}{- : \perp, \Delta_6 \vdash \Delta_8, F_9 \rightarrow F_{10}} Cut \\
\rightarrow \\
\frac{}{- : \perp, \Delta_6 \vdash \Delta_8, F_9 \rightarrow F_{10}} \perp_L
\end{array}$$

- Case rule \wedge_R

$$\begin{array}{c}
\frac{}{\bullet h_3 : \perp, \Delta_6 \vdash (\Delta_8, F_9 \wedge F_{10}), F_5} \perp_L \quad \frac{h_7 : \perp, F_5, \Delta_6 \vdash F_9, \Delta_8 \quad h_7 : \perp, F_5, \Delta_6 \vdash F_{10}, \Delta_8}{\bullet h_7 : (\perp, \Delta_6), F_5 \vdash \Delta_8, F_9 \wedge F_{10}} \wedge_R}{- : \perp, \Delta_6 \vdash \Delta_8, F_9 \wedge F_{10}} Cut \\
\rightarrow \\
\frac{}{- : \perp, \Delta_6 \vdash \Delta_8, F_9 \wedge F_{10}} \perp_L
\end{array}$$

- Case rule \vee_R

$$\begin{array}{c}
\frac{}{\bullet h_3 : \perp, \Delta_6 \vdash (\Delta_8, F_9 \vee F_{10}), F_5} \perp_L \quad \frac{h_7 : \perp, F_5, \Delta_6 \vdash F_9, F_{10}, \Delta_8}{\bullet h_7 : (\perp, \Delta_6), F_5 \vdash \Delta_8, F_9 \vee F_{10}} \vee_R}{- : \perp, \Delta_6 \vdash \Delta_8, F_9 \vee F_{10}} Cut \\
\rightarrow \\
\frac{}{- : \perp, \Delta_6 \vdash \Delta_8, F_9 \vee F_{10}} \perp_L
\end{array}$$

- Case rule \perp_R

$$\frac{\frac{\bullet h_3 : \perp, \Delta_6 \vdash (\perp, \Delta_8), F_5}{\perp L} \quad \frac{h_7 : \perp, F_5, \Delta_6 \vdash \Delta_8}{\bullet h_7 : (\perp, \Delta_6), F_5 \vdash \perp, \Delta_8} \perp R}{\perp L} \quad \frac{\perp R}{\text{Cut}}}{\begin{array}{c} - : \perp, \Delta_6 \vdash \perp, \Delta_8 \\ \rightarrow \\ \underline{- : \perp, \Delta_6 \vdash \perp, \Delta_8} \perp L \end{array}}$$

- Case rule \top_R

$$\frac{\frac{\bullet h_3 : \perp, \Delta_6 \vdash (\top, \Delta_8), F_5}{\perp L} \quad \frac{\bullet h_7 : (\perp, \Delta_6), F_5 \vdash \top, \Delta_8}{\top R}}{\perp L} \quad \frac{\top R}{\text{Cut}}}{\begin{array}{c} - : \perp, \Delta_6 \vdash \top, \Delta_8 \\ \rightarrow \\ \underline{- : \perp, \Delta_6 \vdash \top, \Delta_8} \top R \end{array}}$$

- Case rule K

$$\frac{\frac{\bullet h_3 : \perp, \Box \Gamma_9, \Delta_{10} \vdash (\Delta_7, \Box F_8), \Box F_5}{\perp L} \quad \frac{h_6 : \text{unbox}(\Box \Gamma_9), \text{unbox}(\Box F_5) \vdash F_8}{\bullet h_6 : (\perp, \Box \Gamma_9, \Delta_{10}), \Box F_5 \vdash \Delta_7, \Box F_8} K}{\perp L} \quad \frac{K}{\text{Cut}}}{\begin{array}{c} - : \perp, \Box \Gamma_9, \Delta_{10} \vdash \Delta_7, \Box F_8 \\ \rightarrow \\ \underline{- : \perp, \Delta_{10}, \Box \Gamma_9 \vdash \Delta_7, \Box F_8} \perp L \end{array}}$$

$$\frac{\frac{\bullet h_3 : \perp, \Box \Gamma_7, \Delta_{10} \vdash (\Delta_8, \Box F_9), F_5}{\perp L} \quad \frac{h_6 : \text{unbox}(\Box \Gamma_7) \vdash F_9}{\bullet h_6 : (\perp, \Box \Gamma_7, \Delta_{10}), F_5 \vdash \Delta_8, \Box F_9} K}{\perp L} \quad \frac{K}{\text{Cut}}}{\begin{array}{c} - : \perp, \Box \Gamma_7, \Delta_{10} \vdash \Delta_8, \Box F_9 \\ \rightarrow \\ \underline{- : \perp, \Delta_{10}, \Box \Gamma_7 \vdash \Delta_8, \Box F_9} \perp L \end{array}}$$

- Case rule $A45$

$$\frac{\frac{\bullet h_3 : \perp, \Box \Gamma_{10}, \Delta_{11} \vdash (\Box \Gamma_7, \Delta_8, \Box F_9), \Box F_5}{\perp L} \quad \frac{h_6 : \Box \Gamma_{10}, \Box F_5 \vdash \Box \Gamma_7, F_9}{\bullet h_6 : (\perp, \Box \Gamma_{10}, \Delta_{11}), \Box F_5 \vdash \Box \Gamma_7, \Delta_8, \Box F_9} A45}{\perp L} \quad \frac{A45}{\text{Cut}}}{\begin{array}{c} - : \perp, \Box \Gamma_{10}, \Delta_{11} \vdash \Box \Gamma_7, \Delta_8, \Box F_9 \\ \rightarrow \\ \underline{- : \perp, \Delta_{11}, \Box \Gamma_{10} \vdash \Delta_8, \Box \Gamma_7, \Box F_9} \perp L \end{array}}$$

$$\frac{\frac{\bullet h_3 : \perp, \Box \Gamma_7, \Delta_{11} \vdash (\Box \Gamma_8, \Delta_9, \Box F_{10}), F_5}{\perp L} \quad \frac{h_6 : \Box \Gamma_7 \vdash \Box \Gamma_8, F_{10}}{\bullet h_6 : (\perp, \Box \Gamma_7, \Delta_{11}), F_5 \vdash \Box \Gamma_8, \Delta_9, \Box F_{10}} A45}{\perp L} \quad \frac{A45}{\text{Cut}}}{\begin{array}{c} - : \perp, \Box \Gamma_7, \Delta_{11} \vdash \Box \Gamma_8, \Delta_9, \Box F_{10} \\ \rightarrow \\ \underline{- : \perp, \Delta_{11}, \Box \Gamma_7 \vdash \Delta_9, \Box \Gamma_8, \Box F_{10}} \perp L \end{array}}$$

- Case rule \rightarrow_L

$$\frac{\frac{\bullet h_3 : \perp, \Delta_5 \vdash \Delta_9, F_7 \rightarrow F_8}{\perp L} \quad \frac{h_6 : \perp, \Delta_5 \vdash F_7, \Delta_9 \quad h_6 : \perp, F_8, \Delta_5 \vdash \Delta_9}{\bullet h_6 : (\perp, \Delta_5), F_7 \rightarrow F_8 \vdash \Delta_9} \rightarrow_L}{\perp L} \quad \frac{\rightarrow_L}{\text{Cut}}}{\begin{array}{c} - : \perp, \Delta_5 \vdash \Delta_9 \\ \rightarrow \\ \underline{- : \perp, \Delta_5 \vdash \Delta_9} \perp L \end{array}}$$

$$\frac{\frac{\bullet h_3 : \perp, \Delta_{10}, F_7 \rightarrow F_8 \vdash \Delta_9, F_5}{\perp L} \quad \frac{h_6 : \perp, F_5, \Delta_{10} \vdash F_7, \Delta_9 \quad h_6 : \perp, F_5, F_8, \Delta_{10} \vdash \Delta_9}{\bullet h_6 : (\perp, \Delta_{10}, F_7 \rightarrow F_8), F_5 \vdash \Delta_9} \rightarrow_L}{\perp L} \quad \frac{\rightarrow_L}{\text{Cut}}}{\begin{array}{c} - : \perp, \Delta_{10}, F_7 \rightarrow F_8 \vdash \Delta_9 \\ \rightarrow \\ \underline{- : \perp, \Delta_{10}, F_7 \rightarrow F_8 \vdash \Delta_9} \perp L \end{array}}$$

- Case rule \wedge_L

$$\frac{\frac{\bullet h_3 : \perp, \Delta_5 \vdash \Delta_9, F_7 \wedge F_8}{\perp L} \quad \frac{h_6 : \perp, F_7, F_8, \Delta_5 \vdash \Delta_9}{\bullet h_6 : (\perp, \Delta_5), F_7 \wedge F_8 \vdash \Delta_9} \wedge_L}{\perp L} \quad \frac{\wedge_L}{\text{Cut}}}{\begin{array}{c} - : \perp, \Delta_5 \vdash \Delta_9 \\ \rightarrow \\ \underline{- : \perp, \Delta_5 \vdash \Delta_9} \perp L \end{array}}$$

$$\frac{\frac{\frac{}{\bullet h_3 : \perp, \Delta_{10}, F_7 \wedge F_8 \vdash \Delta_9, F_5} \perp_L \quad \frac{h_6 : \perp, F_5, F_7, F_8, \Delta_{10} \vdash \Delta_9}{\bullet h_6 : (\perp, \Delta_{10}, F_7 \wedge F_8), F_5 \vdash \Delta_9} \wedge_L}{\frac{}{- : \perp, \Delta_{10}, F_7 \wedge F_8 \vdash \Delta_9} \text{Cut}} \perp_L}{\frac{}{- : \perp, \Delta_{10}, F_7 \wedge F_8 \vdash \Delta_9} \text{Cut}} \perp_L} \perp_L$$

- Case rule \vee_L

$$\frac{\frac{\frac{}{\bullet h_3 : \perp, \Delta_5 \vdash \Delta_9, F_7 \vee F_8} \perp_L \quad \frac{h_6 : \perp, F_7, \Delta_5 \vdash \Delta_9 \quad h_6 : \perp, F_8, \Delta_5 \vdash \Delta_9}{\bullet h_6 : (\perp, \Delta_5), F_7 \vee F_8 \vdash \Delta_9} \vee_L}{\frac{}{- : \perp, \Delta_5 \vdash \Delta_9} \text{Cut}} \perp_L}{\frac{}{- : \perp, \Delta_5 \vdash \Delta_9} \text{Cut}} \perp_L} \perp_L$$

$$\frac{\frac{\frac{}{\bullet h_3 : \perp, \Delta_{10}, F_7 \vee F_8 \vdash \Delta_9, F_5} \perp_L \quad \frac{h_6 : \perp, F_5, F_7, \Delta_{10} \vdash \Delta_9 \quad h_6 : \perp, F_5, F_8, \Delta_{10} \vdash \Delta_9}{\bullet h_6 : (\perp, \Delta_{10}, F_7 \vee F_8), F_5 \vdash \Delta_9} \vee_L}{\frac{}{- : \perp, \Delta_{10}, F_7 \vee F_8 \vdash \Delta_9} \text{Cut}} \perp_L}{\frac{}{- : \perp, \Delta_{10}, F_7 \vee F_8 \vdash \Delta_9} \text{Cut}} \perp_L} \perp_L$$

- Case rule AT

$$\frac{\frac{\frac{}{\bullet h_3 : \perp, \Delta_5 \vdash \Delta_8, []F_7} \perp_L \quad \frac{h_6 : \perp, F_7, \Delta_5, []F_7 \vdash \Delta_8}{\bullet h_6 : (\perp, \Delta_5), []F_7 \vdash \Delta_8} AT}{\frac{}{- : \perp, \Delta_5 \vdash \Delta_8} \text{Cut}} \perp_L}{\frac{}{- : \perp, \Delta_5 \vdash \Delta_8} \text{Cut}} \perp_L} \perp_L$$

$$\frac{\frac{\frac{}{\bullet h_3 : \perp, \Delta_9, []F_7 \vdash \Delta_8, F_5} \perp_L \quad \frac{h_6 : \perp, F_5, F_7, \Delta_9, []F_7 \vdash \Delta_8}{\bullet h_6 : (\perp, \Delta_9, []F_7), F_5 \vdash \Delta_8} AT}{\frac{}{- : \perp, \Delta_9, []F_7 \vdash \Delta_8} \text{Cut}} \perp_L}{\frac{}{- : \perp, \Delta_9, []F_7 \vdash \Delta_8} \text{Cut}} \perp_L} \perp_L$$

- Case rule \perp_L

$$\frac{\frac{\frac{}{\bullet h_3 : \perp, \Delta_6 \vdash \Delta_8, F_5} \perp_L \quad \frac{}{\bullet h_7 : (\perp, \Delta_6), F_5 \vdash \Delta_8} \perp_L}{\frac{}{- : \perp, \Delta_6 \vdash \Delta_8} \text{Cut}} \perp_L}{\frac{}{- : \perp, \Delta_6 \vdash \Delta_8} \text{Cut}} \perp_L} \perp_L$$

- Case rule I

$$\frac{\frac{\frac{}{\bullet h_3 : \perp, \Delta_5 \vdash (\Delta_8, p_7), p_7} \perp_L \quad \frac{h_6 : (\perp, \Delta_5), p_7 \vdash \Delta_8, p_7}{\bullet h_6 : (\perp, \Delta_5), p_7 \vdash \Delta_8, p_7} I}{\frac{}{- : \perp, \Delta_5 \vdash \Delta_8, p_7} \text{Cut}} \perp_L}{\frac{}{- : \perp, \Delta_5 \vdash \Delta_8, p_7} \text{Cut}} \perp_L} \perp_L$$

$$\frac{\frac{\frac{}{\bullet h_3 : \perp, \Delta_9, p_7 \vdash (\Delta_8, p_7), F_5} \perp_L \quad \frac{h_6 : (\perp, \Delta_9, p_7), F_5 \vdash \Delta_8, p_7}{\bullet h_6 : (\perp, \Delta_9, p_7), F_5 \vdash \Delta_8, p_7} I}{\frac{}{- : \perp, \Delta_9, p_7 \vdash \Delta_8, p_7} \text{Cut}} \perp_L}{\frac{}{- : \perp, \Delta_9, p_7 \vdash \Delta_8, p_7} \text{Cut}} \perp_L} \perp_L$$

- Case rule \top_L

$$\frac{\frac{\frac{}{\bullet h_3 : \perp, \Delta_5 \vdash \Delta_7, \top} \perp_L \quad \frac{h_6 : \perp, \Delta_5 \vdash \Delta_7}{\bullet h_6 : (\perp, \Delta_5), \top \vdash \Delta_7} \top_L}{\frac{}{- : \perp, \Delta_5 \vdash \Delta_7} \text{Cut}} \perp_L}{\frac{}{- : \perp, \Delta_5 \vdash \Delta_7} \text{Cut}} \perp_L} \perp_L$$

$$\frac{\frac{\frac{}{\bullet h_3 : \perp, \top, \Delta_8 \vdash \Delta_7, F_5} \perp_L \quad \frac{h_6 : \perp, F_5, \Delta_8 \vdash \Delta_7}{\bullet h_6 : (\perp, \top, \Delta_8), F_5 \vdash \Delta_7} \top_L}{- : \perp, \top, \Delta_8 \vdash \Delta_7} \text{Cut}}{\rightarrow} \perp_L$$

6.13 Status of I : OK

- Case rule \rightarrow_R

$$\frac{\frac{\frac{}{\bullet h_1 : \Delta_5, P_6 \vdash (\Delta_8, F_9 \rightarrow F_{10}), P_6} I \quad \frac{h_7 : F_9, \Delta_5, P_6, P_6 \vdash F_{10}, \Delta_8}{\bullet h_7 : (\Delta_5, P_6), P_6 \vdash \Delta_8, F_9 \rightarrow F_{10}} \rightarrow_R}{- : \Delta_5, P_6 \vdash \Delta_8, F_9 \rightarrow F_{10}} \text{Cut}}{\rightarrow} \text{ax/W hCut}$$

$$\frac{\frac{\frac{}{\bullet h_2 : \Delta_7, P_8 \vdash ((\Delta_{12}, F_{10} \rightarrow F_{11}), P_8), F_6} I \quad \frac{h_9 : F_6, F_{10}, \Delta_7, P_8 \vdash F_{11}, \Delta_{12}, P_8}{\bullet h_9 : (\Delta_7, P_8), F_6 \vdash (\Delta_{12}, F_{10} \rightarrow F_{11}), P_8} \rightarrow_R}{- : \Delta_7, P_8 \vdash (\Delta_{12}, F_{10} \rightarrow F_{11}), P_8} \text{Cut}}{\rightarrow} I}{- : \Delta_7, P_8 \vdash \Delta_{12}, P_8, F_{10} \rightarrow F_{11}} I$$

- Case rule \wedge_R

$$\frac{\frac{\frac{}{\bullet h_1 : \Delta_5, P_6 \vdash (\Delta_8, F_9 \wedge F_{10}), P_6} I \quad \frac{h_7 : \Delta_5, P_6, P_6 \vdash F_9, \Delta_8 \quad h_7 : \Delta_5, P_6, P_6 \vdash F_{10}, \Delta_8}{\bullet h_7 : (\Delta_5, P_6), P_6 \vdash \Delta_8, F_9 \wedge F_{10}} \wedge_R}{- : \Delta_5, P_6 \vdash \Delta_8, F_9 \wedge F_{10}} \text{Cut}}{\rightarrow} \text{ax/W hCut}$$

$$\frac{\frac{\frac{}{\bullet h_1 : \Delta_5, P_6 \vdash \Delta_8, F_9, P_6} I \quad \frac{h_7 : \Delta_5, P_6, P_6 \vdash \Delta_8, F_9}{\bullet h_7 : (\Delta_5, P_6), P_6 \vdash \Delta_8, F_9} \text{ax/W hCut} \quad \frac{\frac{}{\bullet h_1 : \Delta_5, P_6 \vdash \Delta_8, F_{10}, P_6} I \quad \frac{h_7 : \Delta_5, P_6, P_6 \vdash \Delta_8, F_{10}}{\bullet h_7 : (\Delta_5, P_6), P_6 \vdash \Delta_8, F_{10}} \text{ax/W hCut}}{- : \Delta_5, P_6 \vdash \Delta_8, F_{10}} \wedge_R}{- : \Delta_5, P_6 \vdash \Delta_8, F_9 \wedge F_{10}} \wedge_R$$

$$\frac{\frac{\frac{}{\bullet h_2 : \Delta_7, P_8 \vdash ((\Delta_{12}, F_{10} \wedge F_{11}), P_8), F_6} I \quad \frac{h_9 : F_6, \Delta_7, P_8 \vdash F_{10}, \Delta_{12}, P_8 \quad h_9 : F_6, \Delta_7, P_8 \vdash F_{11}, \Delta_{12}, P_8}{\bullet h_9 : (\Delta_7, P_8), F_6 \vdash (\Delta_{12}, F_{10} \wedge F_{11}), P_8} \wedge_R}{- : \Delta_7, P_8 \vdash (\Delta_{12}, F_{10} \wedge F_{11}), P_8} \text{Cut}}{\rightarrow} I}{- : \Delta_7, P_8 \vdash \Delta_{12}, P_8, F_{10} \wedge F_{11}} I$$

- Case rule \vee_R

$$\frac{\frac{\frac{}{\bullet h_1 : \Delta_5, P_6 \vdash (\Delta_8, F_9 \vee F_{10}), P_6} I \quad \frac{h_7 : \Delta_5, P_6, P_6 \vdash F_9, F_{10}, \Delta_8}{\bullet h_7 : (\Delta_5, P_6), P_6 \vdash \Delta_8, F_9 \vee F_{10}} \vee_R}{- : \Delta_5, P_6 \vdash \Delta_8, F_9 \vee F_{10}} \text{Cut}}{\rightarrow} \text{ax/W hCut}$$

$$\frac{\frac{\frac{}{\bullet h_1 : \Delta_5, P_6 \vdash \Delta_8, F_{10}, F_9, P_6} I \quad \frac{h_7 : \Delta_5, P_6, P_6 \vdash \Delta_8, F_{10}, F_9}{\bullet h_7 : (\Delta_5, P_6), P_6 \vdash \Delta_8, F_{10}, F_9} \text{ax/W hCut}}{- : \Delta_5, P_6 \vdash \Delta_8, F_{10}, F_9} \vee_R}{- : \Delta_5, P_6 \vdash \Delta_8, F_9 \vee F_{10}} \vee_R$$

$$\frac{\frac{\frac{}{\bullet h_2 : \Delta_7, P_8 \vdash ((\Delta_{12}, F_{10} \vee F_{11}), P_8), F_6} I \quad \frac{h_9 : F_6, \Delta_7, P_8 \vdash F_{10}, F_{11}, \Delta_{12}, P_8}{\bullet h_9 : (\Delta_7, P_8), F_6 \vdash (\Delta_{12}, F_{10} \vee F_{11}), P_8} \vee_R}{- : \Delta_7, P_8 \vdash (\Delta_{12}, F_{10} \vee F_{11}), P_8} \text{Cut}}{\rightarrow} I}{- : \Delta_7, P_8 \vdash \Delta_{12}, P_8, F_{10} \vee F_{11}} I$$

- Case rule \perp_R

$$\frac{\frac{\bullet h_1 : \Delta_5, p_6 \vdash (\perp, \Delta_8), p_6}{- : \Delta_5, p_6 \vdash \perp, \Delta_8} I \quad \frac{h_7 : \Delta_5, p_6, p_6 \vdash \Delta_8}{\bullet h_7 : (\Delta_5, p_6), p_6 \vdash \perp, \Delta_8} \perp_R}{\rightarrow} \text{Cut}$$

$$\frac{\bullet h_1 : \Delta_5, p_6 \vdash \perp, \Delta_8, p_6}{- : \Delta_5, p_6 \vdash \perp, \Delta_8} I \quad \frac{h_7 : \Delta_5, p_6, p_6 \vdash \perp, \Delta_8}{\bullet h_7 : (\Delta_5, p_6), p_6 \vdash \perp, \Delta_8} \text{ax/W}}{\rightarrow} \text{hCut}$$

$$\frac{\frac{\bullet h_2 : \Delta_7, p_8 \vdash ((\perp, \Delta_{10}), p_8), F_6}{- : \Delta_7, p_8 \vdash (\perp, \Delta_{10}), p_8} I \quad \frac{h_9 : F_6, \Delta_7, p_8 \vdash \Delta_{10}, p_8}{\bullet h_9 : (\Delta_7, p_8), F_6 \vdash (\perp, \Delta_{10}), p_8} \perp_R}{\rightarrow} \text{Cut}$$

$$\frac{- : \Delta_7, p_8 \vdash \perp, \Delta_{10}, p_8}{\rightarrow} I$$

- Case rule \top_R

$$\frac{\frac{\bullet h_1 : \Delta_5, p_6 \vdash (\top, \Delta_8), p_6}{- : \Delta_5, p_6 \vdash \top, \Delta_8} I \quad \frac{\bullet h_7 : (\Delta_5, p_6), p_6 \vdash \top, \Delta_8}{\rightarrow} \top_R}{\rightarrow} \text{Cut}$$

$$\frac{- : \Delta_5, p_6 \vdash \top, \Delta_8}{\rightarrow} \top_R$$

$$\frac{\frac{\bullet h_2 : \Delta_7, p_8 \vdash ((\top, \Delta_{10}), p_8), F_6}{- : \Delta_7, p_8 \vdash (\top, \Delta_{10}), p_8} I \quad \frac{\bullet h_9 : (\Delta_7, p_8), F_6 \vdash (\top, \Delta_{10}), p_8}{\rightarrow} \top_R}{\rightarrow} \text{Cut}$$

$$\frac{- : \Delta_7, p_8 \vdash \top, \Delta_{10}, p_8}{\rightarrow} \top_R$$

- Case rule K

$$\frac{\frac{\bullet h_1 : (\Box\Gamma_7, \Delta_{10}), p_5 \vdash (\Delta_8, \Box F_9), p_5}{- : (\Box\Gamma_7, \Delta_{10}), p_5 \vdash \Delta_8, \Box F_9} I \quad \frac{h_6 : \text{unbox}(\Box\Gamma_7) \vdash F_9}{\bullet h_6 : ((\Box\Gamma_7, \Delta_{10}), p_5), p_5 \vdash \Delta_8, \Box F_9} K}{\rightarrow} \text{Cut}$$

$$\frac{- : \text{unbox}(\Box\Gamma_7) \vdash F_9}{\rightarrow} \text{ax/W}$$

$$\frac{- : \Delta_{10}, \Box\Gamma_7, p_5 \vdash \Delta_8, \Box F_9}{\rightarrow} K$$

$$\frac{\frac{\bullet h_2 : (\Box\Gamma_{11}, \Delta_{12}), p_7 \vdash ((\Delta_{10}, \Box F_9), p_7), \Box F_6}{- : (\Box\Gamma_{11}, \Delta_{12}), p_7 \vdash (\Delta_{10}, \Box F_9), p_7} I \quad \frac{h_8 : \text{unbox}(\Box\Gamma_{11}), \text{unbox}(\Box F_6) \vdash F_9}{\bullet h_8 : ((\Box\Gamma_{11}, \Delta_{12}), p_7), \Box F_6 \vdash (\Delta_{10}, \Box F_9), p_7} K}{\rightarrow} \text{Cut}$$

$$\frac{- : \Delta_{12}, \Box\Gamma_{11}, p_7 \vdash \Delta_{10}, p_7, \Box F_9}{\rightarrow} I$$

$$\frac{\frac{\bullet h_2 : (\Box\Gamma_9, \Delta_{12}), p_7 \vdash ((\Delta_{11}, \Box F_{10}), p_7), F_6}{- : (\Box\Gamma_9, \Delta_{12}), p_7 \vdash (\Delta_{11}, \Box F_{10}), p_7} I \quad \frac{h_8 : \text{unbox}(\Box\Gamma_9) \vdash F_{10}}{\bullet h_8 : ((\Box\Gamma_9, \Delta_{12}), p_7), F_6 \vdash (\Delta_{11}, \Box F_{10}), p_7} K}{\rightarrow} \text{Cut}$$

$$\frac{- : \Delta_{12}, \Box\Gamma_9, p_7 \vdash \Delta_{11}, p_7, \Box F_{10}}{\rightarrow} I$$

- Case rule $A45$

$$\frac{\frac{\bullet h_1 : (\Box\Gamma_7, \Delta_{11}), p_5 \vdash (\Box\Gamma_8, \Delta_9, \Box F_{10}), p_5}{- : (\Box\Gamma_7, \Delta_{11}), p_5 \vdash \Box\Gamma_8, \Delta_9, \Box F_{10}} I \quad \frac{h_6 : \Box\Gamma_7 \vdash \Box\Gamma_8, F_{10}}{\bullet h_6 : ((\Box\Gamma_7, \Delta_{11}), p_5), p_5 \vdash \Box\Gamma_8, \Delta_9, \Box F_{10}} A45}{\rightarrow} \text{Cut}$$

$$\frac{- : \Box\Gamma_7 \vdash F_{10}, \Box\Gamma_8}{\rightarrow} \text{ax/W}$$

$$\frac{- : \Delta_{11}, \Box\Gamma_7, p_5 \vdash \Delta_9, \Box\Gamma_8, \Box F_{10}}{\rightarrow} A45$$

$$\frac{\frac{\bullet h_2 : (\Box\Gamma_{12}, \Delta_{13}), p_7 \vdash ((\Box\Gamma_9, \Delta_{11}, \Box F_{10}), p_7), \Box F_6}{- : (\Box\Gamma_{12}, \Delta_{13}), p_7 \vdash (\Box\Gamma_9, \Delta_{11}, \Box F_{10}), p_7} I \quad \frac{h_8 : \Box\Gamma_{12}, \Box F_6 \vdash \Box\Gamma_9, F_{10}}{\bullet h_8 : ((\Box\Gamma_{12}, \Delta_{13}), p_7), \Box F_6 \vdash (\Box\Gamma_9, \Delta_{11}, \Box F_{10}), p_7} A45}{\rightarrow} \text{Cut}$$

$$\frac{- : \Delta_{13}, \Box\Gamma_{12}, p_7 \vdash \Delta_{11}, \Box\Gamma_9, p_7, \Box F_{10}}{\rightarrow} I$$

$$\begin{array}{c}
\frac{\bullet h_2 : (\Box\Gamma_9, \Delta_{13}), p_7 \vdash ((\Box\Gamma_{10}, \Delta_{12}, \llbracket F_{11} \rrbracket), p_7), F_6}{- : (\Box\Gamma_9, \Delta_{13}), p_7 \vdash (\Box\Gamma_{10}, \Delta_{12}, \llbracket F_{11} \rrbracket), p_7} I \quad \frac{h_8 : \Box\Gamma_9 \vdash \Box\Gamma_{10}, F_{11}}{\bullet h_8 : ((\Box\Gamma_9, \Delta_{13}), p_7), F_6 \vdash (\Box\Gamma_{10}, \Delta_{12}, \llbracket F_{11} \rrbracket), p_7} A45}{\bullet h_2 : (\Box\Gamma_9, \Delta_{13}), p_7 \vdash ((\Box\Gamma_{10}, \Delta_{12}, \llbracket F_{11} \rrbracket), p_7), F_6} \text{Cut} \\
\rightarrow \\
\frac{}{- : \Delta_{13}, \Box\Gamma_9, p_7 \vdash \Delta_{12}, \Box\Gamma_{10}, p_7, \llbracket F_{11} \rrbracket} I
\end{array}$$

- Case rule \rightarrow_L

$$\begin{array}{c}
\frac{\bullet h_1 : (\Delta_{10}, F_7 \rightarrow F_8), p_5 \vdash \Delta_9, p_5}{- : (\Delta_{10}, F_7 \rightarrow F_8), p_5 \vdash \Delta_9} I \quad \frac{h_6 : \Delta_{10}, p_5, p_5 \vdash F_7, \Delta_9 \quad h_6 : F_8, \Delta_{10}, p_5, p_5 \vdash \Delta_9}{\bullet h_6 : ((\Delta_{10}, F_7 \rightarrow F_8), p_5), p_5 \vdash \Delta_9} \rightarrow_L}{\bullet h_1 : (\Delta_{10}, F_7 \rightarrow F_8), p_5 \vdash \Delta_9, p_5} \text{Cut} \\
\rightarrow \\
\frac{\bullet h_1 : \Delta_{10}, p_5 \vdash \Delta_9, F_7, p_5 \quad h_6 : \Delta_{10}, p_5, p_5 \vdash \Delta_9, F_7}{- : \Delta_{10}, p_5 \vdash \Delta_9, F_7} I \quad \frac{ax/W}{hCut} \quad \frac{\bullet h_1 : \Delta_{10}, F_8, p_5 \vdash \Delta_9, p_5 \quad h_6 : \Delta_{10}, F_8, p_5, p_5 \vdash \Delta_9}{- : \Delta_{10}, F_8, p_5 \vdash \Delta_9} I \quad \frac{ax/W}{hCut} \\
\rightarrow \\
\frac{}{- : \Delta_{10}, p_5, F_7 \rightarrow F_8 \vdash \Delta_9} \rightarrow_L \\
\bullet h_2 : \Delta_6, p_7 \vdash (\Delta_8, p_7), F_{10} \rightarrow F_{11} \quad \frac{h_9 : \Delta_6, p_7 \vdash F_{10}, \Delta_8, p_7 \quad h_9 : F_{11}, \Delta_6, p_7 \vdash \Delta_8, p_7}{\bullet h_9 : (\Delta_6, p_7), F_{10} \rightarrow F_{11} \vdash \Delta_8, p_7} \rightarrow_L}{\bullet h_2 : \Delta_6, p_7 \vdash (\Delta_8, p_7), F_{10} \rightarrow F_{11}} \text{Cut} \\
\rightarrow \\
\frac{}{- : \Delta_6, p_7 \vdash \Delta_8, p_7} I \\
\bullet h_2 : (\Delta_{12}, F_{10} \rightarrow F_{11}), p_7 \vdash (\Delta_8, p_7), F_6 \quad \frac{h_9 : F_6, \Delta_{12}, p_7 \vdash F_{10}, \Delta_8, p_7 \quad h_9 : F_6, F_{11}, \Delta_{12}, p_7 \vdash \Delta_8, p_7}{\bullet h_9 : ((\Delta_{12}, F_{10} \rightarrow F_{11}), p_7), F_6 \vdash \Delta_8, p_7} \rightarrow_L}{\bullet h_2 : (\Delta_{12}, F_{10} \rightarrow F_{11}), p_7 \vdash (\Delta_8, p_7), F_6} \text{Cut} \\
\rightarrow \\
\frac{}{- : (\Delta_{12}, F_{10} \rightarrow F_{11}), p_7 \vdash \Delta_8, p_7} I \\
\rightarrow \\
\frac{}{- : \Delta_{12}, p_7, F_{10} \rightarrow F_{11} \vdash \Delta_8, p_7} I
\end{array}$$

- Case rule \wedge_L

$$\begin{array}{c}
\frac{\bullet h_1 : (\Delta_{10}, F_7 \wedge F_8), p_5 \vdash \Delta_9, p_5}{- : (\Delta_{10}, F_7 \wedge F_8), p_5 \vdash \Delta_9} I \quad \frac{h_6 : F_7, F_8, \Delta_{10}, p_5, p_5 \vdash \Delta_9}{\bullet h_6 : ((\Delta_{10}, F_7 \wedge F_8), p_5), p_5 \vdash \Delta_9} \wedge_L}{\bullet h_1 : (\Delta_{10}, F_7 \wedge F_8), p_5 \vdash \Delta_9, p_5} \text{Cut} \\
\rightarrow \\
\frac{\bullet h_1 : \Delta_{10}, F_7, F_8, p_5 \vdash \Delta_9, p_5 \quad h_6 : \Delta_{10}, F_7, F_8, p_5, p_5 \vdash \Delta_9}{- : \Delta_{10}, F_7, F_8, p_5 \vdash \Delta_9} I \quad \frac{ax/W}{hCut} \\
\wedge_L \\
\frac{}{- : \Delta_{10}, p_5, F_7 \wedge F_8 \vdash \Delta_9} \wedge_L \\
\bullet h_2 : \Delta_6, p_7 \vdash (\Delta_8, p_7), F_{10} \wedge F_{11} \quad \frac{h_9 : F_{10}, F_{11}, \Delta_6, p_7 \vdash \Delta_8, p_7}{\bullet h_9 : (\Delta_6, p_7), F_{10} \wedge F_{11} \vdash \Delta_8, p_7} \wedge_L}{\bullet h_2 : \Delta_6, p_7 \vdash (\Delta_8, p_7), F_{10} \wedge F_{11}} \text{Cut} \\
\rightarrow \\
\frac{}{- : \Delta_6, p_7 \vdash \Delta_8, p_7} I \\
\bullet h_2 : (\Delta_{12}, F_{10} \wedge F_{11}), p_7 \vdash (\Delta_8, p_7), F_6 \quad \frac{h_9 : F_6, F_{10}, F_{11}, \Delta_{12}, p_7 \vdash \Delta_8, p_7}{\bullet h_9 : ((\Delta_{12}, F_{10} \wedge F_{11}), p_7), F_6 \vdash \Delta_8, p_7} \wedge_L}{\bullet h_2 : (\Delta_{12}, F_{10} \wedge F_{11}), p_7 \vdash (\Delta_8, p_7), F_6} \text{Cut} \\
\rightarrow \\
\frac{}{- : (\Delta_{12}, F_{10} \wedge F_{11}), p_7 \vdash \Delta_8, p_7} I \\
\rightarrow \\
\frac{}{- : \Delta_{12}, p_7, F_{10} \wedge F_{11} \vdash \Delta_8, p_7} I
\end{array}$$

- Case rule \vee_L

$$\begin{array}{c}
\frac{\bullet h_1 : (\Delta_{10}, F_7 \vee F_8), p_5 \vdash \Delta_9, p_5}{- : (\Delta_{10}, F_7 \vee F_8), p_5 \vdash \Delta_9} I \quad \frac{h_6 : F_7, \Delta_{10}, p_5, p_5 \vdash \Delta_9 \quad h_6 : F_8, \Delta_{10}, p_5, p_5 \vdash \Delta_9}{\bullet h_6 : ((\Delta_{10}, F_7 \vee F_8), p_5), p_5 \vdash \Delta_9} \vee_L}{\bullet h_1 : (\Delta_{10}, F_7 \vee F_8), p_5 \vdash \Delta_9, p_5} \text{Cut} \\
\rightarrow \\
\frac{\bullet h_1 : \Delta_{10}, F_7, p_5 \vdash \Delta_9, p_5 \quad h_6 : \Delta_{10}, F_7, p_5, p_5 \vdash \Delta_9}{- : \Delta_{10}, F_7, p_5 \vdash \Delta_9} I \quad \frac{ax/W}{hCut} \quad \frac{\bullet h_1 : \Delta_{10}, F_8, p_5 \vdash \Delta_9, p_5 \quad h_6 : \Delta_{10}, F_8, p_5, p_5 \vdash \Delta_9}{- : \Delta_{10}, F_8, p_5 \vdash \Delta_9} I \quad \frac{ax/W}{hCut} \\
\vee_L \\
\frac{}{- : \Delta_{10}, p_5, F_7 \vee F_8 \vdash \Delta_9} \vee_L
\end{array}$$

$$\begin{array}{c}
\frac{\bullet h_2 : \Delta_6, p_7 \vdash (\Delta_8, p_7), F_{10} \vee F_{11}}{\vdash : \Delta_6, p_7 \vdash \Delta_8, p_7} I \quad \frac{h_9 : F_{10}, \Delta_6, p_7 \vdash \Delta_8, p_7 \quad h_9 : F_{11}, \Delta_6, p_7 \vdash \Delta_8, p_7}{\bullet h_9 : (\Delta_6, p_7), F_{10} \vee F_{11} \vdash \Delta_8, p_7} \vee_L}{\vdash : \Delta_6, p_7 \vdash \Delta_8, p_7} \text{Cut} \\
\rightarrow \\
\frac{\vdash : \Delta_6, p_7 \vdash \Delta_8, p_7}{\vdash : \Delta_6, p_7 \vdash \Delta_8, p_7} I
\end{array}$$

$$\begin{array}{c}
\frac{\bullet h_2 : (\Delta_{12}, F_{10} \vee F_{11}), p_7 \vdash (\Delta_8, p_7), F_6}{\vdash : (\Delta_{12}, F_{10} \vee F_{11}), p_7 \vdash \Delta_8, p_7} I \quad \frac{h_9 : F_6, F_{10}, \Delta_{12}, p_7 \vdash \Delta_8, p_7 \quad h_9 : F_6, F_{11}, \Delta_{12}, p_7 \vdash \Delta_8, p_7}{\bullet h_9 : ((\Delta_{12}, F_{10} \vee F_{11}), p_7), F_6 \vdash \Delta_8, p_7} \vee_L}{\vdash : (\Delta_{12}, F_{10} \vee F_{11}), p_7 \vdash \Delta_8, p_7} \text{Cut} \\
\rightarrow \\
\frac{\vdash : (\Delta_{12}, F_{10} \vee F_{11}), p_7 \vdash \Delta_8, p_7}{\vdash : \Delta_{12}, p_7, F_{10} \vee F_{11} \vdash \Delta_8, p_7} I
\end{array}$$

- Case rule AT

$$\begin{array}{c}
\frac{\bullet h_1 : (\Delta_9, \llbracket F_7 \rrbracket, p_5 \vdash \Delta_8, p_5}{\vdash : (\Delta_9, \llbracket F_7 \rrbracket, p_5 \vdash \Delta_8} I \quad \frac{h_6 : F_7, \Delta_9, p_5, p_5, \llbracket F_7 \rrbracket \vdash \Delta_8}{\bullet h_6 : ((\Delta_9, \llbracket F_7 \rrbracket, p_5), p_5 \vdash \Delta_8} AT}{\vdash : (\Delta_9, \llbracket F_7 \rrbracket, p_5 \vdash \Delta_8} \text{Cut} \\
\rightarrow \\
\frac{\bullet h_1 : \Delta_9, F_7, p_5, \llbracket F_7 \rrbracket \vdash \Delta_8, p_5}{\vdash : \Delta_9, F_7, p_5, \llbracket F_7 \rrbracket \vdash \Delta_8} I \quad \frac{h_6 : \Delta_9, F_7, p_5, p_5, \llbracket F_7 \rrbracket \vdash \Delta_8}{\bullet h_6 : ((\Delta_9, \llbracket F_7 \rrbracket, p_5), p_5 \vdash \Delta_8} ax/W}{\vdash : \Delta_9, F_7, p_5, \llbracket F_7 \rrbracket \vdash \Delta_8} hCut \\
\rightarrow \\
\frac{\vdash : \Delta_9, F_7, p_5, \llbracket F_7 \rrbracket \vdash \Delta_8}{\vdash : \Delta_9, p_5, \llbracket F_7 \rrbracket \vdash \Delta_8} AT
\end{array}$$

$$\begin{array}{c}
\frac{\bullet h_2 : \Delta_6, p_7 \vdash (\Delta_8, p_7), \llbracket F_{10} \rrbracket}{\vdash : \Delta_6, p_7 \vdash \Delta_8, p_7} I \quad \frac{h_9 : F_{10}, \Delta_6, p_7, \llbracket F_{10} \rrbracket \vdash \Delta_8, p_7}{\bullet h_9 : (\Delta_6, p_7), \llbracket F_{10} \rrbracket \vdash \Delta_8, p_7} AT}{\vdash : \Delta_6, p_7 \vdash \Delta_8, p_7} \text{Cut} \\
\rightarrow \\
\frac{\vdash : \Delta_6, p_7 \vdash \Delta_8, p_7}{\vdash : \Delta_6, p_7 \vdash \Delta_8, p_7} I
\end{array}$$

$$\begin{array}{c}
\frac{\bullet h_2 : (\Delta_{11}, \llbracket F_{10} \rrbracket), p_7 \vdash (\Delta_8, p_7), F_6}{\vdash : (\Delta_{11}, \llbracket F_{10} \rrbracket), p_7 \vdash \Delta_8, p_7} I \quad \frac{h_9 : F_6, F_{10}, \Delta_{11}, p_7, \llbracket F_{10} \rrbracket \vdash \Delta_8, p_7}{\bullet h_9 : ((\Delta_{11}, \llbracket F_{10} \rrbracket), p_7), F_6 \vdash \Delta_8, p_7} AT}{\vdash : (\Delta_{11}, \llbracket F_{10} \rrbracket), p_7 \vdash \Delta_8, p_7} \text{Cut} \\
\rightarrow \\
\frac{\vdash : (\Delta_{11}, \llbracket F_{10} \rrbracket), p_7 \vdash \Delta_8, p_7}{\vdash : \Delta_{11}, p_7, \llbracket F_{10} \rrbracket \vdash \Delta_8, p_7} I
\end{array}$$

- Case rule \perp_L

$$\begin{array}{c}
\frac{\bullet h_1 : (\perp, \Delta_8), p_5 \vdash \Delta_7, p_5}{\vdash : (\perp, \Delta_8), p_5 \vdash \Delta_7} I \quad \frac{\bullet h_6 : ((\perp, \Delta_8), p_5), p_5 \vdash \Delta_7}{\vdash : (\perp, \Delta_8), p_5 \vdash \Delta_7} \perp_L}{\vdash : (\perp, \Delta_8), p_5 \vdash \Delta_7} \text{Cut} \\
\rightarrow \\
\frac{\vdash : (\perp, \Delta_8), p_5 \vdash \Delta_7}{\vdash : \perp, \Delta_8, p_5 \vdash \Delta_7} \perp_L
\end{array}$$

$$\begin{array}{c}
\frac{\bullet h_2 : \Delta_6, p_7 \vdash (\Delta_8, p_7), \perp}{\vdash : \Delta_6, p_7 \vdash \Delta_8, p_7} I \quad \frac{\bullet h_9 : (\Delta_6, p_7), \perp \vdash \Delta_8, p_7}{\vdash : \Delta_6, p_7 \vdash \Delta_8, p_7} \perp_L}{\vdash : \Delta_6, p_7 \vdash \Delta_8, p_7} \text{Cut} \\
\rightarrow \\
\frac{\vdash : \Delta_6, p_7 \vdash \Delta_8, p_7}{\vdash : \Delta_6, p_7 \vdash \Delta_8, p_7} I
\end{array}$$

$$\begin{array}{c}
\frac{\bullet h_2 : (\perp, \Delta_{10}), p_7 \vdash (\Delta_8, p_7), F_6}{\vdash : (\perp, \Delta_{10}), p_7 \vdash \Delta_8, p_7} I \quad \frac{\bullet h_9 : ((\perp, \Delta_{10}), p_7), F_6 \vdash \Delta_8, p_7}{\vdash : (\perp, \Delta_{10}), p_7 \vdash \Delta_8, p_7} \perp_L}{\vdash : (\perp, \Delta_{10}), p_7 \vdash \Delta_8, p_7} \text{Cut} \\
\rightarrow \\
\frac{\vdash : (\perp, \Delta_{10}), p_7 \vdash \Delta_8, p_7}{\vdash : \perp, \Delta_{10}, p_7 \vdash \Delta_8, p_7} \perp_L
\end{array}$$

- Case rule I

$$\begin{array}{c}
\frac{\bullet h_1 : \Delta_5, p_7 \vdash (\Delta_8, p_7), p_7}{\vdash : \Delta_5, p_7 \vdash \Delta_8, p_7} I \quad \frac{\bullet h_6 : (\Delta_5, p_7), p_7 \vdash \Delta_8, p_7}{\vdash : \Delta_5, p_7 \vdash \Delta_8, p_7} I}{\vdash : \Delta_5, p_7 \vdash \Delta_8, p_7} \text{Cut} \\
\rightarrow \\
\frac{\vdash : \Delta_5, p_7 \vdash \Delta_8, p_7}{\vdash : \Delta_5, p_7 \vdash \Delta_8, p_7} I
\end{array}$$

$$\begin{array}{c}
\frac{\frac{\bullet h_1 : (\Delta_9, p_7), p_5 \vdash (\Delta_8, p_7), p_5}{- : (\Delta_9, p_7), p_5 \vdash \Delta_8, p_7} I \quad \frac{\bullet h_6 : ((\Delta_9, p_7), p_5), p_5 \vdash \Delta_8, p_7}{- : (\Delta_9, p_7), p_5 \vdash \Delta_8, p_7} I}{\frac{- : (\Delta_9, p_7), p_5 \vdash \Delta_8, p_7}{\rightarrow} \text{Cut}} \\
\frac{- : (\Delta_9, p_7), p_5 \vdash \Delta_8, p_7}{\rightarrow} \\
\frac{- : \Delta_9, p_5, p_7 \vdash \Delta_8, p_7}{\rightarrow} I
\end{array}$$

$$\begin{array}{c}
\frac{\frac{\bullet h_2 : \Delta_6, p_7 \vdash ((\Delta_{10}, p_9), p_7), p_9}{- : \Delta_6, p_7 \vdash (\Delta_{10}, p_9), p_7} I \quad \frac{\bullet h_8 : (\Delta_6, p_7), p_9 \vdash (\Delta_{10}, p_9), p_7}{- : \Delta_6, p_7 \vdash (\Delta_{10}, p_9), p_7} I}{\frac{- : \Delta_6, p_7 \vdash (\Delta_{10}, p_9), p_7}{\rightarrow} \text{Cut}} \\
\frac{- : \Delta_6, p_7 \vdash (\Delta_{10}, p_9), p_7}{\rightarrow} \\
\frac{- : \Delta_6, p_7 \vdash \Delta_{10}, p_7, p_9}{\rightarrow} I
\end{array}$$

$$\begin{array}{c}
\frac{\frac{\bullet h_2 : (\Delta_{11}, p_9), p_7 \vdash ((\Delta_{10}, p_9), p_7), F_6}{- : (\Delta_{11}, p_9), p_7 \vdash (\Delta_{10}, p_9), p_7} I \quad \frac{\bullet h_8 : ((\Delta_{11}, p_9), p_7), F_6 \vdash (\Delta_{10}, p_9), p_7}{- : (\Delta_{11}, p_9), p_7 \vdash (\Delta_{10}, p_9), p_7} I}{\frac{- : (\Delta_{11}, p_9), p_7 \vdash (\Delta_{10}, p_9), p_7}{\rightarrow} \text{Cut}} \\
\frac{- : (\Delta_{11}, p_9), p_7 \vdash (\Delta_{10}, p_9), p_7}{\rightarrow} \\
\frac{- : \Delta_{11}, p_7, p_9 \vdash \Delta_{10}, p_7, p_9}{\rightarrow} I
\end{array}$$

$$\begin{array}{c}
\frac{\frac{\bullet h_2 : \Delta_7, p_9 \vdash (\Delta_{10}, p_9), F_6}{- : \Delta_7, p_9 \vdash \Delta_{10}, p_9} I \quad \frac{\bullet h_8 : (\Delta_7, p_9), F_6 \vdash \Delta_{10}, p_9}{- : \Delta_7, p_9 \vdash \Delta_{10}, p_9} I}{\frac{- : \Delta_7, p_9 \vdash \Delta_{10}, p_9}{\rightarrow} \text{Cut}} \\
\frac{- : \Delta_7, p_9 \vdash \Delta_{10}, p_9}{\rightarrow} \\
\frac{- : \Delta_7, p_9 \vdash \Delta_{10}, p_9}{\rightarrow} I
\end{array}$$

- Case rule \top_L

$$\begin{array}{c}
\frac{\frac{\frac{\bullet h_1 : (\top, \Delta_8), p_5 \vdash \Delta_7, p_5}{- : (\top, \Delta_8), p_5 \vdash \Delta_7} I \quad \frac{h_6 : \Delta_8, p_5, p_5 \vdash \Delta_7}{\bullet h_6 : ((\top, \Delta_8), p_5), p_5 \vdash \Delta_7} \top_L}{\frac{- : (\top, \Delta_8), p_5 \vdash \Delta_7}{\rightarrow} \text{Cut}} \\
\frac{- : (\top, \Delta_8), p_5 \vdash \Delta_7}{\rightarrow} \\
\frac{\bullet h_1 : \top, \Delta_8, p_5 \vdash \Delta_7, p_5}{\rightarrow} I \quad \frac{h_6 : \top, \Delta_8, p_5, p_5 \vdash \Delta_7}{\bullet h_6 : \top, \Delta_8, p_5, p_5 \vdash \Delta_7} \text{ax/W} \\
\frac{- : \top, \Delta_8, p_5 \vdash \Delta_7}{\rightarrow} \text{hCut}
\end{array}$$

$$\begin{array}{c}
\frac{\frac{\frac{\bullet h_2 : \Delta_6, p_7 \vdash (\Delta_8, p_7), \top}{- : \Delta_6, p_7 \vdash (\Delta_8, p_7), \top} I \quad \frac{h_9 : \Delta_6, p_7 \vdash \Delta_8, p_7}{\bullet h_9 : (\Delta_6, p_7), \top \vdash \Delta_8, p_7} \top_L}{\frac{- : \Delta_6, p_7 \vdash (\Delta_8, p_7), \top}{\rightarrow} \text{Cut}} \\
\frac{- : \Delta_6, p_7 \vdash (\Delta_8, p_7), \top}{\rightarrow} \\
\frac{- : \Delta_6, p_7 \vdash \Delta_8, p_7}{\rightarrow} I
\end{array}$$

$$\begin{array}{c}
\frac{\frac{\frac{\bullet h_2 : (\top, \Delta_{10}), p_7 \vdash (\Delta_8, p_7), F_6}{- : (\top, \Delta_{10}), p_7 \vdash \Delta_8, p_7} I \quad \frac{h_9 : F_6, \Delta_{10}, p_7 \vdash \Delta_8, p_7}{\bullet h_9 : ((\top, \Delta_{10}), p_7), F_6 \vdash \Delta_8, p_7} \top_L}{\frac{- : (\top, \Delta_{10}), p_7 \vdash \Delta_8, p_7}{\rightarrow} \text{Cut}} \\
\frac{- : (\top, \Delta_{10}), p_7 \vdash \Delta_8, p_7}{\rightarrow} \\
\frac{- : \top, \Delta_{10}, p_7 \vdash \Delta_8, p_7}{\rightarrow} I
\end{array}$$

6.14 Status of \top_L : OK

- Case rule \rightarrow_R

$$\begin{array}{c}
\frac{\frac{\frac{h_3 : \Delta_6 \vdash F_5, \Delta_8, F_9 \rightarrow F_{10}}{\bullet h_3 : \top, \Delta_6 \vdash (\Delta_8, F_9 \rightarrow F_{10}), F_5} \top_L \quad \frac{h_7 : \top, F_5, F_9, \Delta_6 \vdash F_{10}, \Delta_8}{\bullet h_7 : (\top, \Delta_6), F_5 \vdash \Delta_8, F_9 \rightarrow F_{10}} \rightarrow_R}{\frac{- : \top, \Delta_6 \vdash \Delta_8, F_9 \rightarrow F_{10}}{\rightarrow} \text{Cut}} \\
\frac{- : \top, \Delta_6 \vdash \Delta_8, F_9 \rightarrow F_{10}}{\rightarrow} \\
\frac{h_3 : \top, \Delta_6 \vdash \Delta_8, F_5, F_9 \rightarrow F_{10}}{\rightarrow} \text{ax/W} \quad \frac{h_7 : \top, \Delta_6, F_5 \vdash \Delta_8, F_9 \rightarrow F_{10}}{\bullet h_7 : \top, \Delta_6, F_5 \vdash \Delta_8, F_9 \rightarrow F_{10}} \text{ax/W} \\
\frac{- : \top, \Delta_6 \vdash \Delta_8, F_9 \rightarrow F_{10}}{\rightarrow} \text{hCut}
\end{array}$$

- Case rule \wedge_R

$$\begin{array}{c}
\frac{\frac{\frac{h_3 : \Delta_6 \vdash F_5, \Delta_8, F_9 \wedge F_{10}}{\bullet h_3 : \top, \Delta_6 \vdash (\Delta_8, F_9 \wedge F_{10}), F_5} \top_L \quad \frac{h_7 : \top, F_5, \Delta_6 \vdash F_9, \Delta_8}{\bullet h_7 : (\top, \Delta_6), F_5 \vdash \Delta_8, F_9 \wedge F_{10}} \wedge_R}{\frac{- : \top, \Delta_6 \vdash \Delta_8, F_9 \wedge F_{10}}{\rightarrow} \text{Cut}} \\
\frac{- : \top, \Delta_6 \vdash \Delta_8, F_9 \wedge F_{10}}{\rightarrow} \\
\frac{h_3 : \top, \Delta_6 \vdash \Delta_8, F_5, F_9 \wedge F_{10}}{\rightarrow} \text{ax/W} \quad \frac{h_7 : \top, \Delta_6, F_5 \vdash \Delta_8, F_9 \wedge F_{10}}{\bullet h_7 : \top, \Delta_6, F_5 \vdash \Delta_8, F_9 \wedge F_{10}} \text{ax/W} \\
\frac{- : \top, \Delta_6 \vdash \Delta_8, F_9 \wedge F_{10}}{\rightarrow} \text{hCut}
\end{array}$$

- Case rule \vee_R

$$\frac{\frac{h_3 : \Delta_6 \vdash F_5, \Delta_8, F_9 \vee F_{10}}{\bullet h_3 : \top, \Delta_6 \vdash (\Delta_8, F_9 \vee F_{10}), F_5} \top_L \quad \frac{h_7 : \top, F_5, \Delta_6 \vdash F_9, F_{10}, \Delta_8}{\bullet h_7 : (\top, \Delta_6), F_5 \vdash \Delta_8, F_9 \vee F_{10}} \vee_R}{- : \top, \Delta_6 \vdash \Delta_8, F_9 \vee F_{10}} \text{Cut}}{\frac{h_3 : \top, \Delta_6 \vdash \Delta_8, F_5, F_9 \vee F_{10}}{- : \top, \Delta_6 \vdash \Delta_8, F_9 \vee F_{10}} \text{ax/W} \quad \frac{\bullet h_7 : \top, \Delta_6, F_5 \vdash \Delta_8, F_9 \vee F_{10}}{- : \top, \Delta_6 \vdash \Delta_8, F_9 \vee F_{10}} \text{hCut}}{\rightarrow} \text{Cut}}{\rightarrow} \text{Cut}$$

- Case rule \perp_R

$$\frac{\frac{h_3 : \Delta_6 \vdash F_5, \perp, \Delta_8}{\bullet h_3 : \top, \Delta_6 \vdash (\perp, \Delta_8), F_5} \top_L \quad \frac{h_7 : \top, F_5, \Delta_6 \vdash \Delta_8}{\bullet h_7 : (\top, \Delta_6), F_5 \vdash \perp, \Delta_8} \perp_R}{- : \top, \Delta_6 \vdash \perp, \Delta_8} \text{Cut}}{\frac{h_3 : \top, \Delta_6 \vdash \perp, \Delta_8, F_5}{- : \top, \Delta_6 \vdash \perp, \Delta_8} \text{ax/W} \quad \frac{\bullet h_7 : \top, \Delta_6, F_5 \vdash \perp, \Delta_8}{- : \top, \Delta_6 \vdash \perp, \Delta_8} \text{hCut}}{\rightarrow} \text{Cut}}{\rightarrow} \text{Cut}$$

- Case rule \top_R

$$\frac{\frac{h_3 : \Delta_6 \vdash F_5, \top, \Delta_8}{\bullet h_3 : \top, \Delta_6 \vdash (\top, \Delta_8), F_5} \top_L \quad \frac{h_7 : (\top, \Delta_6), F_5 \vdash \top, \Delta_8}{\bullet h_7 : (\top, \Delta_6), F_5 \vdash \top, \Delta_8} \top_R}{- : \top, \Delta_6 \vdash \top, \Delta_8} \text{Cut}}{\frac{- : \top, \Delta_6 \vdash \top, \Delta_8}{- : \top, \Delta_6 \vdash \top, \Delta_8} \top_R}}{\rightarrow} \text{Cut}$$

- Case rule K

$$\frac{\frac{h_3 : \Box\Gamma_9, \Delta_{10} \vdash \Box F_5, \Delta_7, \Box F_8}{\bullet h_3 : \top, \Box\Gamma_9, \Delta_{10} \vdash (\Delta_7, \Box F_8), \Box F_5} \top_L \quad \frac{h_6 : \text{unbox}(\Box\Gamma_9), \text{unbox}(\Box F_5) \vdash F_8}{\bullet h_6 : (\top, \Box\Gamma_9, \Delta_{10}), \Box F_5 \vdash \Delta_7, \Box F_8} K}{- : \top, \Box\Gamma_9, \Delta_{10} \vdash \Delta_7, \Box F_8} \text{Cut}}{\frac{h_3 : \top, \Delta_{10}, \Box\Gamma_9 \vdash \Box F_5, \Delta_7, \Box F_8}{- : \top, \Delta_{10}, \Box\Gamma_9 \vdash \Delta_7, \Box F_8} \text{ax/W} \quad \frac{\bullet h_6 : \top, \Box F_5, \Delta_{10}, \Box\Gamma_9 \vdash \Delta_7, \Box F_8}{- : \top, \Delta_{10}, \Box\Gamma_9 \vdash \Delta_7, \Box F_8} \text{hCut}}{\rightarrow} \text{Cut}}{\frac{h_3 : \Box\Gamma_7, \Delta_{10} \vdash F_5, \Delta_8, \Box F_9}{\bullet h_3 : \top, \Box\Gamma_7, \Delta_{10} \vdash (\Delta_8, \Box F_9), F_5} \top_L \quad \frac{h_6 : \text{unbox}(\Box\Gamma_7) \vdash F_9}{\bullet h_6 : (\top, \Box\Gamma_7, \Delta_{10}), F_5 \vdash \Delta_8, \Box F_9} K}{- : \top, \Box\Gamma_7, \Delta_{10} \vdash \Delta_8, \Box F_9} \text{Cut}}{\frac{- : \text{unbox}(\Box\Gamma_7) \vdash F_9}{- : \top, \Delta_{10}, \Box\Gamma_7 \vdash \Delta_8, \Box F_9} \text{ax/W} \quad \frac{- : \text{unbox}(\Box\Gamma_7) \vdash F_9}{- : \top, \Delta_{10}, \Box\Gamma_7 \vdash \Delta_8, \Box F_9} K}}{\rightarrow} \text{Cut}$$

- Case rule $A45$

$$\frac{\frac{h_3 : \Box\Gamma_{10}, \Delta_{11} \vdash \Box F_5, \Box\Gamma_7, \Delta_8, \Box F_9}{\bullet h_3 : \top, \Box\Gamma_{10}, \Delta_{11} \vdash (\Box\Gamma_7, \Delta_8, \Box F_9), \Box F_5} \top_L \quad \frac{h_6 : \Box\Gamma_{10}, \Box F_5 \vdash \Box\Gamma_7, F_9}{\bullet h_6 : (\top, \Box\Gamma_{10}, \Delta_{11}), \Box F_5 \vdash \Box\Gamma_7, \Delta_8, \Box F_9} A45}{- : \top, \Box\Gamma_{10}, \Delta_{11} \vdash \Box\Gamma_7, \Delta_8, \Box F_9} \text{Cut}}{\frac{h_3 : \top, \Delta_{11}, \Box\Gamma_{10} \vdash \Box F_5, \Delta_8, \Box\Gamma_7, \Box F_9}{- : \top, \Delta_{11}, \Box\Gamma_{10} \vdash \Delta_8, \Box\Gamma_7, \Box F_9} \text{ax/W} \quad \frac{\bullet h_6 : \top, \Box F_5, \Delta_{11}, \Box\Gamma_{10} \vdash \Delta_8, \Box\Gamma_7, \Box F_9}{- : \top, \Delta_{11}, \Box\Gamma_{10} \vdash \Delta_8, \Box\Gamma_7, \Box F_9} \text{hCut}}{\rightarrow} \text{Cut}}{\frac{h_3 : \Box\Gamma_7, \Delta_{11} \vdash F_5, \Box\Gamma_8, \Delta_9, \Box F_{10}}{\bullet h_3 : \top, \Box\Gamma_7, \Delta_{11} \vdash (\Box\Gamma_8, \Delta_9, \Box F_{10}), F_5} \top_L \quad \frac{h_6 : \Box\Gamma_7 \vdash \Box\Gamma_8, F_{10}}{\bullet h_6 : (\top, \Box\Gamma_7, \Delta_{11}), F_5 \vdash \Box\Gamma_8, \Delta_9, \Box F_{10}} A45}{- : \top, \Box\Gamma_7, \Delta_{11} \vdash \Box\Gamma_8, \Delta_9, \Box F_{10}} \text{Cut}}{\frac{- : \Box\Gamma_7 \vdash F_{10}, \Box\Gamma_8}{- : \top, \Delta_{11}, \Box\Gamma_7 \vdash \Delta_9, \Box\Gamma_8, \Box F_{10}} \text{ax/W} \quad \frac{- : \Box\Gamma_7 \vdash F_{10}, \Box\Gamma_8}{- : \top, \Delta_{11}, \Box\Gamma_7 \vdash \Delta_9, \Box\Gamma_8, \Box F_{10}} A45}}{\rightarrow} \text{Cut}$$

- Case rule \rightarrow_L

$$\begin{array}{c}
\frac{\frac{h_3 : \Delta_5 \vdash F_7 \rightarrow F_8, \Delta_9}{\bullet h_3 : \top, \Delta_5 \vdash \Delta_9, F_7 \rightarrow F_8} \top_L \quad \frac{h_6 : \top, \Delta_5 \vdash F_7, \Delta_9 \quad h_6 : \top, F_8, \Delta_5 \vdash \Delta_9}{\bullet h_6 : (\top, \Delta_5), F_7 \rightarrow F_8 \vdash \Delta_9} \rightarrow_L}{- : \top, \Delta_5 \vdash \Delta_9} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \top, \Delta_5 \vdash \Delta_9, F_7 \rightarrow F_8}{- : \top, \Delta_5 \vdash \Delta_9} \text{ax/W} \quad \frac{\bullet h_6 : \top, \Delta_5, F_7 \rightarrow F_8 \vdash \Delta_9}{- : \top, \Delta_5 \vdash \Delta_9} \text{hCut}}{- : \top, \Delta_5 \vdash \Delta_9} \\
\\
\frac{\frac{h_3 : \Delta_{10}, F_7 \rightarrow F_8 \vdash F_5, \Delta_9}{\bullet h_3 : \top, \Delta_{10}, F_7 \rightarrow F_8 \vdash \Delta_9, F_5} \top_L \quad \frac{h_6 : \top, F_5, \Delta_{10} \vdash F_7, \Delta_9 \quad h_6 : \top, F_5, F_8, \Delta_{10} \vdash \Delta_9}{\bullet h_6 : (\top, \Delta_{10}, F_7 \rightarrow F_8), F_5 \vdash \Delta_9} \rightarrow_L}{- : \top, \Delta_{10}, F_7 \rightarrow F_8 \vdash \Delta_9} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \top, \Delta_{10}, F_7 \rightarrow F_8 \vdash \Delta_9, F_5}{- : \top, \Delta_{10}, F_7 \rightarrow F_8 \vdash \Delta_9} \text{ax/W} \quad \frac{\bullet h_6 : \top, \Delta_{10}, F_5, F_7 \rightarrow F_8 \vdash \Delta_9}{- : \top, \Delta_{10}, F_7 \rightarrow F_8 \vdash \Delta_9} \text{hCut}}{- : \top, \Delta_{10}, F_7 \rightarrow F_8 \vdash \Delta_9}
\end{array}$$

- Case rule \wedge_L

$$\begin{array}{c}
\frac{\frac{h_3 : \Delta_5 \vdash F_7 \wedge F_8, \Delta_9}{\bullet h_3 : \top, \Delta_5 \vdash \Delta_9, F_7 \wedge F_8} \top_L \quad \frac{h_6 : \top, F_7, F_8, \Delta_5 \vdash \Delta_9}{\bullet h_6 : (\top, \Delta_5), F_7 \wedge F_8 \vdash \Delta_9} \wedge_L}{- : \top, \Delta_5 \vdash \Delta_9} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \top, \Delta_5 \vdash \Delta_9, F_7 \wedge F_8}{- : \top, \Delta_5 \vdash \Delta_9} \text{ax/W} \quad \frac{\bullet h_6 : \top, \Delta_5, F_7 \wedge F_8 \vdash \Delta_9}{- : \top, \Delta_5 \vdash \Delta_9} \text{hCut}}{- : \top, \Delta_5 \vdash \Delta_9} \\
\\
\frac{\frac{h_3 : \Delta_{10}, F_7 \wedge F_8 \vdash F_5, \Delta_9}{\bullet h_3 : \top, \Delta_{10}, F_7 \wedge F_8 \vdash \Delta_9, F_5} \top_L \quad \frac{h_6 : \top, F_5, F_7, F_8, \Delta_{10} \vdash \Delta_9}{\bullet h_6 : (\top, \Delta_{10}, F_7 \wedge F_8), F_5 \vdash \Delta_9} \wedge_L}{- : \top, \Delta_{10}, F_7 \wedge F_8 \vdash \Delta_9} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \top, \Delta_{10}, F_7 \wedge F_8 \vdash \Delta_9, F_5}{- : \top, \Delta_{10}, F_7 \wedge F_8 \vdash \Delta_9} \text{ax/W} \quad \frac{\bullet h_6 : \top, \Delta_{10}, F_5, F_7 \wedge F_8 \vdash \Delta_9}{- : \top, \Delta_{10}, F_7 \wedge F_8 \vdash \Delta_9} \text{hCut}}{- : \top, \Delta_{10}, F_7 \wedge F_8 \vdash \Delta_9}
\end{array}$$

- Case rule \vee_L

$$\begin{array}{c}
\frac{\frac{h_3 : \Delta_5 \vdash F_7 \vee F_8, \Delta_9}{\bullet h_3 : \top, \Delta_5 \vdash \Delta_9, F_7 \vee F_8} \top_L \quad \frac{h_6 : \top, F_7, \Delta_5 \vdash \Delta_9 \quad h_6 : \top, F_8, \Delta_5 \vdash \Delta_9}{\bullet h_6 : (\top, \Delta_5), F_7 \vee F_8 \vdash \Delta_9} \vee_L}{- : \top, \Delta_5 \vdash \Delta_9} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \top, \Delta_5 \vdash \Delta_9, F_7 \vee F_8}{- : \top, \Delta_5 \vdash \Delta_9} \text{ax/W} \quad \frac{\bullet h_6 : \top, \Delta_5, F_7 \vee F_8 \vdash \Delta_9}{- : \top, \Delta_5 \vdash \Delta_9} \text{hCut}}{- : \top, \Delta_5 \vdash \Delta_9} \\
\\
\frac{\frac{h_3 : \Delta_{10}, F_7 \vee F_8 \vdash F_5, \Delta_9}{\bullet h_3 : \top, \Delta_{10}, F_7 \vee F_8 \vdash \Delta_9, F_5} \top_L \quad \frac{h_6 : \top, F_5, F_7, \Delta_{10} \vdash \Delta_9 \quad h_6 : \top, F_5, F_8, \Delta_{10} \vdash \Delta_9}{\bullet h_6 : (\top, \Delta_{10}, F_7 \vee F_8), F_5 \vdash \Delta_9} \vee_L}{- : \top, \Delta_{10}, F_7 \vee F_8 \vdash \Delta_9} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \top, \Delta_{10}, F_7 \vee F_8 \vdash \Delta_9, F_5}{- : \top, \Delta_{10}, F_7 \vee F_8 \vdash \Delta_9} \text{ax/W} \quad \frac{\bullet h_6 : \top, \Delta_{10}, F_5, F_7 \vee F_8 \vdash \Delta_9}{- : \top, \Delta_{10}, F_7 \vee F_8 \vdash \Delta_9} \text{hCut}}{- : \top, \Delta_{10}, F_7 \vee F_8 \vdash \Delta_9}
\end{array}$$

- Case rule AT

$$\begin{array}{c}
\frac{\frac{h_3 : \Delta_5 \vdash []F_7, \Delta_8}{\bullet h_3 : \top, \Delta_5 \vdash \Delta_8, []F_7} \top_L \quad \frac{h_6 : \top, F_7, \Delta_5, []F_7 \vdash \Delta_8}{\bullet h_6 : (\top, \Delta_5), []F_7 \vdash \Delta_8} AT}{- : \top, \Delta_5 \vdash \Delta_8} \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \top, \Delta_5 \vdash \Delta_8, []F_7}{- : \top, \Delta_5 \vdash \Delta_8} \text{ax/W} \quad \frac{\bullet h_6 : \top, \Delta_5, []F_7 \vdash \Delta_8}{- : \top, \Delta_5 \vdash \Delta_8} \text{hCut}}{- : \top, \Delta_5 \vdash \Delta_8}
\end{array}$$

$$\begin{array}{c}
\frac{h_3 : \Delta_9, []F_7 \vdash F_5, \Delta_8}{\bullet h_3 : \top, \Delta_9, []F_7 \vdash \Delta_8, F_5} \top_L \quad \frac{h_6 : \top, F_5, F_7, \Delta_9, []F_7 \vdash \Delta_8}{\bullet h_6 : (\top, \Delta_9, []F_7), F_5 \vdash \Delta_8} AT \\
\hline
- : \top, \Delta_9, []F_7 \vdash \Delta_8 \quad \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \top, \Delta_9, []F_7 \vdash \Delta_8, F_5}{- : \top, \Delta_9, []F_7 \vdash \Delta_8} ax/W \quad \frac{\bullet h_6 : \top, \Delta_9, F_5, []F_7 \vdash \Delta_8}{- : \top, \Delta_9, []F_7 \vdash \Delta_8} hCut}{- : \top, \Delta_9, []F_7 \vdash \Delta_8} ax/W
\end{array}$$

- Case rule \perp_L

$$\begin{array}{c}
\frac{h_3 : \Delta_5 \vdash \perp, \Delta_7}{\bullet h_3 : \top, \Delta_5 \vdash \Delta_7, \perp} \top_L \quad \frac{}{\bullet h_6 : (\top, \Delta_5), \perp \vdash \Delta_7} \perp_L \\
\hline
- : \top, \Delta_5 \vdash \Delta_7 \quad \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \top, \Delta_5 \vdash \perp, \Delta_7}{- : \top, \Delta_5 \vdash \Delta_7} ax/W \quad \frac{\bullet h_6 : \perp, \top, \Delta_5 \vdash \Delta_7}{- : \top, \Delta_5 \vdash \Delta_7} \perp_L}{- : \top, \Delta_5 \vdash \Delta_7} hCut \\
\\
\frac{h_3 : \perp, \Delta_8 \vdash F_5, \Delta_7}{\bullet h_3 : \top, \perp, \Delta_8 \vdash \Delta_7, F_5} \top_L \quad \frac{}{\bullet h_6 : (\top, \perp, \Delta_8), F_5 \vdash \Delta_7} \perp_L \\
\hline
- : \top, \perp, \Delta_8 \vdash \Delta_7 \quad \text{Cut} \\
\rightarrow \\
\frac{}{- : \perp, \top, \Delta_8 \vdash \Delta_7} \perp_L
\end{array}$$

- Case rule I

$$\begin{array}{c}
\frac{h_3 : \Delta_5 \vdash p_7, \Delta_8, p_7}{\bullet h_3 : \top, \Delta_5 \vdash (\Delta_8, p_7), p_7} \top_L \quad \frac{}{\bullet h_6 : (\top, \Delta_5), p_7 \vdash \Delta_8, p_7} I \\
\hline
- : \top, \Delta_5 \vdash \Delta_8, p_7 \quad \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \top, \Delta_5 \vdash \Delta_8, p_7, p_7}{- : \top, \Delta_5 \vdash \Delta_8, p_7} ax/W \quad \frac{\bullet h_6 : \top, \Delta_5, p_7 \vdash \Delta_8, p_7}{- : \top, \Delta_5 \vdash \Delta_8, p_7} I}{- : \top, \Delta_5 \vdash \Delta_8, p_7} hCut \\
\\
\frac{h_3 : \Delta_9, p_7 \vdash F_5, \Delta_8, p_7}{\bullet h_3 : \top, \Delta_9, p_7 \vdash (\Delta_8, p_7), F_5} \top_L \quad \frac{}{\bullet h_6 : (\top, \Delta_9, p_7), F_5 \vdash \Delta_8, p_7} I \\
\hline
- : \top, \Delta_9, p_7 \vdash \Delta_8, p_7 \quad \text{Cut} \\
\rightarrow \\
\frac{}{- : \top, \Delta_9, p_7 \vdash \Delta_8, p_7} I
\end{array}$$

- Case rule \top_L

$$\begin{array}{c}
\frac{h_3 : \Delta_6 \vdash F_5, \Delta_8}{\bullet h_3 : \top, \Delta_6 \vdash \Delta_8, F_5} \top_L \quad \frac{h_7 : F_5, \Delta_6 \vdash \Delta_8}{\bullet h_7 : (\top, \Delta_6), F_5 \vdash \Delta_8} \top_L \\
\hline
- : \top, \Delta_6 \vdash \Delta_8 \quad \text{Cut} \\
\rightarrow \\
\frac{\frac{h_3 : \top, \Delta_6 \vdash \Delta_8, F_5}{- : \top, \Delta_6 \vdash \Delta_8} ax/W \quad \frac{\bullet h_7 : \top, \Delta_6, F_5 \vdash \Delta_8}{- : \top, \Delta_6 \vdash \Delta_8} hCut}{- : \top, \Delta_6 \vdash \Delta_8} ax/W
\end{array}$$